

ပြန်မာ

နယ်စပ်

လမ်းညွှန်

၂၀၀၃

rmwum

pmr:uEm

TyEyxwa0jci; t a:umi; S unyy;jci;rm;	4
Tvr;nepm tyurnuo t o;jy/rnen;?	5
axmuct juijonpmrsm;	7
vemu ci0;uyen;rm;	8
tjzprsm;aomvQ%mrsm;	9
<i>t zm; (u , yjci;)</i>	11
<i>em usijci;</i>	12
<i>&www&ujzpaom Or;Auemu:sijci;</i>	13
<i>t pm t r t ay:zuwiemu:sijci; (&inelemu:sijci;)</i>	15
<i>E;acjci; (Fatigue)/ armye;Er;e , jci;/ x usijci;?</i>	16
<i>wujci;</i>	17
<i>arjajrmjci;</i>	20
<i>ao;vejjci;</i>	23
ao; t m;en;a&m*	27
<i>ao;e0y;up; Ijzpaomao; t m;en;a&m*rm;-Thalassemia ao; t m;en;a&m*.</i>	28
<i>*v;up 6 "jwcjwIjzpaomao; t m;en;a&m* (G6PD)</i>	30
ao;oi;jci;	35
iuzsm;a&m*	45
t ou&lvra:umi;q i&m a&m*rm;	46
<i>t "y, ziqjci;rm; t a t;rjci;/ t mo;a&mia&m*.</i>	48
<i>acjci;&v%acjci;em(xyuyem)</i>	49
<i>&www&ujzpaomav&ljyea&mia&m*Eiemwm&nav&ljyea&mia&m*.</i>	51
<i>t qwa&mia&m*</i>	53
<i>t qwwba&m*.</i>	55
<i>a&ow0r&aom oaumia:umi:jzpaoma&m* (Paragonimiasis)</i>	60
<i>&www&uye;em&iu:ya&m*.</i>	62
em;a&mia&m*	67
Ev;Eiao;a:umqi&ma&m*rm;	69
<i>ao;w;a&m*.</i>	71
<i>Ev;vyie;ciE , i; Ijzpaom Ev;a&m*.</i>	76
<i>av;b uem t zm;a&m*.</i>	78
q;ci&a&m*	83
0u&jyea&m*	85
0r;av:ma&m*	
0r;uua&m*	
oaumirm;	

t ojynwnema&m*	87
t a&jym;a&m*rm;Ei t jcm;aom t a&jym;q i&m t a c t aer sm;	
buw;&; m;a:umijzpaom tempua&m*	88
jynwnem/ infection jzpaeaom q vrm;a&mi&rjci;	89
t emrm; (wounds) Ei r;a vmijci;rm;/ t a&jym;Opm;a&m*	90
ao;rw n l "wweijyejci;/ t iji u u xjci;/Ei;ca&m*	92
a&aumua&m*/a&, e(ao;)a&m*	93
a&, e(u;)a&m*	94
t qpr m;ci S , i;yupjci;a&m*rm;	95
t em}u;a&m*(Eema&m*)	97
q;vr;a:umi;Ei vi t *qi&m t ajaer sm;	
q; t ra&mia&m*/aum u uy(uawm-pyelo t yi;)a&mia&m*	101
q;vr;a:umi;aum uwnjci;rm;	102
&ww&ujzpaomaum u ya&mia&m*v u %mp (AGN)	103
aum u uy v ypn;rm; (Nephron) a&miaom v u %mp	104
viEiywo u aoma&m*rm;	105
t m [m&ci S wci;	109
Awmri"wd S wci;	
Awmria t "wd Ewji;	116
xemp/xemajcmu (Awmri b 1 ci Ewaoma&m*)	119
om;Eiouqiaomjy \ emrm;	121
ruv;Eiouqiaomjy \ emrm;	123
O;aEmu t ajr;y;a&mia&m*	126
wuzu t zm; (t a&miie;zm;a&m*)	128
u , wi t epur sm;xuaom ie;zm;u; (Scrub Typhus)	130
wyau;u; t zm;a&m* (Dengue Fever)	131
pyi&cy;p t om;O;a&m* (prajr t zm;&m*)	133
ou o ua&m*	135
t wci t iA / at t i' t up (HIV/AIDS)	136
t jzpr sm;aom om;zm;r; , yEiqiaom jy \ emrm;	
om;avmjci; (u , Oey:ujci;)/yrreae&mrraom u , Oewnji;	145
om;rm;ciEi om;zm;y;aemuyi;ao;oejci;	146
apmp;pmjzpaom om; t rnpji;rm;	148
u , Oeaqmi t qywua&m* (Pre-eclampsia)EioaEEao;wua&m*(Eclampsia)	148
pypo;oaEwnji; (Hydatiform Mole)	150
rom;pprue;qi&mvr;nec:ur sm;	151
viqi&m t :ur;zujci;rm;/ r'r;uijci; (oi) t wi; t "Rjyluic&jci;	153
t jzpr sm;aom pwa&m*rm;	156
r; , paq;0;Ei t &u t qyoijci;	161
umu , aq;xjci;/aomujci;Eiouqiaom t ceZ , m;	162
(LOVIBOND) en;vr;jzi a [r*vAiwi;wmjci;Ei ao; t ci; t pm;nrrjyl jci;	163
(PEAK FLOW) y(c)zv; yrewez;Z , m;	166
u , tav;ce S t &y t jri t v u t rway;Z , m;	168
u , Oeaqmip0 t wi; aq;0;rm; t a:umi;	170
iuzm;a&m* u orZ , m;rm;	172
aq;0;Z , m;rm;	179
ur;u;um;jci;rm;	198

TyEyxwa0jci; t a:umi;

jrerme , pyvr;neon xi;/jrerme , pywavm uwi t vyvyaē:uaom aq;buqi&mOexr;rsm;Ei aq;rL;rsm;twu aq;ynmvr;nerrsm;jzpon? jrerme , py . x;jcm;ona&m* t ajc t aeEi ue|ow c:ur sm;ay: rwn;y; urm use;rma& t z|Ei t jcm;tp;&r [waom t z| t pn;rsm; . uorvr;necuEi aq;ynmbmom&yrrsm;u u;um;a&;om;xm;on? vecaom 15Epraq;rL;rsm;aq;Oexr;rsm; . 'uonpce;Ei t jcm;vxrsm;t m;u oay;ont aw| t a|u|rsm;u wwEior: u;um;t o;jy/xm;on?

TyEjci;wi

- v , uaomjrermpmu t o;jy/xm;on?aq;ynma0 [m&rsm; . ab;wi *i;jzi &i;vi;cur sm;a&;xm;on?
- **t opijyixm;aom tyi;rsm;on** aq;rL;rsm; . awmi;qc:ur sm;t &jzpy;/ao;vejci;/ao;eOay|u u y;up;l jzpaomao;t m;en;a&m* i uzsm;a&m* t jrepr;oyen;rsm;/ xyuyem/av;buem t zsm;Ou&;jyea&m* q;c|Eem/ t qpa&m* t a&jym;a&mijci;/a& , /wuzyp)/ao;vewyau;/v uwpyi;&p(c)/r; , paq;Ei t &u t qyoijci;/ t jzprsm;aompwa&m*rsm;/v i t ajc|y| t : ur;zurrrsm;t a:umi;w|u az:jyxm;y|on?
- t c| tyi;rsm;u **t i t m;jznjy;pp0xm;on?**(Oyrm-ao;w;a&m*/wb t qwema&m*Ei t yc:tiA/ a t t i' t u(p)w|jzpon)? t c|aq;ay;c:ur sm;u v n;Eiiwumvr;nec:ur sm;t jyi ajymi;vaom t ajc t ae t &jy|yixm;on?(Oyrm- ao;w;a&m*q; t x;u ocu/ b0r;c|wr/wuz|u t a&m|ie;zsm; Ei0r;u ua&m*)?
- **t opZ , m;rsm;u v n; x noi;xm;y|on?**(y(c)zv;Ei u , t av;ceE t &y t jri t rway;Ee;rsm;)
- **aq;ne;Z , m;rsm;u v n;/**aq; t ce t q/ t "uab;xuq;u s;rsm;/aq;ay;&eroiaom t c:ur sm;u az:jyxm;y|on?
- pm ty t q;wi **ur;u;um;c:ur sm;az:jyxm;y|on?**

u|nyy;jci;rsm;

TyEyxwa0jci;u y|y;unon t z| t pn;rsm;rm

- Eiiwum aq;buqi&munaxmuya& t z|(a t t r t i)
- tar&ue'uonrsm;aumrw (a t t mp)
- Eiiwumu , q , a&;aumrw (t i t mp)
- armwqm-*smr% (t r t y(c)')
- r , 'pi qez&e|w , m; (jyiop- t r t upzu(z))
- r , awmaq;ce;

bbpr t m [m&c|w|jci;/Auwmric|w|jci;Ei omrmpwa&m*jy \ emrsm;u y|y;jy|pay;y|on? &u v i uzsm;oawoe Xme (t u(p) t r/ t m/ ,)r i uzsm;a&m* t a:umi;u yey;jy|pay;y|on?

aia:u; t u| t n

vr;nepm tyEyxwa0a&twu t i t mprwqi tar&ueEiiwum t u t nay;a&t zraxmuyon?

Tvr;nepm tyu rnuo!t o;jyrnen;?

vem. a&m*Eiywoul a&m*owrwc u twnjy&e Tvr;necur;u oiuunyrn? vr;necur; on vem. tout &, Ei a&m*. q;O;jyi;xer tajcaeay:rw n l uoru a&c; , &eunrn? Tvr;necur;u xi;-jrerme , py&aq;ce;r;Ei 'uon pce;r;Y qupyl t o;jyEi&aq;bu qiμr;u;pm ty;r;r xwEwl to;wnr&ap&e t&&i;q; jyjyicy;jzpon? Tvr;nepm tyon wjcm;aomae&m;r;wi t o;jy&e oiawmc;ir oiawmayvrrn?

1) **pm ty**. a&m*Eiywo u aom tyi;u zwy? rnuo!aomq;O;aomv u %m;r;u &maz&e/ rnon aq;O;r;u t o;jy&eEi aq;O;r;Eiywoul bmuowxm;&rnw u Tpm tyr oiuajymjyrn?

2) vem. u , tav;ceEi tout &, t&/ oia&c; , xm;aomaq;O;. reueaomaq;Ee; (dose) u &maz&e **Z , m;r;**u zwy?

3) Tpm tywi yOiaom owi; t;cu t v u r; on wwEi or; reuea t mi jypxm;y on? o!aom **aq;O;r; . t cet q**u t o;jy/r t jcm;aom aq;ynmu;um;c;u r;/ pm typmwe;r;Ei wuqi ppaq;y; t o;jy&e t ujy/ tyyon?

t waumua&om; t o;jyxm;onpmv;r;

mg	=	milligram (rv*&r)	PO	=	per os (oral) y;pyr
g	=	gram (*&r)	IM	=	intramuscular(u u om; t wi;r)
kg	=	kilogram u v*&r	IV	=	intravenous(ao;jyea:um t wi;r)
ml	=	mililitre (rv vwm)	PR	=	intrarectal (p t t wi;r)
			PV	=	per vagina (ar;vr;a:umi;r)
cc	=	cubic centimeter (u Apiwrwm)SC		=	subcutaneous(t a&jym;a t m ur)
d	=	day (&u)	stat	=	single dose (aq;Ee;wc;pm)
min	=	minute (r;ep)	OD	=	wae;w}ur
x	=	times (t }u ray;i;)	BID	=	wae;Ep}ur / 12 em&jcm;wc;
/	=	per v;i (wc;v;i/w}ur v;i)	TID	=	wae;o;}ur / 8 em&jcm;wc;
tab	=	tablet (aq;v;/ aq;jym;)	QID	=	wae;a v;}ur / 6 em&jcm;wc;

owjy&e - 1pp = 1 rv vwm

Oyrm - “**2 tab TID x 5 d**” wcaomu 2 v; (wae;v;i 3:ur) 8 em&jcm;wc; 5 &u:umay;y?

AFB	=	Acid Fast Bacilli (t uppEi t a&mi q; l &a o m b u w; & , m;)
AIDS	=	Acquired Immune Deficiency Syndrome (ccpr; t m; u; q i; a o m a&m* j v u %mp)
ANC	=	Ante Natal Care (o m; r z m; r } u l w i j y l p a m i a&m u j c i;)
ARI	=	Acute Respiratory Infection (& w w& u j z p a o m t o u& l v r; a u m i; q i& m a&m* j)
BP	=	Blood Pressure (a o; z t m; (o l) a o; a y i c e)
CRP	=	Chronic Reactive Protein (: u m& n w e l j y e y& w i;)
D5S/D5W	=	Dextrose 5% and Saline/Dextrose 5% in Water(t d l 5 C E E i t i C E t d l 5 C E)
ESR	=	Erythrocyte Sedimentation Rate (a o; e o t e n x i E e;)
GI	=	Gastro intestinal (t p m v r; a u m i; E i q i a o m)
Hb	=	Haemoglobin (a [r * v A i)
Hct	=	Haematocrit (a o; e; 0 E i a o; x x n y r m % t w i; t w m)
HIV	=	Human Immuno-deficiency Virus (ccpr; t m; u; q i; a p a o m A i; & y p y;)
IPD	=	In-Patient Department (t w i; v e m X m e)
LRTI	=	Lower Respiratory Tract Infection (a t m u y i; t o u& l v r; a u m i; q i& m a&m* j)
MS	=	Malaria Smear (i u z m; a& m* j y; p p a q; & e a o; p e r e m)
NSS	=	Normal Saline Solution (o b m 0 q m; a z m& n)
OPD	=	Out-Patient Department (j y i y v e m X m e)
ORS	=	Oral Rehydration Salts (" l w q m; x w)
PFG	=	Plasmodium Falciparum Gametocytes (z , p y l& r i u z m; y; z / r r m;)
PFT	=	Plasmodium Falciparum Trophozoites (z , p y l& r i u z m; y; o m; i , r m;)
PVG	=	Plasmodium Vivax Gametocytes (A i; A u i u z m; y; z / r r m;)
PVT	=	Plasmodium Vivax Trophozoites (A i; A u i u z m; y; o m; i , r m;)
RBC	=	Red Blood Cells (a o; e 0 r m;)
R/L	=	Ringers Lactate (& i; u m; v u w w a y m& n)
RR	=	Respiratory Rate (t o u& l E e;)
SFP	=	Supplementary Feeding Program (j z n p u p m a u l; a r; a& ; t p t p 0)
TB	=	Tuberculosis (t q w w b a& m* j)
TFP	=	Therapeutic feeding Program (t p m; t p m a u l; a r; l u o r a y; a o m t p t p 0)
URTI	=	Upper Respiratory Tract Infection (t a y y i; t o u& l v r; a u m i; q i& m a&m* j)
UTI	=	Urinary Tract Infection (q; v r; a u m i; q i& m a&m* j)

axmuc t } u j y l o n p m r m ;

vem t m ; a&m*ay:smu u i ; a t m i u o&mY o i a v m r e u e a o m a&m*owrwc:uEi aumi;reaom
aq;uorwcu a&;c: , jci;w:ay:wi rwnyjon?

IPD t wi;vemXmewi o i o n vemuapmi:uy:un&Eion?

OPD jiyivemXmewi vemonaq;uoruy:jynpon t x&&on [aocmpm rqEiy? t qwwba&m*
t wu DOTS (Directly Observed Treatment, Short-course)u o i wu&uapmi:uy:un&jy;aq; u o jci;-
a&w t p t p0r:ay;Eirom aocmpm u oay;Eiyrn?

vemraq;0;rsm;u o iawmreuepm t o;jyilonu aocmap&ea t m u y p n ; r:0;rsm;u ow&y?

**1) aq;0;rsm; 2 - 3 r;x u y l r a y ; &e?(c i ; c u t a e z i x ; j c m ; c i v a o m t a : u m i ; j y c u w c c & r o m v i i x o i
a y ; j c i ; u j y v y y l)**

- x o j y l v y y l u t E&m , &E i o n (t c l a q ; 0 ; r s m ; u t w w u a o m u o ; y l u t q y t a w m u j z p v m E i o n ?)
- x o j y l v y y l u x a & m u r r & E i y ? (t c l a q ; 0 ; r s m ; u w c e w n ; a o m u o ; y l u t v y v y a q m i E i j c i ;
r & a w m y ?)
- x o j y l v y y l u v e m r m ; z i a q ; E e ; u 4 i ; / t c e u 4 i ; / a q ; 0 ; w c j c i ; p u o w a o m u o ; & r n & u t a & t w u
u 4 i ; r w r z & e t v e c u y i o n ?

2) &w w & u j z p a o m a & m * r m ; (i n f e c t i o n s r m ; t w u a q ; 0 ; r m ; u a q ; y w t j y n a y ; y ?

vem t m ; a q ; y w u : y ; o n t x a o m u & e r m : u m ; y l ? t u , l t a j c t a e w ; w u j c i ; r & y l u j y e v m & e
v n ; r m : u m ; y l ?

**3) e m w m & n a & m * r m ; t w u o i o n v e m u b , a v m u : u m v i i w c ; a w E i a o m t a j u r a y : t a j c l a q ; 0 ;
r m ; u a x m u y a y ; y ?**

emwm&nzm;emjci;rsm;t wu oionvemu ten;q;3 vwjuraw/q:un&vrrn? x:a:umi vem
on 3 vpm x u a u m v e a o m a q ; a x m u y r u & v r r n r [w y / o w a q ; u e r o m ; r j y e v m z i & e t } u j y l
a y ; y l ?

4) aq;0;rsm;u j y i q i j c i ; ?

- u a v ; r s m ; t w u a q ; 0 ; r s m ; u c c r ; y l
- a q ; x w a y : w i a q ; t r n E i a q ; E e ; u a & ; y l ?

5) v e m r m ; u & i ; j y c i ; ?

- a q ; 0 ; r s m ; u w a e l b , E p l u r E i r n o n t c e Y a o m u & e (6 e m & j c m ; / 8 e m & j c m ; / 12 e m & j c m ;)
- w j u r v i i a q ; b , E p v ; a o m u & r n ?
- a q ; b , E p & u a o m u & r n ?
- a ' o w i & E i a o m a q ; u o r r s m ; u r n u o l t o ; j y l & e / O y r m - q m ; a & c l a z m & n (O R S)
- b , t c e t c j Y a q ; c e ; o j y e v m j y & e ?

v|e|u| c|0;u|y|e|n|r|m;

vemEiaumi;reaomquqa&:/ vem . a&m*!u ay:mu ui;a t mi u o&mYvemzipum;ajymjci;Ei em;
axmijci;on t vet a&};u;on?
aq;aE;wiyice;Y o i on vem u vucaw|qaom t c|a t muaz: jyy| t q i rsm;u v uemy?

- 1) vem u }u|qEwce;q uy?
- 2) o uawm i o u o m&a t m i t a o t c m j y \ v y y ?
vem u x i a p y ?
t u , l t v e m r u e ; j z p y | u / v e m u u w i a y : w i v t y a p y ?
- 3) pr;oyppaq;p0 t awm t wi; r n o w 0 ; w a , m u r i v e m u e m ; r a x m i a p & e (o i) r a w j i r i a p & e v w w w
v y v y & a t m i t a o t c m j y \ v y y ?
aq;aE;wiyice;Y w | u r v i v e m w 0 ; x u r y & y ?
aq;r|;w0;on aq;aE;wiyijci;u t ce;w c w i j y \ v y & r n ?
vem . a j y m j y c : u r s m ; u r n o w 0 ; w a , m u u r i e m ; a x m i c i r j y \ & ?
r n o w 0 ; w a , m u u r i w c ; a y | u r a c m i ; l r : u n a p & ?
o m ; z m ; r ; , y q i & m (o i) v i t * | q i & m p r ; o y p p a q ; j c i ; r s m ; j y \ v y & m Y t x ; * & j y \ v y a q m i y ?
- 4) j y n p v a v m u a o m v e m & m Z 0 i u , y ? v e m & m Z 0 i & , j c i : / r : u m c i u j z p c a o m e m r u e ; r E i y w o u l 4 i ;
a q ; u o r u 4 i ; a r ; j r e j c i ; (o i) o w | . r w w r ; p m t y r s m ; Y : u n j c i ; w i o n r j z p r a e j y \ v y z & e v t y o n / T
t & m w | o n r : u m c % q o v y i r u p v i r ; w w o n ?
- 5) vem u o i a w m r e u e p m p r ; o y j c i ; j y \ v y y ?
- 6) vem . v u r w Y u , t a v ; c e E i u , y c e w | t m ; a & ; r w x m ; j c i ; & r & u p p a q ; y ?
- 7) r : u m a o ; c i u v e m o n r n o n a q ; u o r u & , c o n u p p a q ; y ?
- 8) u a v ; r s m ; t w u u m u , a q ; x j c i ; / a o m u j c i ; t a : u m i ; u a r y ? x a e m u u a v ; A w m r i a t u a e m u q ;
b , t c e u a o m u c o e n ; u p p a q ; y ?
t u , l u a v ; o n u m u , a q ; x j c i ; / a o m u j c i ; X m e o | o m ; a & m u c b ; j c i ; r & a o ; y | u / a e m u w c | u m u ,
a q ; a y ; c e Y o m ; & e a j y m j y y ? y : a e m u b , t c e w i u m u , a q ; x a y ; r n u a j y m j y y ?
u a v ; o n v e c a o m 4 v t w i ; A w m r i a t u r a o m u c & a o ; y | u / A w m r i a t a y ; y ?
u a v ; u : u n & o n r m y e o n [x i & y | u / t [m & c | w j c i ; & r & u p p a q ; y ?
- 9) vem . a j y m j y c : u r s m ; t u s 0 ; / p r ; o y p p a q ; j c i ; E i " w c c e ; r p r ; o y a w | & c : u r s m ; u v u r w a y : w i a & ; c y ?
- 10) a & m * ! o w r w c : u E i a q ; u o r u v u r w a y : w i & i ; & i ; v i ; v i ; a & ; c y ?
- 11) vem u o E o r w i b m u e ; r m a & ; j y \ e m & o n E i o i a y ; r n a q ; u o r w | u & i ; j y y ? a q ; c e ; o i r n o n
t c e j y e v m & r n u & i ; j y y ?
- 12) r n o n a & m * j z p o n u o i r o y | u & ; & ; o m ; o m ; y i o i r o a : u m i ; v e m u a j y m y ? x | a e m u r n o n
a & m * j z p o n u o & e r n u o i j y \ v y E i o n u & i ; j y y ?
- 13) w p w & m t x ; n e : u m ; x m ; c : u r s m ; & y | u / v e m u & i ; j y y ?

t jzprsm;aom v uQ%mrsm;

t zsm;

t zsm; oncemu , tycw;jrivmji;uqvon?
 cli;um;wi& , aom tycen 37.5 xuau smveyu/ t zsm;&on [rw , &rn?
 t zsm;on Ali;&yp/buw&; , m;(o)y&m q'ywEi qupyl t rsm;q;jz pav&aom v u%mjzpon?
 cli;um;r , aom tycuajymi;vp&mr v b vurwY a&;rwv j&yion? (Oyrm- 38 C)? t jcm;ae&mrsm;
 jzpaomp t (o) y;pyr & , aom tyciejzpyu/4i;u (Oyrm- R 38 C)vrw&vron?
 t zsm;Ei wljzpaom v u%mrsm;

- cr;jci; (chills)- t zsm; t awmrsm;rsm;wijz pav&aom a t jci;ucpm;&jci;?
- cr;wejci; (rigor)- om;rsm;&ujci;Ei q;O;pm vycjci;Ei t wjyi;xepmcr;jci;?

u ojci;

uav;rsm;wi t zsm; 37.5 C Ei v:u;rsm;wi t zsm; 38 C xuau smveaom t c; uoray;y?

- vem . t Ow t pm;rsm;ucjway;y? (t y t Owr&&/ apm i rcl&)
- ra t ;ve/ ryve;aoma&jzi t a&jym;u a&ywwu lay;py? (cEmu , wcv;ay: oia&a vmi;cay;y?)
- Paracetamol ay;y? (12 Epa t mu uav;rsm;u b , aom t cr ASA - Aspirin ray;&?)
- vem u t &n"wjynpr&a t mi x m;ay;y? (t &n rsm;rsm;aom uy/ rciEi&n qu lwuau;y?)

owjy&e

t zsm;jzi arajrmaeaom vemEi rlrceEiaom vem t wu/ Paracetamol t c;u p t r x nay;jci; (o)
 Paracetamol x;ay;jci;jy/ vyay;&ejzpEi yion?

5 Epa t muuav;rsm; wujci;on t zsm;a:umi t rsm;q;jzpon?

t zsm;ujz pap&on t a:umi;&i;u)ul;pm;&maz l u oy?

vQ%mrsm;	jzpEiac&aoma&m*
cr;jci;/acj;u ujci;/ac; x ujci;/ow&rav#men;vmjci;? acj;u ujci;/ t m&a:umqi&m v u%mrsm;/Zuci jci;? t ou&lvr;a:umi;q i&m v u%mrsm;? q;vr;a:umi;q i&m v u%mrsm;?	Malaria (i uzsm;a&m*) Meningitis(O;aemu t ajr;y; a&mia&m*) ARI(t ou&lvr;a:umi;a&m*) Cystitis(q; t ra&mia&m*)/ Pyelonephritis (aumsu uy(uawm-pyo t yi;)a&mia&m*) buw&; , m;a:umi jzpaom0r;u ua&m*
t u s t c;rsm;Eiao;y:aom0r;om;jci;? jynwnjci;/ infection jzpaeaom t a&jym;ye;yjci;? ao;vejci;/cr;wejci;? t o)u;lemusijci;? wm&nu , y)u;jci;? acmi;q jci;/u , t av;ceavsmen;jci;Ei t zsm;wm&njci;? o;jcm; t zsm;&jci;/cEmu , emusijci;/em&n , jci;?	Skin infection (t a&jym;a&m*) Septicaemia (ao;qywujci;) LiverAbscess (t oijnwnema&m*) Typhoid (wuzl u t zsm;) t a&m i ie;zsm;/ TB (wb) Ali;&ypy;a:umi jzpaoma&m* (viral infections) Cancer (u i qma&m*) / HIV/AIDS (t wc;t i A CE a t t i' t up)
t jcm;v u%mrsm;	

owjy/e?

ao;ppaq;r t ajzwcu&&y;aem u vem u xyr lppaq;z&eraryEi? t x;ojzi t ajzon (Neg-)jzpyu
xyr lppaq;y? t zm;xyl&y u xyr lao;ppaq;rujy/vyy?

u/ u , 0eaqmircirm;wijzpaom t zm; (u , yci;)?

u , 0eaqmircirm;wi t zm;&y u t rwr;p;&r&on? t zm;on om;avmici;(o!) vrapbEi uav;
ar;ji;u jzpay:apyon?

t jzprsm;q;aom t aumi;&i;rm;on-

- i uzsm;a&m* - ao;azj u l i uzsm;y;uppaq;ji?
- q;vr;aumi;(o!)q;c&*i t wi;&t*rm;Ya&m*jzpci; - om;zm;Ei r; , yq i&mpr;oyppaq;ji;u
jy/vyy/ q;uppaq;ji?
- t ou&lv;r;aumi;q i&ma&m* - ar;ce;rm;ar;ji;/ t ou&Ee;uppaq;ji;/ o vyppaq;ji;?

t jcm;rnona&m*ur; &mazraw&y u 4i;pr;oyppaq;ron v n; yrejzpyu 4i; t zm;u Paracetamol
jzi u o;y; aemu 1 &uY vem u wj ur xyl awi qy?

c/ 1 Epa t mu uav;rm;wi jzpaom t zm; (u , yci;)

ar;ui;puav;rm;/ 2 vat mu uav;rm;?

ar;ui;puav;rm; Ei 2 vat mu uav;rm;wi t zm;&y u t rwr;p;&r&on?

- IPD o! vajymi;ay;y?
- p t ru , yceu & , ppaq;o i yon?
- i uzsm;a&m*jzprn qy u / IPD o! vajymi;ay; l o iawmreueaom i uzsm;a&m*aym uaq;ji u oy?
- infection aumijzpcr n qy u (t ou&vr;aumi;wijzpaoma&m*rm;/ O;aEm u t ajr;y;a&mia&m*)/
ar;ui;puav;i , wi ao;qy(re;)wua&m* (Septicaemia) o w; l jzpm;Ei yon? (b uw;& , m; .
t qy tawm u rm;ao; t wi;yEjci;/ b uw;& , m; . t qy tawm u rm;cEm u , wcv;o yEjci;)
t vezm;emaom uav;i , rm;u IPD o! vajymi;l Ampicillin Ei Gentamicin-iv pwia y;y?

2 v t x u uav;rm;

2 v t x u uav;rm; OPD o! t zm;jia&m u vmaom t c a t m u y w u t r p 0 ; p m ; y i -

- Malaria : MS ao;rejm;uppaq;ji;?
- em;a&mia&m*wi em;Ei em;p n u ppaq;ji;?
- t ou&lv;r;aumi;q i&ma&m* - u , yci;/ t ou&Ee;jrejci;/ acmi;q jci;/ v n acmi;ppaq;ji;?
- O;aEm u t ajr;y;a&mia&m* (meningitis): u , yci;/ t ejci;/ i u j r n jci; (t y i u jci;)/ w u jci;/ Zuci jci;/
i , xyazmi;a&mijci; (Bulging fontanelle) w c w & Zuci jci;?
- q;vr;aumi;q i&ma&m* - q; t ajcae uppaq;y/ jzpeiy u t %:u n reb;v;jzppr;oyppaq;y?
- t a&jym;a&m*rm; - uav; . t Ow t pm;rm;u c j w jpy;aem u / cEm u , wcv;u :u n &ppaq;y?
- t & (o!) t qprsm;Y infection jzpci;- v u r sm;ajcrsm;u a&Ejy l 4i;/ t qprsm;u u i w , jci;jy l
4i; ppaq;y? a&mi&r;jy;yaE;aeaom t qprsm;u&mazy?

***/ cEmu , t yceq;&l a t jci;**

cEmu , t yce 35.5 ' * & x u a v i m e n ; o m ; j c i ; ?

- (Sepsis)/ b uw;& , m; . t qy tawm u rm;cEm u , t Ey&Ejci;
- ar;ui;puav;i , rm;/ t x;ojzi vrapbar;zm;aom uav;i , rm;/
- q;O;jpm t m [m&c&w r u cpm;ae&aom uav;rm;/
- ao;x o:um;"wen;jci;/
- q;c&a&m*
- t & u t v e t :ul;aom u jci;w w i cEm u , t yceq;&l a t jci;jzpy m;Ei o n?

emusijci;

emusijci;on a&m*|wcc. vu%mwczpav&on? a&m*u :u|pm; l&mazy| (ar;ce;rm;/ aq;buqi ∓oyppaq;|ci;)? emusijci;u **t ruoy?**

emusijci;. &mZ0i ta:umi;uar;|re;y|?

- emusijci;rn u o|p|zpay:oen; (&ww&uc:ujci; (o!) ajz;ajz;|ci;w; lemvmjci;)
- emusion t ceumv (b , avmu:um:umemaejci;)
- rno|aomem usir trd; t pm;jzpoen; (npl emusijci;(colicky)|yavmiemusijci;/ quwuemusijci;/
- rnonvu%mrsm;Ei twwljzpay:oen; (tzm;&|ci;/ acmi;q;|ci;/ q;r-umc%om;|ci; —)

vemupr;oyppaq;y|

cEmu , wi emusir&ona&mrsm;u O;wnl ppaq;y|?

jzp&aom ta:umi;&i;u &mawiyu (Ei;u uoy?

t u , lemusijci;. ta:umi;&i;u &mazaw&|ci;r&y| xycwv vemusiaev|i twi;vem t jzpuoy; emusiru ouomat mi jlyvyay; l vemtm; xyr:un&ppaq;y|?

u o c u

- t o i t w i a c i ; u u j c i ; / : u u o m ; / t & ; t q p / t & ; e m u s i j c i ; - Paracetamol (o!) ASA
- t o i w i : u u o m ; E i t & ; t q p e m u s i j c i ; u A S A a y ; l w ; w u a y m u u i ; r r & y | u / (anti-inflammtory drugs- Ibuprofen (o!) Indomethacin) u o ! t a & m i u a q ; j z i p w i u o y | (x a q ; r m ; a y ; & e r o i a o m v e m r j z p a p &)
- & i n e l e m u s i j c i ; (t u , l t p m t r a m i j c i ; E i t p m v r ; a : u m i ; t e m j z p j c i ; u o o , & y | u) / A S A u r a y ; y E i (p m r s u E m 12 & i n e l e m u s i j c i ; w i : u n y ?)
- t v , t v w q ; O ; j y i ; x e a o m e m u s i r r m ; t w u u ' i ; (o l r [w) u ' i ; y & m p u w a r m u t o j y E i o n ?
- u ' i ; j z i r v a v m u y | u T r a m a d o l u a y ; E i o n ?
- t v e q ; O ; j y i ; x e a o m e m u s i j c i ; j z p y | u P e n t a z o c i n e a y ; y | ?
- v e m t m ; a q ; & o l r v a j y m i ; r D i a z e p a m t o m ; a q ; x ; a y ; E i o n ? (T a q ; r w n o r j z p a p & ?)


q;O;pmemu:ir&aomvn; a&m*|wccowrwxm;|ci;r&cy|vi| emu:ircpm;&ae&aom vemw0;u b , awmrw0;wn;rxm;y|Ei emusiru ouomat mi vyay;&|zi rvavmuy? emu:irjzppaom ta:umi;u }u|pm;&mazy; uoy?

owjy|&e-

- ASA (o!) Indomethacine w|on t pmvr;a:umi;rao;xujci;u jzppaEion?
- Pentazocine on t ou&vyie;u aEmiaE;apyion? t ou&lvr;a:umi; qi&mjy l em &aeaom vemrsm; twu to;jy|aom t c| t x;*&jy|papia&muay;y|?
- trsm;q; to;jy|Eiaomaq; t cet qEe;xuylray;y|Ei?

emu:iouomaymuui;apaomuor.

t q i q i Z , m ;



&ww&ujzpaom Or;Auemusijci;


t jzprsm; q;aom t a:umi;

t &mrsm;

&ww&uon;ac:twa&mi&rjci;/
t orY t emjzpci;?
t oa&mi&rjci;/
t o)u;jci;/
t twua&mi&rjci;/
t qwa&mi&rjci;/

t twua&mi&rjci;/
om; t rjyea&mi&rjci;/
om; Oyjyewijynwnjci;/
om; t rjiyYu , Oeaqmijci;/
aum uuy/
q;vr;a:umi;aum uwnjci;/
t ujci;/
ay;i&i;u uom;a&mi&r; l;yn
wnjci;?

reic:twa&mi&rjci;
oaurism;/ tpm tra&mi&rjci;/ t
pmvr;a:umi; t emjzpci;/ t pmrjye
ayujci;



ab v;

t vr;a:umi;ywqjci;/
&ww&ureic:twa&mi&rjci;/
rpe;x&pao;a:uma o;cziywqjci;/
ao;vwa:umr)u;e&t m;en;lazi;
um;jci;/
t r)u;&diverticulum a&mi&rjci;/
t twua&mi&rjci; t apmy;v u%om

om; t rjyea&mi&rjci;/
om; Oyjyewijynwnjci;/
om; t rjiyYu , Oeaqmijci;/
jyev n lo i;v;r&aom t ujci;/
t r:u;ayujci;?
t a&mi&rjci;/
t emjzpl t r:u;a&mi&rjci;/
aum uuy/
q;vr;a:umi;aum uwnjci;

rnonaq;uorri;ray;ci vemu tao t cmpaq; y? uav; i , rm;wi owwnjira t aq;on t cex
apmiy? Or;Auemusijci;on cpwz&ev tyon Ei cpwu o&erv tyao m j \ emrsm;w;a:umi jzpEion?
atmuyw)u vr;newcu o) t o;jy y?

u/ Or;Aurmjci;Ei tw tawm t oir q;0;pmemusijci;

x t:c uon cpwu o&ev tyao m t a:umi;&i;rm;u wijav&on Oyrm- Or;wi; t ajr;y;a&mia&m*
t twua&mia&m* on;ac:twa&mia&m* t orayujci;/ t orywqjci;/ om; t rjiywiwnaomu ,
Oeuyujci; ponw jzpon?

q;vr;a:umi;aum uwnjci;rm;/ jyeloi;r&aom t ujci;Ei cholangitis a&m*w)on vn; cpwz
v tyau mi; v tyEion?

U OCU

- vemuaq;&oyaqmiy?
- rnon t&muriay; l raomu/rpm;&?
- t u , l um;&ml r&y)u oiwnapmi&vrrnqv;i IV t&nEiyEZ0aq;0;rm;upwiay;y?
yxra&c; , &e typ- IV Ampicillin + IV Gentamicin + IV/ PO Metronidazole
'w , a&c; , &e typ- IV Chloramphenicol + IV Gentamicin

c/ Or;Auaym l tawm t oiemusijci;

rm;aom t m jzicpwu o&erv tyao m t a:umi;&i;rm;uaz: jyav&on? Oyrm-aum uuy (Pyelo
tyi;)a&mi&rjci;/ oaurism;/ emusiaom&moao;vmjci;/PID/ om; t r t wi;yi;a&mi&rjci; (endometritis)/
t pmvr;a:umi;Y t emjzpci; (peptic ulcer)/om;zm;r; , yqi&mjy \ emrsm; t oa&mia&m*?
jzpon t a:umi;&i;ay:rwn l uorjy/vyy?

t p m t r t ay: zuw i em u s i j c i ; (& i n e ſ a t m i j c i ;)

& i n e ſ a t m i l A u e m i j c i ; o n t j z p r s m ; a o m n n ; n l a j y m q c u j z p o n ?
j z p E i a o m t a : u m i ; & i ; r s m ; r m -

1- Gastritis (t p m t r a & m i a & m *)

t p m t r a & m i a & m * j o n t p m t r . r s u e m j y i a & m i & r j c i ; j z p o n ?

x o j j z p & j c i ; o n t & u t v e t u l ; a o m u j c i ; / a q ; v y t v e a o m u j c i ; / t p y t p m ; t p m p m ; v e j c i ;
w l a : u m i j z p E i o n ? t c l l a o m a q ; O ; r s m ; a : u m i v n ; t p m t r a & m i & r j c i ; u y l q ; O ; a p E i o n ? (O y r m - A S A ,
Indomethacin, Ibuprofen, Ferrous Sulphate u a q ; E e j r i j r i o j c i ;)

a & m * j v u % m E i p r ; o y a w l & c u

- t p m t r t ay: zuw i y a v m i l e m u s i a e j c i ; / a e j y i ; E i t p m p m ; j y ; a e m u y i ; y l q ; O ; p m e m u s i j c i ; ?
- y ſ l t e j c i ;
- t p m t r t ay: zuw i y a v m i l e m u s i a e j c i ; r y ; p y t w i ; o l t u q p t c O t & o m u o l a j y m i ; a & j c i ; o n t j z p r s m ; a o m v u % m w c j z p o n ?

u o r

- t & u a o m u j c i ; / a q ; v y a o m u j c i ; / t p m ; t p m t p y p m j c i ; / v u b u & n a o m u j c i ; E i a u m z a o m u j c i ; w l u : u l ; p m ; l a v s m & e (o l) & y & e ?
- t a & m i o u o m a p a o m a q ; O ; r s m ; o ; p a e j c i ; u & y y i ? (A S A , Indomethacine E i Ibuprofen)
- t p m a u s a v a q ; (o l) t u q p " j w a v s m e n ; a p a o m a q ; - Antacids - Aluminium Hydroxide 500mg TID u t p m ; p m ; c i e r s m ; u m ; w i E i t y , m O i c e w i w i v t y y u a y ; y i ?

u a v ; r s m ; w i t p m t r a & m i & r j c i ; o n j z p c v y j o n ?

2/ t p m v r ; a : u m i ; w i t e m j z p j c i ; a & m * j

t p m v r ; a : u m i ; w i t e m j z p y j u / t p m t r t a y y i ; w i e m u s i j c i ; o n y l q ; E i o n ?

t c j w & w i o i o n t p m t r a & m i & r j c i ; [x i r n / w u , w r ; r m t p m v r ; a : u m i ; w i t e m j z p j c i ; j z p o n ?
t u , l v e m o n M e b e n d a z o l e v n ; & & c j y j y / A l u m i n i u m H y d r o x i d e j z i v n ; r o u o m c y j u / t p m v r ;
a : u m i ; w i t e m j z p j c i ; a & m * j t w u a q ; u o r u p w i y i ?

a e m u q u w q ; u ſ l ; r s m ;

t c l l a o m v e m r s m ; w i a o ; , j c i ; j z p E i o n ? T o l a o m v e m r s m ; o n (a u m z a & m i u o l a o m) t n l a & m i & n
(o l r [w) v w v w q y q y x u a o m a o ; r s m ; t e v r r n ? v e m . r p i w i a o ; y j c i ; (m e l a e n a - t e q ; q ; E i
t r a & m i p ; u y u y r p i) & v r r n ? v e m o n I r o n p m ; a q ; r s m ; u t o j y l a e y u v n ; r p i t r a & m i j z p o n u o w j y y i ?

u o r

- Cimetidine: 400mg po BID 4-6 yw: u m

t p m v r ; a : u m i ; r v y v y q y q y a o ; , j c i ; E i q u v u l a o ; , j c i ; j z p a e y j u

- IV Ringer lactate (O l) Normal saline u p w i a y ; y i ?
- Vital signs u a p m i : u n y i ?
- t u , l v e m o n a o ; v e j c i ; t a j c a e w i & a e v i j z p E i y u a o ; o i ; a y ; y i ?
- e m a c i ; r t p m t r j e w c x n a y ; y i ?
- Cimetidine j z i u o r u p w i y i ?
- v e m u y i ; p y r r n o n t & m u r i p m ; a o m u j c i ; r j y l v y a p & ?
- v e m u v a j y m i ; y l a q m i y i ?

t p m v r ; a : u m i ; t e m w c r a o ; , j c i ; o n t a & ; a y : u P w c j z p o n ?
j z p E i o r t j r e q ; v e m u j y p a p m i & m u y ?

3/ o a u m i r m ;

o a u m i r m ; o n u a v ; r m ; E i v : u ; r m ; u t p m t r t a y : y i ; e m u s i j c i ; E i O r ; A u e m u s i j c i ; u j z p a p E i o n ?

& i n e a t m i j c i ; r m ; t m ; v ; u M e b e n d a z o l e (o) A l b e n d a z o l e a q ; y w w c p m a y ; l u o y ?

4/ p ; & r j c i ; (Anxiety)

p ; & r p w & a o m v e m w a , m u o n & i n e a t m i j c i ; e m j c i ; j z p w w o n ?

v e m & m Z O i t a : u m i ; u a u m i ; a u m i ; & , y ? t x ; o j z i o . v r q u q a & ; t y i ; u : u n y ?

5/ t p m t r u i q m (Carcinoma of the stomach)

t x ; o j z i t o u (6 0) t x u v e m w 0 ; w i t p m t r t a y : y i ; e m j c i ; E i u , t a v ; c e a v s m e n ; j c i ; & y u /
u i q m a & m * j z p E i o n u p 0 ; p m ; y ?

E;acjci; / armye;Er;e , jci; / x u i jci;

t x u y v u %m w i o n p c e ; r m ; t w i ; E i a j m i ; a & v m a o m t v y o r m ; r m ; t : u m ; w i t j z p r m ; q ; a o m v e m w i . n n ; n l a j m q c i u r m ; j z p : u o n ? T v u %m r m ; o n y i ; & j c i ; E i p c e ; r m ; t w i ; t u e i t o w j z i a e & a o m b o / p u & r m ; t w i ; t v y y v y & r E i p w z p ; r / r o m ; p E i v r a & j y \ e m r m ; w i r j z p v m & a o m & v ' r m ; j z p y i o n ? 4 i ; w i o n a & m * w i . v u %m r m ; v n ; j z p E i o n ?

1/ v e m & m Z o i , j c i ; / v e m u p r ; o y p p a q ; j c i ; E i v e m . p w y i ; q i & m t a j c t a e u p r ; p p i c i ; w i u j i / v y y i ?

- v e m w i u , O e & r & u p p a q ; y i ?
- v e m & m Z o i a u m i ; a u m i ; , y i ? a c m i ; q ; j c i ; / u , t a v ; c e a v s m j c i ; / a c i ; u u j c i ; / r t r o m j z p j c i ; (malaise) / a r m j c i ; (dyspnoea) / t z m ; & j c i ; / O r ; c i y j c i ; / O r ; a v i m j c i ; / t e j c i ; / & m o a o ; a y : c e a o ; o e r m ; j c i ; (menorrhagia) : u u o m ; E i t & t q p r m ; e m u i j c i ; / q ; o m ; o n t : u r t a & t w u ?
- p r ; o y p p a q ; j c i ; a u m i ; a u m i ; j y / v y y i ? a o ; c e E e / a o ; a y i c i e / u , y c i e / j z l a z m j c i ; / t z t : u w r m ; t q w r m ; u e m ; u y z i e m ; a x m i j c i ; / E v ; u e m ; u y z i e m ; a x m i j c i ; (t o r r e j c i ; E v ; c e o n p n ; c u r r e j c i ; / o l i ; & u u p r ; o y j c i ; / t o / a b v ; p o n w i u p p a q ; j c i ; j y / v y y i ?
- A w m r i b 1 " w c i w a o m v u %m r m ; u & m y i / t x ; o j z i u , O e a q m i r c i r m ; (o l) E w u r c i r m ; w i & m y i ?

2) j z p & o n t a : u m i ; & i ; u & m y i -

jz p E i o n t a : u m i ; & i ; r m ;	v Q % m r m ;
Infections (mononucleosis)	E;acjci; (Fatigue) / t : u w r m ; } u ; j c i ; (nodes)
Protozoa y ; a : u m i j z p a o m j y e i & n : u w : u ; o n a & m * i	t : u w r m ; } u ; j c i (nodes) / t z m ; & j c i ; (fever)
Toxoplasmosis / t w c i t i A / w b —)	t : u w r m ; } u ; j c i (nodes) / t z m ; & j c i ; (fever)
a o ; t m ; e n ; a & m * i (o " w c i w j c i ; / t h a l a s s e m i a a & m * i —)	E;acjci; / j z l a z m j c i ; / (a b v ; u p p a q ; y i ?)
o l i ; & u " w a v m e n ; j c i ; (Hypothyroid)	E;acjci; / r t r o m j z p j c i ; (lethargy) O r ; c i y j c i /
u , O e a q m i j c i ;	t a : u m t c o w u j c i ; a y m a j m i ; r r & c i ; / (stiffness)
a u m u u y v y i e ; c i , i ; y u p j c i ; E q ; c i a & m * i	E;acjci; (Fatigue) armye;Er;e , jci; (Tiredness) /
t q w a & m * i	E;acjci; / q ; r : u m c % o m ; j c i ;
E v ; q i & m j y \ e m r m ; { E v ; v y i e ; , , i ; t m ; e n ; j c i ; (heart	E;acjci; / t o u & c u c j c i ;
failure) / E v ; t q i & i w w i j z p a o m a & m * i (valvular hert dis-	E;acjci; / t o u & c u c j c i ; / a o ; c e a E j c i ; (o l)
ease) / E v ; c e p n ; c u r r e j c i ; (pericardial disease) }	j r e j c i ; / a z m a m i j c i ; ?
t p m t r E i t v r a : u m i ; q i & m j y \ e m r m ;	E;acjci; / O r ; a v i m j c i ; / t e j c i ; / y i j c i ; ?
u i q m a & m * i	E;acjci; / u , t a v ; c e a v s m j c i ; / t } u w r m ; } u ;
A w m r i b 1 c i w j c i ; / t x ; o j z i u , O e a q m i t r i ; o r ; r m ;	j c i ; / j z l a z m j c i ; ?
p w a 0 ' e m q i & m j y \ e m r m ;	E;acjci; / a j c v u r m ; x u i j c i ; ?
	E;acjci; / p w z p ; u s q i ; j c i ; (depression) ?

3) t a : u m i ; & i ; u o i & m a w i y u / 4 i ; u u o y i ?

4) t u , l & y y i ; q i & m p r ; o y p p a q ; j c i ; o n y r e & y ; p w y i ; q i & m j y \ e m r m ; v n ; r & y u / v e m t m ; p ; & r p & m r & a : u m i ; a j m j y y i ? v e m E i y w o u y ; t a o t j c m j z p a p & e a e m u 2 y w : u m a o m c i w c i y e p r ; o y p p a q ; y i ?

wujci;rm;

wujci;rm; on &ww&uow&r;q;&;om;ici;jzpon? ajc/v ur;m; jyi;ji;xexevy&m;rEi cEm u , jymEr;ici; &aumi;&rn? (wcw&wi vem on q;om;ici;Ei v m u u u jci;jy/vyEi on?) wujci;on r;ep ten;i , om;um on? vy&m;r&yom;aom t c/ vem on t oueueu&i;&i;&L em&Ouce;um t yam om;Ei on?

uav;i , r;m;wi 4i;w. ajc/v ur;m; vy&m;r&c;ir&Eirn? o;aom ow. ru v;r;m; vy&m;ici;y;pyaxmi r;m;&jci; (o)v uacmi;xyr;m; vy&m;jci;&Ei on?

t u , I vem on wujci;jzpa;aom t ce t awm twi; quv u low&aeyu/4i;uwujci; [rac;y?

t a&ay: jy/paqmi&uay;ici;r;m;

- 1) arajrma;aom vem t m; x m; onyp (b , bu o;ab;wapmi;v l x m;ici;)/ '%&mr&&a t mi um u , y?
- 2) t ay;yi; t ou&lvr;aumi;u&i;v i; x m;y? (y;pyzi l t c/r;m;Ei t ezwr;m;u&i;y)
- 3) Diazepam ay; l wujci;r;m; u &ya t mi vyy? (a t muaz: jyy;Z , m;)
- 4) a t m up*i&y;uay;y/ t c/pypu&y;u t c/pyay;y?
- 5) t z m;&y;u/ u oy?
- 6) ao;x&o:um;"wuppaq;y?

Diazepam x;aq; 10 mg / 2 pp

cEm u , t a v;ce	IV&EIM &EPR ray;aom aq;Ee;	
	aq;Ee; 0.2 mg/kg	10mg/ 2 cc(ml)
5 kg	1 mg	0.2 cc(ml)
10 kg	2 mg	0.4 cc(ml)
15 kg	3 mg	0.6 cc(ml)
20 kg	4 mg	0.8 cc(ml)
25 kg	5 mg	1 cc(ml)
50 kg	10 mg	2 cc(ml)
	t r m;q; 3mg/kg/day	

- Diazepam u iv ay;&e?

azmijy; Z , m; t wi; aq;Ee;u jyi q i;y; ajz;ajz;ici;x;ay;y?
(wrEpv;i 2 mg x uy l ray;&) 2- 10 rEpau;m

- 10 rEp;um;j;aem u vem q u v u l wuaeo;y;u/ aq;Ee;aem u wc;pm x y l x;ay;y?
- quv u lwuaeici;r;m;&y;u-

- Phenobarbital u t qw;aq;Ee;jzi rEp 30 au;m;um;um o i;ay;y?

x;aq;u aq; 1 pp : a& 10 pp jz i t m;en;a t mij/vyy? (t r m;q; 1 *&r)
uav; 15 mg/kg v;u; 10 mg/kg

- Phenobarbital x;jy;aem u/ vem q u v u l wuaeo;y;u/ **vemuaq;& o iyaqmiy?**

yvwppaq;x;jye t wi; Phenobarbital ucerxm;o iy?

izp&on t aumi;&i;u &mazy; 4i;u uoy?

wujci;Ei t w t zm;&jci;	i uzsm;/ O;aemu t ajr;y;a&mia&m*/ u , yce:u;jci; (Hyperthermia)/ O;aemua&mia&m*/(Encephalitis)
wujci;Ei t w t zm;&aumi;&Eion?	ao;wi;o:um;"wen;jci;/q;O;pm t &n"wg;&jci; (severe dehydration)/ O;aci;'%&m/ r; , paq;O; (Amphetamines)/ t &u/ au:smuuyvyie;yu , i; t m;en;jci; (uraemia)
u , Oeaqmi t r&;or;rsm;wi wujci;	u , Oeqywujci;(BP + azma&mijci;/ wujci;)/ i uzsm;a&m*/ ao;wi;o:um;"wen;jci;/
t zm;r&bEi xyc;xyc; wujci;	O;aemuwi t z t :uwjzpjci;(Brain tumour)a:umi jzpaom t m&a:umqi&mjy \ em v u%mrsm; (Cysticercosis) O;aEmuwi wwaumiOw , jci;

t u , Ijzp&on t aumi;u&mr&y;u0u&jyea&m* (Epilepsy) [, qy? (pmr:uem 75:u ny)

arajmji;

t "y, zi qcu- ow&r t qia vsmen;om;jci; t r&r&y&on? ararajmji;(Coma)on t q;O;q;jzpyon?

- 1) r;aemuaemujzpjci; (Drowsiness)- vem on t v , wuE;x vmEion?
- 2) r;arjci; (stupor)- vem on t m;aumi;aom t m&E;urjziE;x vmEion?
- 3) ararajmji; (Coma)- vem on rE;x vmEiy?

Glasgow en;jziarajmji; t m; t rwayjci; (Glasgow Coma Scale)

r;upzjci;	t aumi;q;pum;ajymw;jyejci;	t aumi;q;vy&m; lw;jyejci;
t v t av#mu	4	t re;v uemr&jci; 6
pum;ajym v#i	3	wpwwyi;vy&m;jci; 5
		rv t ae t xm;o;jyeom;jci; 4
emusi v#i	2	au;Eijci; 3
r&	1	qe;Eijci; 2
		vy&m;rr&jci; 1

ppayj; t rw 3-15

&aom t rwon 5 xuen;ae v#i jzp&on t aumi;&i;ay:rwn l &v' on t ajcaeraumi;y? 9 rw
t x uau smy;u &v' t ajcaeraumi;vmzj&on?

uav;rm; t wu Glasgow en;zi t rway;ci;u jyi l (Blantyre) en;ziararm;ci; t m; t rway;ci; &rw

u) taumi;q;vy&m; lwije;ci;

cEmu , . wpwwyi;Yemu;iru v laqmwije;ci;	2
emusiaomtci ajcvu t *lu jye&e;ci;	1
bmr;wwu;u;vy&m;rr&ci; (o) wejyerr&ci;	0

c) pum;ajmwije;ci;

t m;aumi;pmijci;	2
nn;wm;ci; (o) iaomvn;ionEirwci;	1
bmor rji;ci;	0

***) rupa&m;ci;rm;**

ouqioo;wu&u;unji;	1
rupon t jcm;ae&mrm; o;u nae;ci;	0

ppayi; t rw 0-5

2 rwx uen;ae;yu ararmae;ci;uaz: jyon?

aq;&wi x m;p0

1) t ou&vr;aumi;u&i;vi;ci;-ar;apurci;(chin lift)en;vr;ont ou&lvra;umi;u t v t avmu yiapyion? vnyi;Y'%&m&Eionu t cewi;wiowxm;&y/ xla;umi *&pupmiziuiw , yi?



2)ararm;ao m t ci xm;&rn vemyp t aex m;/ vem uwb uwc;u o lapm i; x m;yi? ajcax m u rsm; u' ;ae&mw i au;jy; ar;apa t muY v u u v uz0;armu x m; l x ny? (Typ t aet x m;on t ezwrsm;u t jyi o x uapon?)



3) t ou&irt "uvQ%mrsm; (vital signs)uppaq;yi- ao;wi;o:um;"wyi0i ryr m%/ i uzsm;y;ppci; Ei ao;wi; a&mics; ypn; (Hb) uppaq;yi?

4)rom;pua t muyar;ce;rm;ar;yi-

- vemararmrom;ci rno jzpcyoen; (b , v u%mrsm;&coen;) (t zm;&ci;/ac i;u ujci;/ t eji; wujci;)
- aq;0;wrsl;rl;rm;ay; x m;cjy;jyv m;?
- vemwirawmwq xcu '%&m&rrsm;&cy o v m;b , t ceujzpcoen;?
- vem on t qywrsl;rl;/ aq;0;wrsl;rl;/ t &uwrsl;rl;rm; aom u x m;co v m;?

5) vem u;jy; jnpa t mipr; oyppaq; rjy/ vyy? a t muyw i u ppaq; z&erary Ei-

- Zuawmiwi;r&ov m; (o) aymajmi;r&ov m;?
- ac i;wi '%&m (o) a&mi u i;ci; (o) ao;ajci; &r&?
- t m&a u mqi&mpr; oyppaq; rjy/ vyji;- r upoi , t rrm; uppaq;ci;/ t u , l oi , t rrm; . t & , t pm; on rwn ujm;r&y u/ aq;&oi yaqmiy?
- t ou&ci; uppaq;yi- t &u t e/ opo;wri;rl; . t e i (q;cl a&m*)/ q; t e i (, & , m;"wrsm; l arajrmci;)
- t a&jym; uppaq;yi- jymEr;ci;/ t om; t a&0ji; (Jaundice)/ jzlazmji;?(azm(o) jzl)

izp&on t a:umi;&i;u&my/ 4i;u uoy?

owvpjci;Ei t w t zsm;&jci;	i u zsm;/ O;aEm u t ajr;y;a&mia&m*/ O;aem u a&mia&m*/ (o!) t jcm;q;O; aom a&m*/y;rm;a:umi jzpci;?
owvpjci;Ei t w t zsm;&aumi; &Eion?	ao;wi;o:um;"wen;jci; (dextro 2.5 mMoI x uen;jci; (o!) 45 mg/ 100 ml)/ q;O;pm t &n"lwq;&jci;
t zsm;r&b owvpjci;	(rawmwqjzpI)O;aEm u "%&m&jci; (cranial trauma)/ t qy t awm u rjci;/ O;aEm u t wi;ao; , p;jci; (cerebral haemor rhage) ao;wi o:um;"wrsm;jci;

owjy/&e-

- t u , l o i o n v e m a r a j r m & o n t a : u m i ; & i ; u & m l r a w i & y u / (o !) E i ; u o i u o l r & E i y u j z p E i v i v e m u a q ; & o y i a q m i y ?

r;arjci; -arajrmjci; jzpaep0 t wi; jy/ppp0aqmi&ur

- 1) v e m y p u w z u z u o i a p m i ; l x m ; y ? 2 e m & j c m ; w c i v e m . y p u w z u r t j c m ; w z u o i r n u o i y p a j y m i ; l x m ; & r n u o m ; p t m ; j y o a y ; y ? **vemuyuvuvel tyraep&?** T o i y u v u v e t y c y u / v m o n t o u & l v r ; a : u m i ; u y w E i o n (o !) t e z w r s m ; o n t o u & l v r ; a : u m i ; t w i ; o i O i a & m u E i a o m a : u m i j z p o n ?
- 2) q ; c l j y e x n a y ; y ?
- 3) t c e y r e r : u m r : u m v e m u j y e v n p r ; o y p p a q ; y ?
- 4) 2 e m & j c m ; w c i t o u & i & e t a & ; u ; a o m v u % m r s m ; (v i t a l s i g n s) u p p a q ; y ?
- 5) a q ; & w i x m ; p 0 t w i ; a r a j r m j c i ; t r w u p p a q ; y / x l a e m u w & u u 2 : u r p p a q ; y ?
- 6) t & n " i w y r m % n r i r & r & u a p m i : u n p p a q ; y ? (t & n t 0 i / t x u u w i ; a y ; y ?)
- 7) v e m w u , v ; u w a e i w : u r o e i & i ; a q ; a : u m a y ; y ?
- 8) q ; E i r p i r s m ; o m ; j y ; j y ; j c i ; 4 i ; w i u o e i & i ; a y ; y ? r p i E i q ; r s m ; a y u s e a o m a e & m r s m ; u a q ; a : u m y / 4 i ; w i u t 0 w a j c m u / p u l w j z i o w y p & o m o w j c i ; r v y y E i ? T u p r s m ; u j y l v y & e r o m ; p r u n y ?
- 9) y ; p y o e i & i ; j c i ; E i E w c r ; r s m ; u p a t m i j y l v y a y ; j c i ; w i u a e p 0 t : u r r s m ; p m i y l v y y ? (t e n ; q ; 4 u r) ? E w c r ; r s m ; u a j c m u j c i ; r u m u , & e / V a s e l i n e u E w c r ; a y : w i v r ; a y ; y ?
- 10) r u p u v n ; N S S t & n E i 0 i * r ; j z i o e i & i ; a y ; y ? r s u v ; t a j r y ; a & m i & r ; j c i ; (r u p e m a & m *) u 4 i ; / r s u : u n v m a j c m u l ' % & m j z p j c i ; u 4 i ; u m u , & e r u p r s m ; u t e r r a m y c i n e t q w a e i 2 j u r x n 0 i * r ; w i u t o j y l l o e i & i ; a q ; a : u m y ? r s u : u n v m a j c m u j c i ; r o n r u p u , o m ; o n t x j z p E i o n ?
- 11) : u u o m ; r s m ; . y r e t a j c t a e u u m u , a p m i a & m u & e E i : u u o m ; r s m ; u i j q j c i ; w i u u m u , & e w 0 ; w a , m u r 4 e m & j c m ; w c i a j c l v u r s m ; u a & a j y m i ; v y & m ; a y ; j c i ; j y l v y a y ; y ? a j c l v u r s m ; u E y e , a y ; y ?
- 12) t c e u m v : u m & n p m a r a j r m a e y u / j z p & o n t a : u m i ; & i ; E i j z p E i p & m a & m * i o w r w x m ; r a y : r w n l E m a c i ; y u x n l t p m o i ; a y ; j c i ; u p 0 p m ; o i o n ?

ao;vešjci; (Shock)

t "ym , zi qci;u - ao;vešjci; t ajc t aewi vwa , mu t ou&iavmua t mi xe;xm;&e vavmuaom
ao;p;q;ir&jci;u qvyon?

ao;vešjci;on t a&ay: t ajcaewcjzpon?
aEmiaE;ue;umaomaq;uoron aoEe;urirm;apon?

t r&r&aoma;vešjci; t r& t pm;rsm;

1) t &n (o)ao;rsm;q;&jci;a:umi jzp&aoma;vešjci; - (Hypovolaemic shock)

jzp&on t a:umi;&i;rsm;-

- cEmu , .wae&m&r q;O;pmao; , x uaejci;?
- T &n t ajrmu t rsm;q;&jci; (Oyrm- q;O;pm t ejci;Ei Or;av#jci;/ r;avmiemrsm/ q;O;pma&zO;qjci;

2)ao;a:umrsm;u; , um;om;jci;a:umiao;vešjci; -

t jzprsm;q;aom t a:umi;&i;rsm;-

- buw&; , m;yrsm;Oia&mu l 4i;w/. t qy t awmurm;a:umiao;vešjci;(septic shock)
- wpwca:umi q;q;O;O; ao;jzirwn l "wwešjyejci; (anaphylactic shock)
- O;aEmu jyi;xepm' %&m&jci; (o) O;aEmu t wi;ao; , jci; (neurogenic shock)
- wwus;u:owrwxm;aom aq;O;rsm; (o) t qy t awmurm;u aomurjci;

3)Ev;np t m; t m;en;jci;a:umi jzp&aoma;vešjci;Ev;vyie; , , i; t m;en;jci; - (Cardiogenic shock)

t jzprsm;q;aom t a:umi;&i;rsm;-

- jyi;x e a o m e m w m & n a o ; t m ; e n ; a & m * j
- b 1 "w c š w j c i ;
- Ev; . t q i y u p j c i ;
- Ev;ceEe;pn;ci u yrer [w j c i ; - t & r ; j r e v e j c i ; (o) t & r ; a E ; v e j c i ;
- t q w a v t y r m ; j y m ; u y o m j c i ; (p n e u m o t h o r a x)
- & w w & u E v ; a & m * j a O ' e m u c p m ; & j c i ;

vemajm jyc;uEi pr;oyaw&ci u v u % m r s m ;

vemajm jyc;u/pr;oyaw&ci u v u % m r s m ; o n a o ; v e š j c i ; t r & ; t p m ; t a y : r w n l t r & ; r & j z p E i o n ?
o j a o m v e m t a w m a w m r s m ; r s m ; w i t c š a o m v u % m r s m ; o n t w w y i j z p o n ?

- **ao;ayiceu jci;** -ao;vešjci; o m v e m t a w m a w m r s m ; r s m ; w i t a y : a o ; z t m ; 90 m m H g a t m u
u s q i ; o n ? t a p m y i ; t a j c a e w i t a y : a o ; z t m ; u s q i ; r o n 40 m m H g x u a u s m u s o m ; y j u
a o ; v e š j c i ; j z p v j z p q [t } u j y l o n ?
- **a t j c i ; a Z m a c j y e j c i ;** (t a & j y m ; a p ; u y u y E i a t j c i ;) o n a o ; v e š j c i ; o m v e m t a w m a w m r s m ; r s m ; w i
j z p o n ?
- c i ; c i u t a e j z i a o ; a : u m r s m ; u ; , u m ; o m ; l a o ; v e š j c i ; . t p y i ; w i t a & j y m ; a j c m u a o j o n ? (O y r m -
Septic shock)
- **q;om;en;jci;**
- **jre j y ; t m ; e n ; a o m a o ; c e E e ; & j c i ;**
- **jre j y ; w r a o m t o u & j c i ;**
- **pw yi ; q i & m t a j c t a e a j y m i ; v o m j c i ;** - v e m r s m ; o n t p y i ; Y p w v y & m ; o n ? x j a e m u p w & y a x ;
v m / 4 i ; a e m u y i ; r a e m u a e m u j z p j y ; a e m u a r a j r m o m ; o n ?

buw&; , m;y;rm; . t qy tawmur; a:umiao; veici; (Septic shock) wi v n; a t m uy w i u o i aw&r n?

- u , yce:u; jci; (ol) en; jci;
- u , yci; rpwir vemcr; weici; & cr n
- yaE: aom t a&jm; & jci;

wpwci "wrrwrweyeci; a:umiao; veici; (Anaphylactic shock) wi v n; a t m uy w i u i u aw&r n?

- wc;w&wi t cllaomaq; O; rsm; o; pcjci; (t x; ojzi Penicillin aq; rsm; Ei t a&m i u aq; rsm;) y; rm; u u jci; / t cllaom t pm; t pm rsm; pm; crjci; (t x; ojziyi v , t pm; t pm Ei t crm t o; rsm; 5 repron em& ayi; rsm; pm; u m j; aem uyi; ao; rwnjci; . v u %mrsm; awEi on?
- v nacmi; Ei Ewcr; rsm; azma&m i jci; jzprn? T o jzpjci; a:umi t o u & cucjci;?
- t o u & o wheeze Ei :u m; & jci;?
- ao; ayiceruci jriwuc; u jci; (BP)
- wc;w&wi cEm u , wcv; Y , m; , aom t eu u rsm; v i jrep m x jci; / y E jci;?
- wc;w& t ejci; Ei Or; av m jci;?

u or

1) ao; veiaom vemrsm; t m; v; t m; a&b , c l l u o ay: aom u or-

1) t o u & l vr; a:umi; (Airways)

- t o u & l vr; a:umi u & i; v i; pm x m; & & r n?

2) t o u & l jci; (Breathing)

- a t m up* i rsm; rsm; ay; l t o u ay; & y?

3) ao; v nyw jci; (Circulation)

- ao; jyea: umwi Cannula 2 acmi; x; o i; ay; y (jzpeiyu t :u; q;)

- Normal Saline upw i ay; y?

t jcm; u orrm; onjzpon t a:umi; & i; ay: rwn l u o on? t jzprsm; q; aom t a:umi; & i; rsm; -

2) ao; / t & n q; & jci;

- ao; wwa t m i j y l v y y?
- q; & ; om; aom ao; / t & n u t pm; x; jzny? N S u 1em& t wi; 1-2 v wmay; y (ol) 20 ppE u v jzi cu jci; ay; y? 10 repw: ur ao; ay ice u wi; w m apmi: u ny? t ay: ao; 90 mmHg a u sm on t x qu l j y l v y om; y?

Ringer (ol) Haemoccel w l u o jci; jzi bmr t u s; yr&y l ow l on y l i ap; ; u; y l on?
t a&; u; onrm t & nyrm %rm; rsm; u jre jreay; & e jzpon?

- ao; x uae jci; & y u / ao; ay; y (jre jre Ei v t y y u ao; , eprsm; rsm; ay; y?)
- t u , l o i on ao; wwa t m i r j y l v y E i y u / aq; & o l v a j y m i; y i a q m i y?

3) buw&; , m;y;rm; . t qy tawmur; a:umiao; veici;

- t & n / ao; q; & ; o u o l IV t & n rsm; ay; y?
- IV Ampicillin (2 g QID) Ei Gentamicin (5-6 mg/kg OD) aq; Ee; rm; rm; ay; y (u or Z , m; rm; wi: u n y?)
- buw&; , m; a&m * y; O i a&m u & on t & i; t j rpu: u l; pm; l & mazy?
- u , yci; u u oy?

4) wpwci "wrwnrwejeici;aumiao;veici;

- **Adrenaline** 1 : 1000 IM ay;y? aq; 1v; = 1pp = 1rv*&r

6 vat mu uav;	im	0.05 pp
6 v - 6 Ep	im	0.12 pp
6 - 12 Ep	im	0.25 pp
12 Epa t mu uav;Ei v}u;	im	0.5 pp

- im ay;ici;on sc **xuyl pw, r** t m; aumi;on? im , ct cwi x;ay;&rn en;vr; t jz paxmucc:uy/vmon?
- BP Ei ao;ceEe;yrejea&mu&vmon t x (5-10)repwcaq;Ee;u xycxy cay;y?

- t&n/ao;q;&ouoi **IV t&nrm;ay;y?**
- **Dexamethasone** IV- aq; 1v; = 1pp = 4rv*&r

8 u vat mu uav;	im	0.25pp
(8 -15) u v	im	0.5 pp
15 u v t x u	im	aq; 1 v;
v:u;rsm;	im	aq; 1 -2 v;

- **Chlorpheniramine** IV- aq; 1v; 10rv*&r

uav;rsm;wi	ay;zaxmucc:urjy/xm;y?
v}u;rsm;qv:i	x;aq; 1 -2 v; ajz;ajz;ici;ay;y? (1 repa u sm: u may;y?) (oi) y;pyray;y?

5/ vemrsm; t m;v;u *&wpuppaq;l apmi:u ny?

- 1) t o u&i&et a&y;aomv u%mrsm; (Vital signs)(ao;ceEe;/ao;z t m; BP t o uⅇ)
- 2) q;x u on yrm% (q;cl iyewcx ny?)
- 3) jz noi;ay;v uaom IV t &nyrm%
- 4) oijznay;aom t &nyrm%rsm;ici;r&onu aocmat mi t qwu em;axmi:u ny?

t &n (oi)ao;rsm;q;&ici;aumi jz&aomao;veici; (Hypovolemic shock)on ao;veici; . t "u
t jzpq;aom t a:umi;&i;jzpon?
⊕ jz p&on t a:umi;&i;u oionaocsmrr&yul ao;aum twi;
t &nxnuqi;ici;u uoy?

ao; t m;en;a&m*)

ao; t; en; a&m*]- ao; r; m; .ao; wi t a&mics, ypn; (Hb) on t out&, t&4i;/ vit&4i; Ei
u, 0eaqmiceY4i; yrex uav; men; aeici; uq von?

	Hb(g/dl)	Hct
ar;u i;puav;i , rsm;	< 14	< 42
6 v r 6Ep	< 11	< 33
6 - 14 Ep	< 12	< 36
v:u; t rsl;om;rsm;	< 13	< 39
v:u; t rsl;or;rsm; (u , 0er&)	< 12	< 36
v:u; t rsl;or;rsm; (u , 0er&)	< 11	< 33

ao;t;m;en;a&m*on tyyi;a'owi t jzpr m;q;aom u e;rma&jy \ em jzpon?
u e;rma&;vyom;wOjzpaomo iona t mu yw;u jy\vyjci;jzi jyn ov x ur sm;pm unEion?
1/ t m [m&Ei ou qiaom t]u t Om%ay;jci;
2/ o"jw Ei az;vp(Folate) pm;aq;rsm;ay;aOjci;
3/ ovrwx m;aomyre t cewi;Y vwi;u oeciaq;ay;l oecay;jci;rsm;?

t jzprɪm; q:aom t a:umi; t &i;rɪm;

(T t & ya' owi t izpr_{sm}; q; a o m t & m_{sm}; u p m v; t ra & mi w_{zi} j ri o m a t m i a z: j y x m; o n?

&ww&ucujci;jzpaom

- **iuzm;a&m*** (&ww&uao;e0rm; t m;ziup;ici;)
- &ww&uao;x uici;(t pmvr;a:umi;/vi t *vr;a:umi;/rawmwq xcurreao;vw a:um yup;ici;)

emwm&njzpaom (umv:um&npmjzpci;)

- t m [m&c:wjci;r;m; (t p m; t p m w i o " w E i a z v p t u q p " w r y ; & j c i ;)
- o e c w a u m i ; r ; m ; q u y a o m a & m * j z p a e j c i ; (Hookworms infestation)
- x y c w v v u , 0 e a q m i j c i ; E i w m & n p m E w u a u j c i ; ?
- t p m v r ; a : u m i ; Y t e m j z p j c i ;
- Thalassaemia a c : a o ; t m ; e n ; a & m * j z p j c i ;
- e m w m & n j z p a o m a o ; , x u a e j c i ;
- u i q m a & m * j r m ;
- e m w m & n infection j z p a e a o m a & m * j r m ;

- t oEia u m u uy q i & m a m * r m ;
- t y y i ; a ' o a m * j
- Aplastic Anaemia ac: em w m & n a o ; e o r m ; y ; u p ; a o m a o ; t m ; e n ; a m * j
- G6PD " j w c j j w a o m a m * j

v w 0 ; w a , m u a o ; t m ; e n ; a m * j z p y u r : u m c % q o v y i j z p & o n t a : u m i ; & i ; o n w c x u y j o n ?
 Ferrous sulphate E i Folic acid w j u x y a v m i ; l j z n a y ; j c i ; t m ; j z i v t a w m r m ; r m ; u u e ; r m
 a u m i ; r e v m a p j c i ; E i y l a u m i ; r e a o m b o w c u & & a p o n ?

v u % m r m ; E i p r ; o y a w i & c u r m ;

a m * j v u % m r m ; o n a o ; t m ; e n ; a m * j . q ; 0 ; r t q i t a j c t a e a y : r w n l j z p a y : o n ? t u , l
 a o ; t m ; e n ; a m * j o n & w w & u j z p y u (t c e w j r e o n) / (o l) e m w m & n j z p y u a o ; t m ; e n ; a m * j o n : u m & n
 j c i ; E i a E j c i ; ?

1/ t a w m t o i j z p a o m e m w m & n a o ; t m ; e n ; a m * j

v e m a j m j y c : u r m ;

- a r m y e ; E r ; E , j c i ;
- a u m i ; r e p m t v y r v y E i j c i ; (0 i a i e n ; j c i ; / u a v ; r m ; t m ; u & p u a p m i a & m u r e n ; j c i ;)
- u a v ; r m ; w i - : u ; x m ; r e n ; j c i ;
 b u p z j z j ; r a e m u u j c i ;
 a u s m i ; Y a u s m i ; o i c e ; p m r m ; u a u m i ; r e p m r v y a q m i E i j c i ; ?
- (t e m ; , c i e r [w] w p w c u j y i v y a e a o m t c e Y t o u & l & c u c j c i ; E i & i w e j c i ; (Palpitation -
 E v ; w e & i c e j c i ;) - 0 y r m - t v y v y c e (o l) v r ; a v m u c e

p r ; o y a w i & c u v u % m r m ;

- j z l a z m j c i ; (pallor) (r : u a j r ; y ; / v u z 0 ; r m ; / v u o n ; c ; r m ;)

t e m ; , a e a o m t c e Y y r e E v ; c e E e ; E i y r e t o u & l E e ; & o n ?

2/ q ; 0 ; j y i ; x e p m j z p a o m e m w m & n a o ; t m ; e n ; a m * j

w c j w & v r m ; o n t e m ; , c i e Y y r e a o ; c e E e ; E i y r e t o u & l E e ; & j y ; q ; 0 ; j y i ; x e a o m a o ; t m ; e n ; a m * j
 (H b 6 g m %) & a e E i o n ? T o i j z p & j c i ; o n a o ; t m ; e n ; a m * j o n w a j z ; a j z j c i ; u ; x m ; v m a o m a : u m i j z p o n
 (e m w m & n o c y a u m i q u y a o m a m * j / x y c j w v v i u z m ; a m * j . w u c u r u c p m ; & j c i ;) (o l) o w w i a r ; & m y
 a o ; w i ; a & m i c ; , y p n ; (H b) t a & t w u e n ; j c i ; a m * j (Thalassaemia) a m * j & r n ?

v e m a j m j y c : u v u % m r m ;

- t v e t r i ; a r m y e ; E r ; e , j c i ; E i t m ; e n ; j c i ;
- t e n ; i , : u ; p m ; v y & m ; & j z i t o u & l & c u c j c i ; E i E v ; w e & i c e j c i ; ?

p r ; o y a w i & c u v u % m r m ;

- t v e t r i ; j z l a z m j c i ;
- r : u m c % q o v y i E v ; n 0 ; o : u m ; & E i o n ?

t e m ; , a e a o m t c e Y y r e E v ; c e E e ; E i y r e t o u & l E e ; & o n ?

3/ &ww&u q;0;ji;xepmjpao m oomxi&m;onao; t m;en;a&m*- Hb u;q; r;rejci; (Oyrm- &ww&u ao;x uci;/ q;0;aomiuzm;a&m*)

vemajmijci;u v u%mrsm;-

- E;acjci;/armye;Er;e , jci;/
- **t em; , p0Yyi t o u&&cucjci;**
- **t em; , p0Yyi Ev;we&icejci;?**

pr;oyawi&c;u v u%mrsm;-

- jzlazmijci; (pallor) (r;uajr;y;/ v uz0; rsm;/ v u on;c; rsm;)
- **t em; , p0rmyi Ev;ceEe;jrejci;** (v:u;- wrepv;i 120 t x u&jci;)
- **t em; , p0rmyi t o u&Ee;jrejci;** (v:u;- wrepv;i 40 t x u&jci;)
- r:umc%qo vyi Ev;n0;o t op:um;&Ei on?

4ao; t m;en;jci;a:umiEv;vyie; , , i; t m;en;aoma&m*

vemajmijci;u v u%mrsm;-

- **t em; , p0Yyi t veq;0;pm t o u&&cucjci;**
- **t vet ri; t m;en;jci;**
- wcw&wi&iywem u;ijci;

pr;oyawi&c;u v u%mrsm;-

- **t veq;0;pmjzlazmijci;**
- &ww&u t qw t wi; t &n0i laza&mijci; (Acute pulmonary oedema)
- t o:u;jci; (hepatomegaly)
- v nyi;ao;jyea:umr:u;rsm;azmijci;
- ajc/v u t pe; t zm;y; rsm;azma&mijci;/ wcw&a&z0;qjci;rsm;

u or

u) ao; t m;en;jci;u u oy;

t awm t o ijpao memwm&n ao; t m;en;a&m*	1) FS+FA u 3v:umay;y? ^{CE} 2) v:u;rsm;Ei uav;rsm;u ocay;jci;? ^{CE}
q;0;ji;xepmjpao memwm&n ao; t m;en;a&m*	1) FS+FA u 6v:umay;y? ^{CE} 2) Hb<6/ Hct<18 x uen;y;u ao;o i;&eq&m0eEiaq;aE:wiiy? 3) v:u;rsm;Ei uav;rsm;u ocay;jci;? ^{CE}
&ww&u q;0;ji;xepmjpao m oom xi&m;on ao; t m;en;a&m*	1) c:ujci;ao;o i;ay;jci;jy/vyy? 2) FS+FA u 3v:umay;y? 3) v:u;rsm;Ei uav;rsm;u ocay;jci;? ^{CE}
ao; t m;en;jci;a:umiEv;vyie; , , i; aoma&m*	1) &ww&ujzpaomao; t m;en;a&m* u o!u oy? 2) t qw t ajr;y; t wi; t &n0i laza&mijci;u u oy? (pmr:uemwi:u ny?) ^{CECE}

^{CE} **aq;0;rsm;q i&m Z, m;rsm;u :u ny?**

^{CECE} 66

ao; t m; en; jci; a; umiEv; vyie; , , i; aoma&m* u a t mijrip m u oEiz&erm t vecucy o n? jzpEiy u
T a&m* r; r; jzpa t mi u m , &e T o; aom t q i t a j c t a ex vemr m; ra&m u &om; &a t mi u oay; &ejzpon?

c) jzp&on t a; umi; t &i; u u oy

1) i u z m; r m; a&m*

- u o r v r; net & o i l a w m a o m i u z m; a&m* j a y m u a q; r m; u a y; y?
- t z m; u s o m; a o m t c; (o!) a o; a z; u p p a q; r y i u z m; a&m* y; u r a w a o m t c; u r F S E i F A w i u a y; y?
(a q; O; q i & m Z , m; r m; u : u n y?)
- & w w & u j z p a o m a o; t m; en; a&m* E i a o; t m; en; jci; a; umiEv; vyie; , , i; a o m a&m* w i . v u % m
r m; u a w i & y u / I P D o i v a j y m i; a y; y?
- P F a; u m i j z p a o m q; O; j y i; x e o n i u z m; a&m* (o!) P F y; t a& t w u r m; a o m i u z m; a&m* j z p y u /
I P D o i v a j y m i; a y; y?

q; O; j y i; x e a o m a o; t m; en; a&m* . : u ; x m; j y e l y m; r o n i u z m; a&m* E i t w j z p y u
t v e j r e q e o n / t x; o j z i u a v; r m; w i y l j r e q e o n? u a v; i , r m; a o q; & j c i; w i i u z m; E i
t w j z p a o m a o; t m; en; a&m* o n e y w i j z p o n?

- t u , l v e m w O; w i q; O; j y i; x e a o m i u z m; a&m* (o!) u y y; y; t a& t w u r m; a o m i u z m; a&m* j z p
y u 4 i; / H b < 7 / H c t < 21 x u e n; y u 4 i; a o; o i; y? (i u z m; u y y; y; o n q u v u l a o; e O t a w m
r m; r m; u z; u q; v r O; r n?

2) ao; v e j c i; . v u % m r m; E i t w t v e t r i; q; O; j y i; x e p m a o; , x u j c i;

- : u l; p m; l a o; w w a t m i j y i v y y? (a o; v w a u m u z y / t u , l u , O e y u j c i; w r i j z p o n (spontaneous
abortion) o a E o m; . t o u 4 v r 9 v t w i; w i j z p o n / t o u r & i y (miscarriage) / u , O e y u j c i;
(abortion) j z p y u u , O e a q m i r c i a p m i a&m u a& / o m; z m; X e o i v a j y m i; a y; y?)
- t p m v r; a; u m i; r t : u; t u; , a o; , x u y u / j z p E i y u a q; & o y a q m i y?
- a o; j y e a; u m : u; u; 2 c t w i; o i C a n n u l a : u; u; 2 a c m i; x; o i; y?
- R i n g e r (o!) N o r m a l S a l i n e u t a y a o; z t m; 90 m m H g t x u a&m u o n t x t j r e a y; o i; y?
- a o; o i; z i & E i y u a o; j c i; q u p y l & E i r & E i u p r; o y j c i; (cross match) u c; u j c i; j y i v y y?

3) r p i w i o c w a u m i y j c i; (o!) t a; u m i; & i; r o & a o m a o; t m; en; a&m*

- o c a y; j c i; j y i v y y?
- F S + F A u 3 v : u m a y; y?

4) t m [m & c i w j c i; / u , O e a q m i j c i; E i r c i E w u a u i j c i;

- t m [m & E i o u q i a o m t : u t O m % a y; j c i;
- F S + F A u 3 v : u m a y; y? (o!) u , O e a q m i c i e u m v w a v s m u v; a y; y?

5) t j c m; j z p & a o m t a; u m i; & i; r m;

- o u q i & m o i c e; p m t c e; r m; w i : u n y?

• t y y i; a' o & a o q; & a o m u , O e a q m i r c i t m; v; . x u O u c e o n a o; t m; en; a&m* a; u m i j z p o n?
• e , p y a' o w a v m u & a u; v u a' o r m; & j y n o v x r m; (o!) p u & r m; & t v y o r m; w w i a o; t m; en;
a&m* & : u o n? t b , a; u m i q a o m t m [m & p m; o; r e n; j z i / i u z m; a&m* u x y c x y c p m; & j c i;
u , O e t j u r r m; p m a p m i & j c i; q u l r c i E i n w u a u i j c i; E i o c y a u m i a&m* r m;
• T t & y a' o w i j z p a o m a o; t m; en; a&m* j z p & o n t a; u m i; & i; r m; r m u o & e t v e v , u y; u e u;
r v n; e n; y; y o n?

ao;e0y;up; l jzpaomao; t m;en;a&m*

Haemolytic ao; t m;en;a&m* rsm; on ao;e0rsm;ay;uuy;up;aoma:umijzp&aomao; t m;en;a&m* rsm;jzp:uon? (Haemolysis - ao;e0qvrsm;y;up;jci;)?

T t &ya'owir;l;&;v u lao;e0ay;uuy;up;aomao; t m;en; a&m* 2 r;l;aw;l;yion? 4i;w;r m Thalassaemia Ei (G6PD) "lwc;lwaom ao; t m;en;a&m* wjzp:uyion?

Thalassaemias ajrxyiv , ao; t m;en;a&m*

Thalassaemia on r;l;&;v uaoma&m*jzpon? 4i;a&m* on yrer [waom ao;wi;a&m;c; , ypn; u xw vy:uon? bwm Thalassaemia ao; t m;en;a&m* on T t &ya'owi t jzprsm;q;jzpon? (bwm ui; quav:men;jci; (o) rxwvyjci;)?

1/ t ay;m bwm Thalassaemia ao; t m;en;a&m* ? Hb t pwt yi; ten;i , avmu om raumi;jci;jzppon?

vemajymjci;u v u %mrsm; ten; t u; r;omjzp/ ao; t m;en;jci;u aumi;pmcEi&n&jci;?

pr;oyppaq;ci:ursm; CBC (ao;e0qv t a&t wuua&wujci;) Thalassaemia [w r [w uppaq; jci;?

uor rnonuorr rv tyi?

2/ t v , vwpm; bwm Thalassaemia ao; t m;en;a&m* ? Hb t pwt yi; avmu omraumi;jci;?

vemajymjci;u v u %mrsm; aumi;pmcEi&n&aomao; t m;en;a&m* on t out & , Ei t ryl q;0; vmjci;/ ab v;u;jci;?

pr;oyppaq;ci:ursm; CBC (ao;e0qv t a&t wuua&wujci;) Thalassaemia [w r [w uppaq; jci;?

uor-

- Hb u t cerereppaq;y?
- t u , lao; t m;en;jci;yl q;0; vmyu/yreao;oi;jci;rsm;v ty aumi;v tyEion?
- ab v;ucpwjzwawmu l cxwjci; (Splenectomy) onwc;w& t axmu t ujzpon?

ten;i , r;om&aomao; t m;en;a&m*&on vemrsm;uo"l wFAay;l w;wurr&v;i/ x vem rsm;wi ti , pm;Ei t v , vwpm; bwm Thalassaemia ao; t m;en;a&m* &Eion [oo , &&vrn?

3/ t :u;pm; bwm Thalassaemia ao; t m;en;a&m* ? Hb t pwt yi; t awm t rsm;rsm;raumi;jci;

vemajymjci;u v u %mrsm;- q;0;jyi; xeaomao; t m;en;a&m*&jci;/ b0 . yx rEpavmuYyi uav; on aumi;repm:u; x m;jci;Ei zjzljci;rsm; r&jci;? t &yrrer [wb]u; x m;jci;/ t x;ojzi:uEmwijzpon?

ao;oi;ay;jci;r&y u t rsm; t m;jziwEp t wi;Yaoq;:uon?

vavmuaomao;oi;r&jci;jzi

- uav; . :u; x m;jci;Ei zjzljci;rsm; on aumi;reav&uon? aumi;wujci;v n;w;wuaumi;re vmon? infection rsm;Oia&mujci;v n;av:men;vmon? t axaxue;rm a& t ajc t aersm;w;wu aumi;re vmon? t &zpn; r yprrejci;rsm;w;wuaumi;revmon?
- 10 Epce:umjy;aemuyi; t oa&m*Ei Ev;Y t qyt awmujzpci;Ei two"l w t vet u lyvjci; . v u %mrsm;ay:vmon?
- Ev;wi o"l w t vet u lyvjci;a:umiaoq;av&uon?

ao;oi;r&aomvn;vavmurr&ci;zi

- ab)u;ji; t & zpn;wnaqmuryrre;ci;u;xm;ravmen;ji;Eizjz;w;wuraE;ji;w/Ei t wao; t m; en;ji;?
- ab)u;ji;?
- t zm;&v u/ r&v u;jpici;?
- ao;x u;ji;?
- t ou(20-30)Ep t &, avmuYEv;wi o"t w t vet u;lvj;ci;a;umi aoq;av&u on?

pr;oyppaq;ci;u rsm;- CBC (ao;e0q v t a&t wu ua&wujci;)/ (yprwyp&aomq v rsm;u-q v u jym;ay;wi y;v ma t mijy/vy lppaq;ji;)/ Thalassaemia [wr [wu ppaq;ji;?

u or-

- Hb > 8, Hct 24 t qiYxe;xm;&e t cerereao;oi;ay;ji; (owyl&e t:urrsm;pmao;oi;ru c, &aom vemrsm;on ao;oi;ci;uaq;&Yomc, o ion?) ao;oi;ji;on om wcn;aom u o rjzpon o laom t ce:um vm on Ei t r o"t wrsm;t vet u;lvj;ci;t c laom t *rsm;y;up;l aoapon?(desferioxamine on o"t wrsm;ji;u u ap&eun Ei on?)
- azivp t u qpay;ji;
- t u, lab v;u;y u ab v;u xw&e q&m0eEiaq;aE;wiyio ion? (o laom, m, t wu om t u;jzpon?)

*v;up6azmpzw' [u'&*i"wc'§ waomao; t m;en;a&m*

Ta&m*o nao;e0q v rsm;wi t x;y&we;"wwr;c'wji;ci;a;umi jzpon 4i;y&we;u G6PD [ac: on? rbrsm;r&aoma&m*jzpy;/ ar;zm;&mr&&on'a, m u sm;rsm;wiy l t jzprsm;on?

Ta&m* &aom vemrsm;wi rsm;aom t m;ji rnon v u%mr raw&y? t c'wi emwm&nao; t m;en;a&m* &wwon? t c'wi &ww&uc:uci;jzpaomao;e0ay u uy;up;onao; t m;en;a&m* (ao;e0rsm;u zup;)

1) ow/wi infection rsm;&y u 4i;/

2) wc'laom aq;0;wr;c'r;c'uaom u ryu Ei;&ww&u jzpaom ao;e0y;up; on a&m*jzpwwon?

T c'wra&m*wirwnr t r;c'r;c'y on? t c'v emrsm;wiaq;0;wr;c'r;c'uaom u o;ji;ci;jirnon ny \ em ur;rcpm;&aom vn; t c'v emrsm;wi Taq;wr;c'wn;aq;Ee;t wwryi jy \ emu cpm;&&on?

pr;oyppaq;aw;ci;uEiajmijyc;u v u%mrsm;

- vem t awmrsm;rsm;on rnon v u%mr r&uy?
- wc'laom aq;0;wr;c'r;c'uaom u y;aem u (o) a&m*y;rsm;&ji;ci;Ei c%wizlw emru e; jzpy;aem u y; &ww&uao;e0rsm;ay u u;ji; t om; t a&0jci;/jzlazm;ji;/ q;rrom;ji;/wc'w&Y Or;Au Ei au sm buwYem u;ji;
- emwm&nao; t m;en;ji;
- ao; t m;en;ji;Ei t waom 4i;/ao; t m;en;ji;r&bEiaom 4i;ar;ui;pwi t om; t a&0jci;?

pr;oyppaq;ci;u rsm;-

Ta&m*Eiywo uaomao;ppaq;rwc&on 4i;ppaq;ji;r vemwi T"wc'wji;ci;y u az:jyon? o laom vem on wc'laom aq;0;wr;c'r;c'uaom u y;aem u ao;e0rsm;ay u u;ji; t E&m, &Eirnu azmijaomppaq;ci;u r&y?

u or

- ao; t m;en;ji;ujzpaopr n [oo, &aom rnon aq;0;urq t o;jy;ji;t m;&yv uy?
- a&m*y;rsm;Oia&m u;ji;u u oy?
- ao;e0y;up;ji;on t ue t owwcwi&av&y on? 4i;u uozi&erv t yy?
- q;0;jy;i;xeom vemrsm;wiao;oi;ay;ji;on vem. t ouuu, wiEion?

t u , l v e m w 0 ; o n a t m u a z : j y y T a q ; 0 ; r s m ; x r w c c u a o m u j y ; a e m u
e m w m & n a o ; t m ; e n ; a & m * u & & j c i ; (o) j z l a z m j c i ; / t o m ; t a & 0 j c i ; / q ; r r o m ; j c i ; w a j z ; a j z ; j z p v m y u
o i o n G 6 P D (* v ; u p 6 a z m p z w) " w c w j c i ; u o o , & & v r r n ?

**a t m u a z : j y y a q ; 0 ; r s m ; o n w c w & w i * v ; u p 6 a z m p z w " w c w a o m o r m ; Y a o ; e 0
y u p ; j c i ; u j z p a p E i o n ?**

Ciprofloxacin,
Norfloxacin, Ofloxacin
Cotrimoxazole
Dapsone
Nitrofurantoin
Primaquine
Aspirin
Chloramphenicol
Chloroquine
Quinine

- a q ; u o & e t w u T a q ; 0 ; r s m ; u a y ; & e v t y v : i / v e m u a t m u y t c : u w u a j m j y y - o w
t o m ; a & 0 v m y u 4 i ; / (o) o w . q ; r s m ; r v m y u 4 i ; o w o n p m ; a q ; r s m ; a o m u j c i ; u & y j y ; O P D /
I P D o l c : u j c i ; v m & r n u a j m j y y ?

ao;oi;ci;

ao;oi;ci; t wu vr; necur;m;

e , pywawm u t vyvya:uaom NGO r;m;u;m;wi ao;oi;ci;Ei ywouaom r0i'on wnr r&uy? a t m uywion vr;nec:u t clljzpyon? q&m0ew0;ci;/ t zipn;wcjci;r owl . ay:vp t &jye vnjiqil &Eiyon? ao;u t ypcEiz&Ei iuzm;y;/ t wci t i A Ei t oa&mi t om;0y; b wiu pr;oy&mazEi aom ae&mYrmomjzpEiyu ao;oi;ci;uylvyoion? t oa&mi t om;0y;pEi Syphilis wluypaq;Ei&e t jyi; t xet juyi t yyon?

b , t cewi oionao;oi;z&eq;jzwEirnen;?

- ao;oi;ci; . t u&au;Z;Ei u;pua&m*y;r;m;jzpon t oa&mi t om;0y;b (o)pl t wci t i A (o) t jcm;a&m*r;m; u;pucjci; . t E&m , wj t m; cteqy?
- v tyromv iao;oi;y?
- vem . aq;ce;q i&m t ajc t ae t m; 0;pm;ay;&rnjzpon?

t jreq;ao;oi;y (jzpEi or t jreq;)	ao;oi;z&erv
1)&ww&u q;0;jyi;xepmjzpaom oom x i&m; on ao; t m;en;a&m* (o) ao; t m;en;jci;a:umiEv; , , i; y;up;aoma&m* . v u%mr;m;- (o)l Ei 2)&ww&u q;0;jyi;xepmao;x u jci;-(o)l Ei 3) q;0;jyi;xeaomi uz;m;a&m* (o) uyy;y; t a& t wur;m;aomi uz;m;a&m* Ei Hb< 7 - Hct < 21	1) t awm t o i jzpaomao; t m;en;jci; . v u%mr;m;

cujci;ao;oi;z&erv tyv i ao;roi;&
1)emwm&n q;0;jyi;xeaomao; t m;en;jci; . v u%mr;m;Ei Hb< 6 - Hct < 18 • x t c q&m0Eiaq;aE;y?

* q;0;aomao; t m;en;a&m*&aomvn;jyevnjylyl r
 &Eiawmaom v u%mr;m;r&ao;aom vemw0;u Hb
 rnrwi ao;oi;ay;&rn u Eiiwum wi oabmw
 n x m;rr&y? t cll q&m0erm;on vem . Hb 6gm/dl
 t xuwiao; oi;ay;vrrn? t jcm;aom q&m0erm;ur
 vem . Hb 4 jzpaec:ermyi ao;oi;ci;rjyly? T q;
 jzwc:u u q&m0erjyl vy&rnjzpyon? 4i;q;jzwc:u
 on vem . t ou t & , / a&b , i u e;rma& t ajc t ae
 r;m;/ vra& t ajc t aer;m;Ei ao; t m;en;jci;jzp&on
 t a:umi; t i; wlay:wi vn;rwnyon?

ao;oi;ay;jy;aem u vemr;m; t m;v;u Ferrous Sulphate **Ei** Folic Acid **aq;zi t en;q; 3 v:um**
ay;l s ocaq;r;m;ay;l4i;u o&vrrn? Thalassaemia &**aom vemr;m; t m; FA wr;wn;Ei**
ocaq;r;m;omay;&r n?

- **cujci;ao;oi;ay;&ev t y l q;jzw&v;i/ "wcce;r t ajzuom r:unb/ vemuy;u ny? jzlazm**
jci;/ t m;en;jci;w;r&&my? ao;ceEe;/ t o u&Ee;Ei BP w!uppaq;y?
- **q;jzwcuc&e vem . vQ%mon Hb t ajxupm v;iyl t a&u;yon?**

t a&ay:cujci;] , C !
t:u;q;aom IV cannula u x;oi;y?
oiapm i v i vemaoEion qy u ao;vL&i
w0;u&my?

ao;oi;&mw i v uem&r n t q i r;m;

u/ vemEiywou l -

- 1) vem . ao; t ypEi RH (+ (o!)-)uppaq;y?
- 2) jzpEiy u ao;jyea:umr:u;u;wacmi;wi t :u;q; Cannula u x;oi;y?
 • q;0;pmao;x u r;m;aey u :u;aom IV cannula 2 acmi;u ao;jyea:um 2 acmi;wi x;oi;y?
 • cannula ao;av ao;p;q i;raE;avjzpon?
- 3) ao;jyea:um q u l yiaep&e t wu Normal saline u l o i;xm;ay;y?
- 4) vemEi ao; t ypwaom ao;vL&i w0;u&my?
- 5) t a&ay: t ajc t aewi vemEi ao; t ypwaom o u&mr&y u/ a t muaz: jyyq upyqav maom ao;
 t yp r;m; t wi;pn;r0;pn;u r;u v uemy?

vem	rao;u vucv!&Eion?
O	O
A	A, O
B	B, O
AB	AB, A, B, O

c/ ao;vL&iEiywou l -

- 1) ao;vL&i . a&b , s t ajc t aersm;u ppaq;y?
 • u , 0eaqmirciEi t o u 17 a t muor;m;/ t o u 65Ept x u or;m;rjzp&
 • t zm;r&&
 • jy;caom 6 v t wi;Y t om;a&0jci;r&&
 • jy;caom 3 v t wi;wi ao;vLcb;jci;r&&
 • ao;ayiceyre&&r n
 • ao;t m;en;jci; . v u %mr;m;r&&
 • t E&m , &aom t a:umi; t c:ur;m;u o;oyEi&e t wu ao;vL&iEiywo uaomar;ce;r;m;uar;y?

2) a t m u a z : j y y w i u p p a q ; & e t w u a o ; v l & i . a o ; u , y ?

- i u z m ; y ; p r ; o y p p a q ; j c i ; o n (N e g -)
- H b > 11 g / d l *
- t o a & m i t o m ; 0 y ; b E i t w c i t i A y ; (N e g -) (t o a & m i t o m ; 0 y ; p E i V D R L N e g - u y p r ; o y p p a q ; E i y u y l a u m i ; y o n ?)
- v i r w q i u ; p u w w a o m a & m * i r m ; r a w i & y u a o ; v l & i . a o ; u , y ?

3) a o ; v l & i . a o ; u , y ; a e m u

- a o ; x w , r v y i e ; p 0 j y ; y u a o ; v l & i u 10 r e p c e i v a v m i ; l a e & e a j y m y / o i u a o m u p & m w c c a y ; y ?
- F A E i F S a q ; w i t m ; 2 y w : u m a y ; y ?

* w c w & w i a o ; v l & i w 0 ; u & m & e t v e c u c y o n ? v e m . a q r i ; r m ; r a o ; v l E i a u m i ; v l E i v r r n ? o w i . H b o n v n ; < 11 - > 9 & v i j z p y o n ? a o ; t m ; e n ; j c i ; a : u m i v e m t o u t E & m , & y o n ? x t a j c a e w i o i o n a q r i ; . H b o n v u r c E i a v m u a w m i r a o ; , & e q ; j z w E i y o n ? F A E i F S a q ; w i t m ; & u j n a y ; y ?

*** v e m u a o ; o i ; a y ; j c i ; E i y w o u l -**

1) a y ; r n a o ; . y r m % u w u c i u y i (a o ; 1 t w 350 - 450 p p)

1 E p a t m u u a v ;	15 c c / k g
1 E p t x u u a v ;	20 c c / k g
q ; 0 ; j y i ; x e p m t m [m & c i w a e a o m u a v ;	10 c c / k g
v : u ;	1 - 2 t w

T a o ; y r m % u a o ; t m ; e n ; r . q ; 0 ; j y i ; x e r t a j c t a e a y : w i r w n l x y c i x y c a y ; E i y o n ?

2) o i o n a o ; o i ; j c i ; u v e m r m ; l o i ; j c i ; r & a p & e * & j y l v y y ?

3) a o ; o i ; j c i ; . E e ;

- r m ; a o m t m i j z i a o ; o i ; j c i ; o n **3 e m & c e : u m o n ? b , a o m t c r 4 e m & x u y l r u m y ?**
- **E v ; v y i e ; , , i ; y u p ;** & e t E & m , & o n a o ; o i ; j c i ; u **4 e m & x u : u m a y ; y ?** (i / v - p / o F u r o s e m i d e 20 m g) u a o ; o i ; j c i ; w 0 u a & m u a o m t c i Y a y ; y ?
- q ; 0 ; j y i ; x e p m t m [m & c i w a e a o m u a v ; r m ;
- t o u : u ; a o m o r m ;
- E v ; E i a u s m u u y j y \ e m r m ; & o n [o & a o m v r m ;
- e m w m & n a o ; t m ; e n ; a & m * & o n v e m r m ;
- **B P u a e a o m v e m r m ; E i a o ; , x u a e a o m v e m r m ; t w u a o ; o i ; j c i ; u 10 r e p a u m u m c e i a y ; o i ; y ?** (t a y : a o ; 90 m m H g t x u a & m u o n t c i e x)

4) t " u u a o m v u % m r m ; V I T A L S I G N S u p p a q ; y ?

- a o ; o i ; j c i ; r p w i r
- 5 E i 15 r e p c e i u m j y ; a e m u
- x a e m u 1 e m & u m w c i r a o ; o i ; j y ; a e m u 1 e m & u m o n t x p p a q ; y ?

5) a o ; u D 5 W E i a & m l r a y ; & (a o ; e 0 y ; u p ; j c i ; j z p E i o n ?) (o i) R i n g e r (a o ; c j c i ; u j z p a p E i o n ?)

6) o i o n a o ; u N o r m a l S a l i n e E i a & m E i y o n ?

7) ao;x o|r n o n a q; u o j c i; . a q; 0; r r a&m&?

8) ao; u v y c j c i; r j y \ v y y E i / a o; q v r s m; (t e a&m i t y i;) t m; v; u e a t m i o i; j y; o m; a o m t c; & y y ?

- v e m r s m; o n H b y r m % w j r i & e t w u a o; e 0 r s m; u v t y y o n ?
- a o; & n: u n (t: u n y i;) o n v e m t w u t o; 0 i r e n; y o n ? t q w t a j r; y; t & n 0 i j c i; j z p z y i t E & m , & y o n ?
- & w w & u a o; x u j c i; & y u a o; & n: u n t y i; u y a y; y ?

ao; o i; p 0 t a w m t w i; j z p w w a o m t E & m , r m; E i r a w m w q j z p w w r r s m;

ao; o i; p 0 t a w m t w i; v e m u * & w p u a p m i: u n y ? a o; o i; j c i; a: u m i w e j y e j z p a y: v m a o m v u % m r s m; u a p m a p m p p; o w j y \ r & e r m t a&; u; y o n ? x \ r o m a o; o i; j c i; u & y E i j y; / q; 0; a o m a e m u q u w j y \ e m u u m u , E i y o n ?

ao; o i; j c i; a: u m i j z p a y: v m r n o o , & p & m v Q % m r s m; t m; v; t w u b m u v y & n e n;-

- 1) a o; o i; j c i; u & y y \ j y; a e m u t y E i C a n n u l a r y u u j z \ w y ?
- 2) y u t o p u t o; j y \ t & n o i; a y; j c i; j z i x e; o m; y ?
- 3) v e m a o; r e r e u e u e & & r & & u p p a q; y ? v e m . a o; t y p u j y e p p a q; y ?
- 4) a o; o i; j c i; t w u v r; n e c: u u j y e p p a q; y ?
- 5) t u , l r s m; v e m . t a j c t a e q u v u q; 0; a e a o; y u a o; v l & i a e m u w 0; x y & m y ?

t j z p r s m; a o m w e j y e r t a: u m i;

1/ a o; e 0 y; u p; j c i;

v e m a j m j y c u v Q % m r s m;- t z m; & j c i; / c s r; j c i; / a u s m b u e m j c i; / p; & r j c i; / E v; c e j r e j c i; / a o; a y i c e u j c i; / q; r r o m; j c i; / a o; o i; a e & m Y p y y a v m i c p m; & j c i; ?

b m u v y & n e n;-

- t u , l v e m o n a o; v e j c i; j z p a w m r n q v i N o r m a l S a l i n e (o l) R i n g e r u j r e j r e a y; y ?

2/ t q w o m; t w i; t & n 0 i l a& m i j c i;

t E & m , & E i a o m v e m r s m;-

1 E p a t m u u a v; r s m;
q; 0; j y i; x e p m t m [m & c d \ w a e a o m u a v; r s m;
t o u: u; a o m o r s m;
E v; E i a u s m u u y j y \ e m r s m; & o n [o & a o m v r s m;
e m w m & n a o; t m; e n; a & m * j & o n v e m r s m;

v e m a j m j y c u v u Q % m r s m;-

t o u & L e e j r e l t o u & L c u c j c i; / a c m i; q; j c i; / a c j i; u u j c i; / t q w r s m; . E p b u p v; . a t m u a j c Y C r e p s / w a j z m u a j z m u j r n o r s m; & j c i; ?

b m u v y & n e n;-

- v e m u x i v \ u t a e x m; Y x m; a y; y ?
- a t m u p * i & & E i a y; y ?
- F u r o s e m i d e U I . V a y; y ?

u a v; r s m;	1 m g / k g
v: u; r s m;	1 m g = 4 p D p D

t u , w; w u j c i; r & y u e m & 0 u j c m; w c; a q; E e; u x y c; x y c a y; y ?

1/ ao;rwnra:umi"wweljeici;rm;

u/ ta&jym;wiwejeici;rm;

vemajmijc:uvuQ%mrsm;-

ta&jym;Yt iji u ur sm; xjci; (urticaria) / }u;rm;aom tea&mi , m; , aom temu ur sm;?

bmuvy&rnen;-

- Chlorampheniramine 4 -12 mg P.O ay;y?
- t jcm;vu%mrsm;r&cb;qv i ta&jym; teu ur sm;on em&Ou twi;ajymuu , om;rn? tu , l aemu w:urao;pwioi;&rnqv i q&mOeuar;y? o laom *wpuapmi:un&rn?

c/ y l q;0;aomao;rwn l "wweljeici;

vemajmijc:uvuQ%mrsm;-

azma&mijci;/ t ou&L&cucjci;/ t ou&L Wheezing ou:um;&jci;/ ao;ayicejrijci;/ xaemu ao;ayiceu jci;/ wcw⩔av m jci;Ei te jci;?

bmuvy&rnen;-

- Adrenaline 1: 1000 I.M (pmr;uEm 21 &Anaphylactic shock t ce;;wi:u ny!)
- Ringer / Normal Saline jre jreay;y?
- Dexamethasone I.M/I.V ay;y?(pmr;uEm 21 &Anaphylactic shock t ce;;wi:u ny!)
- at mup*i&&Eiyu ay;y?

i u z m ; a & m *

t a o ; p w o v y ; u S M R U r x w a 0 a o m p m a p m i u z w y /

u , y c e w u a e a o m v e m w i ; t m ; i u z m ; a & m * j z p E i o n [x n o i ; p 0 ; p m ; y ?

a & m * j v u % o m r s m ;

- u , y c e w u j c i ; E i t w a t m u a z : j y y v u % o m r s m ; r w c o i r [w w c x u y l & a e j c i ; a c i ; u u j c i ; / c r ; w e j c i ; a c ; x u j c i ; / } u u o m ; r s m ; t q p t j r p r s m ; u u c j c i ; / t p m ; t a o m u y ; u j c i ; / y j c i t e c i j z p c i ; / A u e m j c i ; O r ; o m ; j c i ; /
- w c j w & w i v e m o n o w v p v ; u (o i r [w] w u l a & m u v m w w o n ?
- w c j w & w i v e m o n a q ; c e ; v m j y c e Y t z m ; r & y j z p a e w w o n ?
- a o ; t m ; e n ; j c i ; E i a b v ; j u ; j c i ; w j o n t j z p r s m ; o n ?

a & m * j o w r w c ; u

x i j r e r m e , p y w a v s m u w i P l a s m o d i a t r d ; t p m ; 4 r d ; u a w j & o n ?

P - z , p y & r (P F)

P - A i ; A u (P V)

P - r a v ; & , a & ; (P M)

P - t a A ; (P O) - & z e & c j a w j & o n ?

a & m * j t w n j y l & e t w u a o ; a z i u p p a q ; j c i ; (a o ; z v i j y m ; q j c i ; - M S) o i r [w w c j w & w i t j r e p p a q ; e n ; j z i j y l v y y /

- a o ; z v i j y m ; Y x & z Z u (T) a w j & y u / a & m * j & z v i j y m ; j z p o n /
- y ; r s m ; u a & m l a w j & o n (P F + P V)
- * r w q u (G) w r d ; x a w j & y u / v e m o n y ; u o , a q m i x m ; j c i ; o m j z p l z m ; e m r r & / a q ; u o & e r v t y y ; (v e m w i * r w q u w r d ; o m a w j & y ; i u z m ; a & m * j v u % o m r s m ; c p m ; a e & y u x v e m o n w j u r r i a q ; u o r a u m i ; r e p m (M A S 3 , A S 7 D 7 , Q 7 D 7 p o n) y ; j y w a t m i u o j c i ; r c & z ; v i i M A S 3 E i u o r S y y /

o w E y & e

- i u z m ; a & m * j t m ; r u o c i a o ; a z m u p p a q ; r t r w r ; E y y / (O y r m - n t c e r a w m (o i) t a & ; a y : t a j c t a e) j u n r & o n w i a o ; a z i u x m ; y l a e m u y i ; w i a & m * j t w n E y & e j y e l p p a q ; E i o n / a e m u w a e Y a o ; z v i r t a j z & o n w i a t m i a p m i q i ; a e j c i ; j z i a q ; u o r u **r a E m i a E y a p E i** /
- a o ; z v i j y m ; Y a & m * j y ; r a w j & y t z m ; q u v u & a e y u a o ; x y r a z m u l p p a q ; r E y y /

a & m * j y i ; x e r o w r w j c i ; - i u z m ; a & m * j t a j c t a e q ; 0 ; j y i ; x e y o v m ;

(a o ; z v i t a j z t & **i u z m ; a & m * j a l u m i ; o w r w y ; o n E i**) u o r r p w i r a & m * j t a j c t a e j y i ; x e r & r & q ; j z w y / u , 0 e a q m i E i a o m t & , t w i ; t r d ; o r ; r s m ; (1 5 - 5 0 E p t w i ;) j z p y u u , 0 e & r & p p a q ; y l

rwom;&el i uzsm;a&m* t m;ppaq;owrwjci;on ao;azmuppaqjci;jziEvyvaomv n;/a&m*jyi;
 xer t m;jyiya&m*v u%mt ajc t aeay:rwn lowrwon /
 • ao;zviu)un liuzsm;a&m*&/ r&q;jzwy/
 • vemu)un la&m*jyi;xer&/ r&q;jzwy/

q;&m;jyi;xeaomiuzsm;a&m*. t "y, ovrwc:urm;


- **Q;aEmuiuzsm;a&m*** - vemonowvpaern/
- **t m&a)umqi&mVQ%mrsm;** - vemonxi;ri;ae;y;wuc:ujci;/pwwpwqwjci;/
- jyi;xepm ao;t m;en;jci; - a [r*v bi Hb = 6g/dl oir [wx x ueaejci;/ oir [wyi;xepm ao;t m;en;aomv u%mrsm;
- **ao;xYo)um;"wenjci;** - zlwzLavm/ac;pijci;/owvpjci;/ao;x&o)um;"w 2.5mmol(45mg) x uen;jci;/
- **ao;vejci;** - ao;ceEe; 130 x ujrejci;/ ao;ayicie 80E50 x uen;jci;/ ajczsm;v uzsm;a t ;jci;/
- **t qywi;a&0iazma&mijci;** - t ou&jrejci;/ t qwa t muajcyi;Y t clor sm;)um;jci;/
- **au sm uuycl, i;jci;** - q;en;jci; (o) q;rom;jci;/ (wae; 400 pp x uejci;)
- **t vav sm uao;xujci;** - om;z;rao; , jci;/ q;xao;yjci;/ao;t ejci;/ t a&jym;Yao;u ur sm;ay: jci;
- **q;xao;yjci;** - t e&ia&mirt ra&miqu;rm;om;jci;/
- (ao;xwi t uqp"wyrm%rm;jci;)

owEj&e-

v u%mwcomawjyu - q;&m;jyi;xeaomiuzsm;a&m* oiaomvem t rm;pona&m*v u%mt c - 3
 cwylieu x&wwon? v u%mwjcjci;puaocmpmpaq;y?

q;&m;aomiuzsm;a&m*. t jcm;aoma0'emrm;

- t vet ri; t m;en;aejy; rpm;EiraomuEijzpcjci;
- ao;xwiiuzm;y t a&t wur sm;jym;aejci;ao;e0. 4EEi t x uwi y,aejci; oir [w++++Ei t x uizpcjci;
- u , ycewujci; - 40.5 '*&piw*&w x uyjci;
- t om;Ojci;
- t vet ri;a t m tejci;



uor

u/ omre PV, PO o PM iuzm;

ao;zvippaq;cu - PVT, PMT, PVGT oir [w PMGT aw/&ici; (PF v;0raw/&ay)

- tzm;u Paracetamol jzi uoy/
- iuzm; t m; uoy/ - pmr;uEm 41 & **uorZ, m; - vi; 1 u}un&e/**
- tE&m, jzpEiac&aom vemrsm; t m;aocmpmppaq;y/ (u, 0eaqmircirsm;Ei 2Epa t muuav;i, rsm;) IPD vemaqmiwiwi l u o&evrv q;jzwy/

u v&ui;wr;wn;jzi uoy/ u/ PV oir [w PO &aom vemrsm; . x u0uau sm on a&m*wa}u m
jye jzpy m; wwo n? T o jzpy m; &ici; r m t o t wi; ye; a t mi; t em; , aeaoma&m*y; t qi ([pyEZu)
rsm; a}u mi jzpon? T o j a&m* jye v n jzpy m; jci; u u m u , &Ei t owi; aexiaomy; t qi u aoapEi
aomwcn; aomaq; rm Primaquine jzpon? o j aom Primaquine on G6PD "wci;w
aom vemrsm; wia o; e0E yurujzpa on? G6PD "wyre&aom vemrsm; wi Primaquine 15 mg t m;
wae;w}urEe; Ei 14 & u u t E&m , u i; pmwuau; Ei on? G6PD "wci;wae;u Primaquine t m;
wywv; i w}urEe; Ei 6 - 8 yway; jci; on t meo i x a&m u j; / t E&m , u i; on? x a}u mi G6PD
"wppaq; rrE yEiaom t c rsm; wi PV oir [w PO vemrsm; t m; wywv; i w}ur Primaquine
jzi t E&m , u i; a t mi u oEi on/

- Primaquine aq; yrm%
v/u; - 15 mg (base) wae;w}ur - 14 & u y; pyrwu&e (u , 0eaqmirci t m; ray; &y/)
uav; - 0.25 mg / kg wae;w}ur - 14 & u y; pyrwu&e
oir [wyu (G - 6 - PD c w r&aom vemrsm; t E&m , u i; ap&e)
v/u; - 45 mg wywv; ur - 6 yw oir [w 30 mg wywv; ur - 8 yw
uav; - 0.9 mg / kg wywv; ur - 8 yw
SMRU t z r t } uay; cu rmaq; . jzpEiaomab; x u q; u ; rsm; a}u mi a&m*wa}u mi jye jzpy m; r/ r}u mc%
jzpy m; rom uorE y&Ei uor t m; aep0apmi u y; u ; u yrE y&ew jzpon?
x i; aq; ce; rsm; wir PV vem t m; v; u Primaquine 14 & u u x; Ei uorE yon?
owj/ &e
• vemwi PV y; a u mi a&m* jyi; xerv u % m rsm; aw & y; u / ao; zvippaq; jci; xy rj y/ vyl / x vem t m;
q; & m; jyi; xeaomiuzm; t jzpuoy/ (jyi; xeaom PF iuzm; u o)

u , 0eaqmircir [waom vemrsm; wi PF o r [wy; 2r; &aom (PF+ PV) iuzm;

iuzm; ao; ppc; u (MS) -PFT, PFGT, PVT+PFT
iuzm; ao; ppc; ursm; wi a&m*y; wpr; x uyl a&maEmaw &aom t c PFT on t E&m , t &q; jzpon
t wul/ x o aw & y u PF iuzm; uort wi; uoy/
t aumi; q; uoen; r m t mwp; ewEi ruzv ui; aq; 2r; a&m lay; jci; jzpon // o aom , i; aq; 2r; pv;
wiaq; ray; oiaom t ajc t aersm; &on // (a t muwi: u n &y) aq; ruociEi u o aep0 a t mu y w u ppaq; y/
u) iuzm; a&m* jyi; xeq; 0; y; o v m; ?
c) t r; or; Yu , 0e&aey; o v m; / o o , &y u u , 0e&r&ppaq; y/
) vecaom 2vwi; vem on ruzv ui; (MFQ) aom u x m; z; y; o v m;
C) vem . t o uEi u , t av; ceb , avmu&oen; ?
i) iuzm; y; yrm% uppaq; y/ (y; t ver sm; jci; 4% x ur sm; jci; (oir [w) +++ y; t ver sm; rr& +++
x uen; jci; o r [w 4% x uen; jci;)
p) uorc , aep0 t wi; vemyrep m; aom uaeap&e* puy/ /
u , ycewujci; / ao; x o: um; "wen; jci; / t ejci; / t &n" wce; ajcmujci; Ei t jcm; v u % m rsm; u u o&e
raryEi/

c/ &&; PF iuzm;a&m* (&yax;rr&aomiuzm;a&m*)

- q;&m;jyi;xeaomvQ%mr&
- iuzm;ao;ppc;uwi PFT 4% xuejci; o r [w ++++ xuejci;
- u , 0er&jci;/

- jiyvemXmewi}u;uyuor-pmr;uEm 41 & uorZ , m; . vi; 2/ 3/ 4wi :uny?
- EpEpa t mu uav ; i , r m; wi / jzpEiyu (IPD) vemaqmio wi l uoy t b , aumiqaom , i;wi wijyi; xeaomiuzm;a&m* o vsijrepmajymi; v om; Ei l jzpo n/ rjzpEiyu vem t m; yx r 24 em& t wi; aocmpmapmi:u n&er om;p t m; r m; u m; y//

*/ &yax;rr&aomPF iuzm;a&m*y;ao; t wi;r m;jm;jci;

- (q;&m;jyi;xeaomv uQ%mr m;r&)
- (iuzm;ao;ppc;uwi PFT>4% (o r [w) ++++))
- (u , 0er&jci;)
- IPD vemaqmio wi l t e; uy:u n&apmia&muy// yrep m;aom uap&eaocmij/vyy?
- iuzm; t m; uoy// pmr;uEm 41 & uorZ , m; . vi; 5Ei6wi:uny//
- vem t ajc t aeq;&m; vmyu jyi; xeq;&m;aomiuzm; t jzpuoy//

C/ jyi; xeaomiuzm;Ei0;aEm u iuzm;

- IPD aq;&vemaqmio wiy//
- iuzm; t m; uoy// (pmr;uEm 41 & uorZ , m; . vi; 7 t m; :uny//)
- (vem t m; t e; uyapmi:u n l a t m uy w uppaq; y//)
 - (u , t yce/ t o u&Ee/ ao; ceEe/ ao; ayiceEi ow&rw u)(coma score) aq; loadingdose ay;aep0 t wi; wem&wcj ppaq; l / CEi; t aem uyi; wi 2-4em&jcm;wcj ppaq; ay; y//
 - uwei; loading dose ray; ciEiay; y; cewiao; t wi; *v; uip"wyrm%u Dextrostick jzi wi; wmy// t u , l vem t ajc t aeq; vmc ewi v n; wi; wmy// u , 0eaqm i t r s; or; r m; Ei u av; i , r m; wi i v uei; ay;aep0 t wi; Dextrostick t m; 6em&wcjcm; ppaq; rjy/ o i o n//
 - aq;&wip0wi [r*v bi (HB) yrm% uwi; wmy// t u , l (HB) yrm% 7.3 (ao; e0x x n 22) xuey; aev iaom v n; aumi; / ao; t m; t veen; on v u %m r m; ay: v m v iaom v n; aumi; aeip0 Hb ppaq; rjy//
 - vem r q; t en; i , o m om; on [ajymy u (o) vem ow v paey u q; om; on yrm% urw om; y (q; y u x n l q; yrm% uppaq; y//)

- aem u q u w q ; u s ; r m ; t m ; u o y - a t m u y Z , m ; u : u n y ?

t jzpr m ; a o m q i y m ; a & m * ; r m ;

• **t z m ; w u j c i ; /**

• **o w v p a r a j r m j c i ; ?**

• **w u j c i ; ?**

• **t v e a o ; t m ; e n j c i ; ?**

• **a o ; t w i ; t : u m ; " w a v m e n j c i ; ?**

• **t q w w i ; a & 0 i a z m a m i j c i ; ?**

• **q ; r o m j c i ; ?**

• **a & m * ; 0 i j c i ; ?**

• **a o ; v e j c i ; ?**

y & m p w a r m (o) A S A w u a u j c i ; E i a & y w w u j c i ; j z i u o y (u a v ; i , r m ; E i a o ; c r " w e n ; y ; a e a o m v e m r m ; w i A S A w u a u ; r r j y &)

O ; a E m u i u z m ; a & m * j z p y m ; y u (p m r ; u E m 16 & o w v p a r a r m j c i ; t c e ; w i a z : j y x m ; o n t w i ;) p r a q m i & u y /

O ; a E m u i u z m ; a & m * (o) j y i ; x e a o m i u z m ; j z p y m ; y ; t m & a u m q i & m v u % r m ; a w & y u j u l w i u m u , l u o y / u m u , j c i ; v } u ; r m ; w i P h e n o b a r b i t a l t o m ; a q ; x ; a y ; y / u a v ; r m ; t m ; r x ; & y / u o r - t u , l w u v m y u D i a z e p a m I V / I M / P R a y ; y /

v r t y y u a o ; o i ; y (a o ; t m ; e n j c i ; E i a o ; o i j c i ; t c e ; t m ; z w & y / o : u m ; " w 2.5 m m o l (45 m g) X u a v m e n ; a e y u D 50

t a : u m a q ; & n t m ; 1 m l / k g E e ; j z i o i ; y / x a e m u x y r r j z p y m ; a p & e D . 10 . w w t w t m ; q u v u o i ; y /

v e m t m ; x i v i u a e c i ; y / a o ; a u m w i ; a & j z n o i ; r t m ; a v m c s y ; a e m u F u r o s e m i d e q ; a q ; a y ; y / (p m r ; u E m - 186)

t u , l v e m w i a & " w q ; & r & y u R i n g e r o r [w N S S o i ; y / o w v p a e a o m v e m j z p v i q ; y u x n y ; q ; t r w i ;

a e j c i ; & r & p p a q ; y / j y i ; x e q ; & m ; a o m i u z m ; a & m * j c p m ; a e & o v e m w O ; o n t j c m ;

j y i ; x e a o m a & m * y ; r m ; j z p y m ; w w o n l t x ; o j z i G r a m n e g a t i v e y j y n w n e m r m ; t r m ; w m & n j c i ; E i o w v p a r a r m j c i ;

w l u o o , & y u / A m p i c i l l i n E i G e n t a m i c i n w l u I V a y ; y / t a y ; a o ; 90 t x u j r i v m o n t x N S S o r [W R L u

t v s i t j r e a y ; y / I V A m p i c i l l i n E i G e n t a m i c i n t m ; a o ; q y w u j c i ; u y u o & e t w u a y ; y /

- **v e m o u o m v m c i e w i t a : u m a q ; / t o m ; a q ; x ; r r m ; u & y w e y ; a o m u a q ; o a j y m i ; a y ; y / (p m r ; u E m 41 & u o r Z , m ; . v i ; 7 w i : u n y)**

i / i u z m ; a & m * j z p E i a c & j c i ;

i u z m ; a & m * v u % m r m ; o n x i & m ; p m & a o m v n / a o ; a z i u p p a q ; & e r j z p E i a o m t c i (" w c c e ; r & j c i ;) o l r [w t r w i i u z m ; a q ; t c l a o m u x m ; j c i ; a u m i a o ; a z i u p p a q ; & m Y y ; r a w a o m t c i r m ; w i , i ; u i u z m ; a & m * j z p E i a c & j c i ; [a c : o n l

• y ; r a w a o m v n ; i u z m ; j z p E i o n [o o , & y u a o ; x y a z i u l p p a q ; y /

• j y i ; x e a o m v u % m & r & p p a q ; y / (x a e m u a t m u y u o u o y /)

j z p E i a c & a o m o m r e & ; i u z m ; a & m * - p m r ; u E m 41 & u o r Z , m ; v i ; 8 w i : u n y

j z p E i a c & a o m j y i ; x e o n i u z m ; a & m * -

v e m t m ; u o a q m i o w i l u o y /

j y i ; x e a o m i u z m ; a & m * t w i ; u o y - p m r ; u E m 41 & u o r Z , m ; v i ; 7 w i : u n y

p / u , 0 e a q m i r m ; Y i u z m ; a & m * j z p y m ; j c i ;

- j z p E i y u u , 0 e a q m i t r i ; o r ; r m ; t m ; v ; u a q ; & w i u o y / t b , a u m i q a o m E i ; w w i j y i ; x e a o m i u z m ; a & m * t j z p o u ; a j y m i ; & e t v e j r e a o m a u m i j z p o n l

- u o r t w u p m r ; u E m 41 & Z , m ; . v i ; 9 / 10 / 11 / 12 / 13 t m ; u n y

uorEiouqiaomrwom;&etcu tvutcl

u/ Te , pywavsmujzpy;v#u&aomiuzm;a&m*ion iuzm;aq; trm;pu , Oy;;aeon// tu , l
use&aea o;aomaq;O;rsm;u pepu:pm t o;rjylyu/ r:umr t cewi iuzm;a&m* t m; u o&eaq;
&awmrnr [wy//

cl aumi;rejn paom uorqonrm vemwi; t m;reueaomaq;Ee;ym%uaq;&ujyna t mi aomu
o;apjci;uqv on//

*/ uoaym uui;r&r&ppaq;&etwu MS 7 &uajrmuaomae;wivemwi; t m;ao;azuppaq;oion/
C/wc;w&wivema t m t eay;u u o&ecucwwon / (t xojiruzvui;)

- Xuzm;aq;rwua;u;ci t zm;u;ap&ea&woway;ji;/y/&mo r [w ASA ay;ji;rsm;jy/vyy//
- aq;wuijy;em&0u t wi; vema t m t ey;u Metoclopramide u IM x;ay;y/ x aemu 10rep
t :umwiaq;Ee; t jynuxyrwuau; y//
- aq;wuijy;em&0ur wem& t wi; vema t m t ey;u/ Metoclopramide u IM x;ay;y;10rep t :um
wiaq;Ee;w0u u xyrwuau; y//
- vem u metoclopramide x;ay;y/ owivn; quvul t zm;r&aomjim;vn; 'w , t }uraq;
au; y;aemu 1 em& t wi; vem xyr t ey;u/ jyi;xeq;0;aomiuzm;a&m* u o! u oy/?
- ruzvui;aq;wu t jy; wem&au sm:umcewivem t ecy;uaq;jyewu&er v y//
- Metoclopremid ay;aomjim;vn; vem ony;pyraq;aomu&erjzpEiy t eay;u/ vem t m;
aq;&wiwil IV(o)IM uei;(o r [w) t mwrwm t m; t eji;&yon t x t o;jy/&ev on?

i/ (y;pyraq;ay;jy;aemuyi;jyi;xeaomvQ%mrsm;ay: vmjci;)

- uor t m;jyi;xeaomiuzm;u x;o ajymi;vuoy// (uei; o r [w t mwrpei x;aq;)
- tu , l vem on y;caom24em& t wi;uei;aq; 2c;x uyl aomu;jy;y/ Loading dose ray;&//

owjy/&e-

- (t u , l vem onabv; t vyaumi;repmrvyji;(o)abv;jzwxwxm;ji;rsm;&y u ao; t wi;ry;
ui;piaprujzn;ni;pmvyaqmiyon/) x t c;wiu or xa&mu aom vn;ao;zviwiy;awruyr
:umjripmaw &r njzpon//

t x;ajc t aer sm;

u/ uei;rwnjci;

- jzpEiy;u t mwrpei t yp0iaq;rsm;u t o;jy y// o r [wy;u Dexamethasone x;aq;ay;jy; 10 repce/
apmi y// x aemu uei;aq;ay;jy; t e;uyapmi:uny// t u , lao;rwnonvu%mrsm;(t iji x l
, m; , jci;/ r:uEm&ww&uazmvmjci;/ t ou&l:uyji;)jzpay: vmy;u Dexamethasone xyay;y/?
ao;ay;iceEia t mup* iay;ji;w;uzxe; l jyp y// ("wrrwnra:umiao;vejci; t ce;wi:u ny//)

cl t mwp;ewrwnjci;

- uei;aq;u t o;jy y//

*/ t veao;i , aomuav;rsm;

- t u , l ta:umaq;x;&e oir [wwuaom t ce t wi;aq;t en;i , t m;jzn;ni;pmoi;&etwu
cucjci;rsm;&y;u/ uei;oir [w t mwrwm t m; t om;aq;x;ay;Eion// uei; t om;aq;jyiqiru
aumsbu&Z , m;wizw&y//

C/ uv&ui;rwnjci;

rnriji;xer&onu t uizwy/ t en;i , (oir [w) t o i t wiomjzpy;u Chlorpheniramine Ei/oir [w
Dexamethasone wEiwl u v&ui; t m;ay;y/ t u , l t o i t wirji;xeaomrwnjci;jzpy;u MAS 3,AS7
D7 oir [w AS7en;Ei u oy//

iuzm;a&m*ux;rm; t o;rijEiaom t ajc t ae

ruzvui;ray;Eiaom t ajc t ae-u , 0eaqmijci; / u , t av;ce 5kg a t mu/ vecaom 63&u
t wi;ruzvui;aom ux;mjci;/0u&jyea&m*b;jci;/wujci;/tyiujci;/owvpjci;/ji;xepm t om;0jci;/
a'pqqu u vi;ray;Eiaom t ajc t ae-u , 0eaqmijci; / 8Epa t mu u av;i , rm;/
vmwpewray;Eiaom t ajc t ae -aq;rnjci;/
y;irmui;ray;Eiaom t ajc t ae -u , 0eaqmijci;/
ae;p0y&irmui;ray;Eiaom t ajc t ae -G-6-PD
"jwc;waoma&m*(Primaquine t ywp0 ay;Ei on)

iuzm;a&m*t jreppaq;en;rm;

iuzm;a&m*. v u%mrsm;on x;jcm;rr&y t jcm;zsm;emaoma&m*v u%mrsm;Eiqi wav&on/ x;a:umi
t a&Eawmi t m&u o laom aq; t ajrm u t rsm; t m; , 0y;rrsm;jzpy;aeaomae&mrsm;wi"jwcce;ppaq;cu
rsm;v t yayon/

t E unreb v;ppaq;ron iuzm;a&m*ppaq;rwi t o; t rsm;q;en;jzpon/o laom t &n t ao;aumi;
t E unreb v;rm;on&&Ei&Ei xe;or;&ecucv on/vecaom 5Ep t wi;r iuzm;a&m* t jreppaq;en;
rm;(RDT)ay:ay u vmra:umi Xuzm;a&m*owrw&evr;p t oprsm;x uay:vmcon/xpr;oyen;rm;on
rnont ypn;rrv tyon t ji/vyaqmi&t vev , u ljqeon(rep 15-20 t :um;wi t ajz&&on)
x| t ji t ji; t xev u si o i:um;rrv tyay//
o laom t ajzu azm xw&mwi v , urr&ay?

t ajccoabmw&m;

T pr;oyen;rm;onao;wwu:sowrwxm;aom y&we;"jwrsm;(antigens) t m;mazray: t ajccxm;
on/ , i;y&we;"jwrsm;on Xuzm;y;rm; . ruEmjiay:wiwn&on?v:ijrepm ppaq;ji;(+ive) jzpaom t c;
(t a&mijzp) , i;qv t cu on vem . ao; t wi wwusowrwxm;aom (antigens)u awi&on u
azmjon/

, cvu&t o;jy/aeaompr;oyen;rm;ji&mazEiaom antigen T antigen &on? "jwEpr; &on/

1-HRP-2(Histidine-rich protein 2)P-F wr;wiom&on/

2-pLDH (parasite lactate Dehydrogenase)iuzm;a&m*y;4 r;p v;wi T antigen uawi&&on//

&&Eiaompr;oyen;rm;

1-HRP-2 &mazaomen;rm;

e , pya'owi t o;rm;aomen;rm **Paracheck-pf test** (Orchid Biomedical Systems, India)jzpon
P f,z , py&ry;wr;om HRP-2 y&we;"jwu xwvwo n/

- vemwi PF &y u T pr;oyr Positive jzpon?(t ajzawion)
- vemwi PV,PM o r [wPOrsm;&aeyp r;oyr Negative jzpon t ajzrawi;y?)

t a&u;aomowj&e t curm;rm-

(u) rm; , i;aom negative t ajz(ppaq;cu t ajzwiNeg-o laom vemwiz , py&riuzm;&aejci;) T u
o i t ajzr;ua&m*y;rm;ao; t wi; t vejri rm;aejy;(RBC 20 &mciEe; t x uwi y;rm;Oia&mu aer)
t v e t ajc t ae q;&m;aeaom vemrm;wiaw&con// T u o t jzpr;rm&m;y;vaom v n;ppaq;
cu t ajzrawi&Ei yi; xeaomiuzm;a&m*rjzpy;Ei [r , qoiay// t jiye;yo \$mevQ% m
rm;uy; xnoi;q;jzwoi on//

(c) iuzm;xjci; t y; 1v:um on t xppaq;r t ajcae Positive (a&m*jci;) jzpaEi on// x a:umi
rm; , i;aom Positive t ajz(ppaq;cuwi(+ive)jzpy;vemwi PF a&m*&aejci;) t m;aq; a t mijri
pmu o t y;1v t :um&aoma&m*jzpy;z; o vemwiaw &&Ei on//

iuzm;a&m*juorZ , m;

v i;		v)u;(u , 0eaqmirciry//)		t ou8Epa t mu uav;rm;	
A. PV, PM, PO iuzm;a&m*&&;					
1		CQ3 PV Ei PO iuzm;rm; twu oi . tz t pn;rvr;necu t wi; Primaquine wuau; &e			
B. Omre(&yax;rr&aom)PF o r [wy;wr; xuy la&maer-ji; xerr& ao; wiiuzm;y;rm;jym;rr&					
2	vecaomEpv twi;ruzvui;	MAS . 3		MAS . 3	
3	aomuxm;rr&				
3	vecaom2v twi;ruzvui;				
4	o r [w MAS3 aomuxm;ji;	AS 7D7		AS 7	
4	vecaom42 &u twi; AS 7 D 7				
	o r [w AS 7 aomuxm;ji;	AS7D7		AS 7	
C &yax;rr&aom ao; wiiuzm;y;rm;jym;r(MS wiy; +++++ o r [w4&mciEe; t xuy lawji;					
5	vecaom Epv twi;ruzvui;	MAS 7		MAS 7	
6	aomuxm;rr&				
6	vecaom63em& twi;ruzvui;				
	o r [w MAS3 aomuxm;ji;	Hyper AS 7D7		Hyper AS7	
D. q;&m;ji; xeaom PF o r [w PV Ei q;&m;aom iuzm;a&m*jpEiac&r					
7	owvpjci;/av; vxi;ri;ji;/ t m&	Q. IV :y;aemu QEi D7		QIV :y;aemu Q	
	&yax;rwujci;/aumsuuy;up;r/	o r [w		o r [w	
	ji; xeaomao; t m;en;r Hb<6 ao;	AM :y;aemu AS Ei D7		AM :y;aemu AS	
	vejci;/ao; twi; o:um;"wen;ji;/				
	t qywi; a&0iaz;a&mijci;/ ao;				
	, jci;/ q; xao;yjci;/ao; twi;				
	t uqp"wrsm;ji;				
E. iuzm;a&m*jpEiac&r					
8	omrejzpEiac&aomiuzm;	Q7 D7		Q7	
F. u , 0eaqmircirm;					
9	omre PV, PO, PM	CQ3			
10	omre PF o r [wy;wr; xuy la&maEmr	yxrt}ura&m*jpym;r-Q7 Ei te;uyapmi:unr 'w, t}ur-AS7 ww, t}ur-AS7			
11	&yax;rr&aomao; wia&m*iy; rm;jym;r	Hyper AS7			
12	ji; xeaom PF o r [w PV Ei q;&m;aom iuzm;a&m*jpEiac&r	Q. IV :y;aemu Q o r [w AM :y;aemu AS			
13	omreiuzm;a&m*jpEiac&r	Q7			

Z, m; t "y, ziqcu

CQ 3	Chloroquine aomuaq;	ae:p 1-2 ae:p 3	10 mg/kg 5mg/kg	wae:w ur wae:w ur
MAS 7	Artesunate aomuaq;	ae:p 1 ae:p 2-7	4mg/kg 2 mg/kg	wae:w ur wae:w ur
	Mefloquine aomuaq;	ae:p 2 ae:p 3	15mg/kg 10 mg/kg	wae:w ur wae:w ur
	or[w	ae:p 1	25 mg/kg	w urwn;
MAS 3	Artesunate aomuaq;	1-3 & u	4mg/kg	wae:w ur
	Mefloquine aomuaq;	2 & u 3 & u	15mg/kg 10mg/kg	wae:w ur wae:w ur
	or[w	1 & u	25mg/kg	w urxay;ci;
Hyper AS7D7	Artesunate aomuaq;	1 & u 2-7 & u	4 mg/kg 2 mg/kg	wae:w ur wae:w ur
	Doxycycline aomuaq;	7&u:um	4mg/kg	wae:w ur
AS 7 D7	Artesunate aomuaq;	7&u:um	2mg/kg	wae:w ur
	Doxycycline aomuaq;	7&u:um	4mg/kg	wae:w ur
Hyper AS7	Artesunate aomuaq;	1 & u 2-7 & u	4mg/kg 2 mg/kg	wae:w ur wae:w ur
AS 7	Artesunate aomuaq;	7&u:um	2 mg/kg	wae:w ur
Q7 D 7	Quinine aomuaq;	7&u:um	10mg/kg	wae:3 ur
	Doxycycline aomuaq;	7&u:um	4mg/kg	wae:w ur
Q7	Quinine aomuaq;	7 & u:um	10 mg/kg	wae:w ur
Q IV ay;y;aem u Q Ei D7				
Q IV	Quinine IV*	yx r t}ur	20 mg/kg	
		8 em&:um;y;aem u	10 mg/kg	wp ae:3 ur
	x aem u vemy;pyraq;aom u vmEiaom t ciewi			
Q	Quinine aomuaq;	IV+aomuaq;7 & u	10mg/kg	wae:3 ur
D7	Doxycycline aomuaq;	7&u	4 mg/kg	wae:w ur
AM ay;y;aem u AS Ei D7				
AM	ArtemetherIM	yx rae 'w , ae:rp l	3.2 mg/kg 1.6 mg/kg	w urwn; wae:w ur
	x aem u vemy;pyraq;aom u vmEiaom t ciewi			
AS	Artesunate aomuaq;	IM+aomuaq;7 & u	2 mg/kg	wae:w ur
D7	Doxycycline aomuaq;	7&u:um	4mg/kg	wae:w ur


t ou 8Epat muuav;i , rm;Ei u , 0eaqmircirm;wi Doxycycline ray;y||

*Quinine IV (t m; t rwe; t &nwr\$;r\$;wi a&mpy;y;ray;y|| D5W, D5S, D10 W o r [w NSS wi t m;av:map&ex n l a&mpy;y;ray;y||(pmr:uem 175 & Z , m;wi:u ny?)

Opti Mal (Diamed, Switzerland)

Tppaq;c:u o n Pz , py&rEiz , py&rr [waom(PV, PM Ei PO) a&m*y;rm; t m;&mazEi o n// o
aomy;wr; x uyl a&maEmaeom t c;r;wi v n;aumi; PV, PO EiPM y;rm; t m;cjcm;&mwi v n;aumi;
ppaq;jci;rjy/Eiay//

Paracheck-Pf test t ajzurnuo;zw&nnen;?



rwc;U-

(*)ppaq;&mwi Negative t ajzwpawn;ay: rwn l jyi;xeaom i uz;m;a&m*jzpEir t m;z , &m; l r&Eiy/
Ei; t c:u u raryEi?

(**) t m;aumi;aoma&m*aw&r t ajzqonrm;y;u om;aoma o;eOr"wjy/vi;Ei xaw;onEiwy;ieu
Positive t ajz&&y; t ajzonxi&m;aom tea&mi vi; t j;u;u&&Eion//

(***)Ta' o twi;vavmuaomuorrm;rm-MAS3 or [w AS7T7 (D7) or [w Q7T7 (D7) t m;
}u;uy lay;jci;jzpon// (SMRU i uz;m;a&m*pmapi t &&nne;on//)

t ou&Lvr;a:umi;q i&ma&m*rm;

t ou&Lvr;a-umi;q i&ma&m*rm; t m; t "y` , ziqcurm;

&ww&ujzpaom t ou&vr;a)umi;Y jzpaom u;pua&m*rm;(a t t m& t i)- t ou&Lvr;a:umi;pep t wi;Ai;&yEi buw;& , m;y;Oiaoma&m*rm; t m;v;y;Oion?

, i;wrm —

t ou&vr;a)umi; t ay:yi;y;Oia&m*rm; (t ay:yi; t ou&Lvr;a:umi;q i&mwi jzpaoma&m*rm;jp-URTI)

Emacji;

t mo;

t macji t wi;yi;(pharynx)

v nacmi; (Larynx)

Emacji;ywv n&v%acji;i , rm; (qieyp)

Emacji;ajr;a&mi&rjci;

t mo;a&mi&rjci;

t macji t wi;yi;a&mi&rjci;

v nacmi;a&mia&m*(Laryngitis)

xyuyem (v%acji;i , rm;a&mijci;)

(o|r [w) t ou&vr;a)umi;a t muiyi;y;Oia&m*rm; (av&Lpep . a t muiyi;wi jzpy m;on? LRTI)

avjye

avjyea&mia&m*

t qwjyei , rm;

t qwjyea&mia&m*

t qwrsm;

t qwa&mia&m*(Er;e , m;)

t ou&Lvr;a)umi; t ay:yi;u;pua&m*rm; (URTI)

omre t a t ;rjci;

omre t a t ;rjci;onAi;&ypa)umijzpaom URTI t aysmpm;a&m*wr;l;jzpon? Ta&m*on t jzp t versm;y/ t E&m , r&on t jyi wuaomuoen;o;oe|v n;r&y? Ta&m*on wae&m x& v t rsm; t jym; wi wyie uwn;jzpy m;Eion?

a&m* v u %mrsm;

• Em&n , jci;/ t zsm; ten;i , &jci;/ v nacmi;emjci;/ acmi; ten;i , q;jci;/ acji;u ujci;/

• ovyrxuy/ t ou&uyjci;r&y/ t qyrm;yreyijzpon?

u or

• t zsm;wujci; t m; uy

• a&rsm;rm;aomu&eEiyrepm;aomu&e t }ujyiy?rciEiq u v uwuy?

• y&Z0aq;rm;ray;yEi

• t o u&uyjci;/yracmi;q;jci;rm;jzpv myu aemu wacujye v m&evem t m;rm)um;y?

tmoD;a&mi fa&m*g

t mo;a&mia&m*on t mo;wia&m*y;Oia&mujci;jzpon? Ta&m*onAi;&ypy; (o|) buw;& , m; a:umijzp&on?

ow&Ey&erm t clj vemrm;wi t ajc t aeji; xewwo n? vem on t pmpm;Eijci;a&aomuEijci;r&EvyvEi awmb/armye;aewwo n? t mo;rm t jzLa&mi t ajr;jiz;aeji;u;aewwo n? x vemrm; t m;IPDo|wi y?

a&m*ıv u%mrsm;

- u , yjci;/
- v nacmi;emjci;/
- t mo;ıu;aejci;/ eaejci;/ wcıw& t jz a&mi t pui , rsm;&aewwıy; t pırl&ecucwwon?
- v nyi;w0u&jye&nıuwrsm;ıu;jy;emaewwon?

u or

u) t mo;ıynrwnaeyıu - Ai;&yy;aıumıjzpEion?

- t zm;wıjci; t m;u ojy;/ t &n rsm;rsm;aomuci;yı?
- qm; ten;i , cyxm;aoma&aE;jzi t mvyu;i;&e tıuay;yı?

c) t mo;ıynwnaeyıu - buw;& , m;aıumıjzpEion? T t cewıyEZ0aq;jzi u o&jci; . t a& tıu;q; t aıumi;&i;rıav;b uem t zm;a&m*ıu u mu , &ejzpon?

t ajc t aerjıi;xeyıu

- t zm; t m;u ojy; t &n rsm;rsm;aomuci;yı?
- rciEıqu v u wuyı?
- Eı xri;&nıpyEıyu oıyaE;ont &n t [m&uwıauı;yı?
- **Penicillin** V t m;10&uwıauı;yı?oEr [w&Eıyu **beZoı;jieq v ix;aq;** t m; t om;wıwıurx;yı?
- yieq v irwnııu Erythromycin ayı;yı?

t ajc t ae q;0ı;yıu

- vem t m;IPD wıyı/
- yıpyrraom u Eıyıu/ao;jyea;umrwqı t &n jzn u oyı/
- t zm; t m;u oyı/
- **Ampicillin** t m; t aıumaq;(oE) t om;aq;xyı(oEr [w&Eıyu **Benzyl penicillin** t aıumaq;xı;yı/
- vemaq;rılcıEıvmcıewıyı;pyr **Amoxicillin** aıymı;wıyı/
- ppayıı; 10 &uıum u o&r nı/

yS0aq;jzi u or t m;10&uıumay;&r nı/ xxuwawmı;pm aq;wıauı;jci;jzi av;b uem t zm;a&m*ıu xa&mupmumu , Eırrnı [wyı/

owEı&e

- t u , l t jz a&mi t ajr;yı;zıvr;aeaomıq;0ı;ont mo;a&mıjci;rsm;wıqqEema&m*ıujzpEıajc t m; p0ıpm;&r nı? vemwıqqEemumu , aq;x;zıjci;& / r&ppaq;yııy;vııq&m0e t m; tıuawmı;yı? t u , l oo , &aeqızpııı/vemrsm; t m;o;oeEcıxmı;yı/Erythromycin ayı;jci;qıemumu , aq;x; jci;rsm;jzi u orpıyı/ t x;*ıpuEıyı&ev tıyıon? jzpEıyıu vem t m;aq;oEıvıajymı;yı? vem Eıxpyro t m;v; t m;ıulwıumu , u o&e Erythromycin 10&uay;yı?

acı;&v%acı;em (xyuyemı qı;eypa&m*)

&wwwıujzpyı;aomıxyuyema&m*ıonEmacı;yıwıv n&wc(oE)wcıuıyaomv%acı;ı , rsm; t wı; a&m*ıy;0ıa&mıjci;jzpon? t a tııjci;(oE)wwıau; t zm;u oE a&m*ı&aeaomıvıemrsm;wıjzpyı;av& . ? Ai;&yy;aıumı t jzprsm;onıAi;&yıpaıumı jzpyı;aomqı;eya&m*ıon buw;& , m;y;xıyı0ıa&mıjci;jzi &yax;rısm;jzpyı;wwon? buw;& , m;y;aıumıjzpyıu ao;rwnıjci;(oı)em&nırwıjci;(q;aomqı;eyıywqııı)wıaemıuıujzpyı;Eıon? (a&uıjci;rsm;wıjzpyı;wwon?)wcıw&bıuw;& , m;y;wıon om; wıacııı;yıpmıjci;r qı;eyıpııyıEıon?

a&m*₁v u%mrsm;

- jzpym;aomq i;eypa&mw0uwi x v:iem u s i jci;
- ac i; u u jci; (ez;Eir s u&;w0u)
- r s u v; t aem u z u Eir:up2c t }um;em u s i jci;
- Em&n , jci;
- b u w;&; , m;y;0ia&m u v i u , ycew u jci;/

a&m*₁v u%mrsm; o n Ai;&yEi b u w;&; , m;xyuyemEpcp v;wiwn r&o n?

a&m*₁owrwjci:

a&m*₁&mZ0iEippaq;pr;owc:ur sm;rowrwon?

yre t m;jzi"jwre&uav r&y/

u o r

- a&aEaiE&jci;
- qm;&nEiEmaç i; t m;aq;a}um jci;/
- t a&m i u ap&e Ibuprofen aq;ay;jci;/

(Sypuor 7 & u 10 & u;y;aem u a&m*₁v u Q%mrsm; o u omrr&y u/ b u w;&; , m;y;0i jci; t jz p a w; x i o i o n/ x t c j)

- Penicillin V10 & u ay;jci;/ 0;pm;ay;u o r
- Erythromycin 10 & u ay;jci;/ 'w , a&;ç , r

vemwiemwm&n v u Q%mrsm;&aey u

- Amoxicillin 4 ywr 6 yw t x ay;jci;/

a t m u y i; t o u & l v r; a u m i; q i & m w i j z p a o m u; p u a & m*₁ r s m; (L R T I)

& i b w t m;em; } u y j z i e m; a x m i } u n y u / a t m u y i t o r s m; u w l } u m; & E i o n ?

1? qnaom t o u & o (w&&jrnjci;)u:0;ajrmi;aomavjyer sm; t wi; avjzwoe;aom t ç j rnaom t o
WHEEZES &n(ye;em&i} u ya&m*₁ u o E) / w & t o u & l o t m;ye;em&i} u ya&m*₁
emwm&navjyer sm; ywqEaoma&m*₁Ei t qywi;a&0iazma , miaom
a&m*₁ r s m;wi t o u & l x w v u c e Y t qyEpzup v;wi}um;&o n?
avjye}u; w c w 0 u w y; u y w a o m t ç r l;wi T t o t m;ae&m w c x
wi u u l }um;&o n? acmi;q;y;aem u y i;wi T t o q u v u l :um;ae&
ao;y u / E i; o n t q w t w i; t v; (o) t j c m; y p n; w c c a u m i j z p E i o n ?

2// avjyei , rsm;(çlywo)
CRACKLES

t o u & l o i; v u c e Y t r s m; q; } u m; & a o m w a w m i; o n t o r s m; / a o;
i , a o m a v j y e i , r s m; y w q a e & m r (t q y w i a & 0 i a z a , m i a o m
a & m*₁ u o) j y e i o m; j c i; a } u m i } u m; & j c i; j z p o n / a v j y e . p p x w & n
r s m; t w i; a v y a y i; i , r s m; j z w o e; o m; r a } u m i t o j z p a y: v m o n (y x r
Ei 'w , y i; & a v j y e r s m; w i j z p a o m e m w m & n a v j y e u s , j c i; a & m*₁
(Bronchiectasis) t q y a v j y e a & m i a & m*₁ T B p o n w w i a w i & o n /
acmi;q;y; t c e r s m; w i t o r s m; t e n; i , a v m e n; o m; E i o n ? t u , l
acmi;q;j;y; c e w i v; 0 a y m u u , o m; y u / t a & r } u; a o m ç y w o j z p o n /

3? t q y t a j r; y i; r s m; y w w u o
PLEURAL RUB

t q y t a j r; y i; r s u e m j y i E p c / w c c E i y w w u r a } u m i x u a y: v m a o m
t o w r s; / t q y t a j r; y i; r s u E m j y i r s m; u r; w r; a e r a u m i j z p o n ? (t
q y a & m i a & m*₁ w i t q y t a j r; y i; a & m i , r; r a u m i)

4? avjyer}u;rsm; t wi;:um;&aom t ou&Lo avjyer}u;rsm; t wi:um;&aom t ojzpon?(Trachea
 avjyer}u;wi em;axmi:uny u :um;&aom t or; ;
 jzpon?) omre t cewi t qwt wi;Y r:um;&y? o;
 aom t qwcycjzp l rmcaomae&mrm;/ wcw& t
 qw. wae&mwi t om;rmwujci;Ei t qwt ajr;y;
 a&wnjci; . t ay:yi;paomae&mrm;wi :um;&on?

&ww&ujzpaom av&lyea&mijci;

avjyE. t ajr;y; t wi;zursuemjiwi a&m*y;u;pujci;jzpon/ , i;ontat;rjci;uolaomURTI
 jzpym;y;aemuyi;Yay:vmwwon/ t rsm; t m;jiAi;&y;u;pura:umijzpy;/ wcw&b uw& , m;y;
 a:umi v n; jzpEion?
 a&m*}v u%mrsm;

- acsmi;ajcmu olr [w ovy ten;i , yaomacsmi;qjci;/ u , yjci;&ci&r , / r&ci&b;?
- t ou&laom t c&iyw t v , yi;a t mijci;
- w&&jrnaom&Lo(o)yrer [waom t qywi; t orsm;

owjy&e / &i:uyye;emwi t zm;r&/&iywa t mijci;r&/o vyr&y/

u ojci;

u/ taxmu tyjypr

- t a&rsm;rsm;aomuci;y/(rciEiq u v uwua u;y)
- jzpei y u a&aE;ai&lci;y(a&yyr)
- t ou 12Epa t mu uav;i , rm;wi/ v e aom 6 v t wi;Awmria t , zjci;r&cy u/Awmria t wua u;y?

d yS20aq;rsm;-rsm;aom t m;ji rv ty(Ai;&y;a:umijzpy;m;rsm;I)

a t mu y t c:ur sm;aw&rom t o;jy/

- 1/ vemwia t m u azmjy y;v u%mwcc &ae y u
 t [m&c&w jci;
 Ou o u a&m*}
 ev;a&m*}q;c/a&m*}u o j emwm&na&m*}rsm;?
 wpepa t m u uav;
 t ou 60 t x u o u :u; t rsm;

- 2/ taxmu tyjypr5&ujziro u omy u

T olaomauprsm;wi-Cotrimoxazole 7-&u ay;y

3&uay;jy;ro u omy u -cotrimoxazole u&y l Amoxicillin ay;y?

emwm&nav&lyea&mijci;

avjye. t ajr;y;rsm;umjripma&miaejci;jzpon/acsmi;q;aom t c o vyyon? rsm;aom t m;ji (aq;&u
 }u;) r t ajr;y;u c;vcvjzpa jci;a:umijzpon?
 a&m*}v u%mrsm;

- reuyi;w iacsmi q;jy;o vyrsm;pm x ujci;
- t zm;r&jci;
- t qyepzu v;w&E&Ej rnaom t o(o)yrer [waom t qy t wi; t orsm;
- t u , laem u q uwa&m*y;Oia&m u v my u/ t zm;&l ovy t Oja&mijzpvmon/

emwm&nacmi;q;aeYu-wbjzpeia:umi;p0;pm;zlrarypei(ro umeYu o vyuppaq;yi)

Y/pu oji:

- aq;vyjzwy?
- t&nrm;rm;aomuy?
- tzm;ryu/yEZ0aq;rau;yei?
- tzm;&yYu &wcn;avjyea&mi u oen; twi;jy/pu oy//

t qwa&mia&m*

t qwt m;w&w&ua&m*y;u;pu0i&mujci;jzpo n/Ai;&y/ buw& , m/uyy;aumirm;Ei ry;rm;aumijzpeio n?
a&m* v u %mrsm;

- acsmi;q;l t 0a&mi(o) t pr;a&mi o vyx ujci;/wcw&a o;ywwon/
- u , yce38E5piw*&wx urm;ji;
- t ou&ljreji;/ t ou&&cucji;(armji;)
- &ibwa t mijci;/ acsmi;q;ji;Ei t ouyi;jyi;&lcewi y laa t mijci;

pr;oy:uny u a t m uy w u aw&Eio n?

- tjiye;un&ji;- t ou&Laom t c&ibwazi;uravsmen;ji;
- acu:uny u - v %orayujci;(t qwrmaejci;aumi t qwt ajr;y;wi;a&wnji;aumijzpo n//)
- em;axmi:uny u - t ou&Low;ni;aeji;Ei avjyei , rm;cywoEi/o/r [wavjyer}u;
twi;um;&aom t ou&Lo t m; t qway:wi:um;&ji;

q;0i;rv u %mrsm;

1) t ou&ljreji;

2 vat mu uav;i , rm;wi	wrepvsi	t ou&Lee; 60 x ujraejci;
2-11 v:um;uav;i , rm;wi	wrepvsi	t ou&Lee;50 x ujraejci;
1-5 ep:um;uav;i , rm;wi	wrepvsi	t ou&Lee;40 x ujraejci;
5ep t x uei v:u;rm;wi	wrepvsi	t ou&Lee;30 x ujraejci;

2) t vet ou&&cucji;- t ou&Lv si e&;um;u u om;rm;c/i0i;eiEmaqi;yji; (t x;o;ji-uav;i , rm;wijzpo)

3) jmer;ji;-y;pyei v u o n;rm;jymaeji;

4) uav;rm;Eirpleijci;/a&raom ueijci;

5) t ou&Lryrreji;/ t ou&lyji;/

6) ow&ravsmen;vmji;/

t u , l t xuyvQ%mrsm;wc(o)wcxuylaw&yYu jyi;xeom t qya&mia&m* t jzpvem t m;uoy/

t E&m , u s&mu eiaom vemrm;

- 1) 2 vat mu uav;i , rm;
- 2) 60 ep t x u v:u;rm;
- 3) t [m&c/Ewaom vemrm;
- 4) t veao; t m;en;on vemrm;
- 5) ev;a&m*onrm;
- 6) 0u ouay;uaeaom vemrm;

t u , l T t E&m , u s&mu eiaom vemrm;jzpyu/jyi;xeom t qya&mia&m* t jzpvem t m;uoy/

owjy&e-

- vemjiro uaec:ewi t ou&Ee;uppaq;y// (t x;ojzi uav;i , r;m;)
- t x;ojzi uav;i , r;m;wi em;}uyEiem;axmi&ecucwwon/ x a}umi t ou&Ee;onEmaci;
(o)}izwr x uaom qn or;m;x uyl t a&;}u;on//

u or

a&m*}v u%mr;m;/ t ou t & , Eivem . t jcm; t a}umi; t &mr;m;ay:rwn l u orujym;jcm;em;on/

**q;&m;aomvuQ%mei t EW&m , ua&muEiaomvemr [wyu OPD wi uoy/(yi;xerr&)
t E&m , ua&muEiaomvem o r [wq;&m;aomvuQ%mr;m;aw&y;u IPD wi uoy/ (yi;xer&)**

yi;xerr&aom t qya&mia&m*} t m;u or

- t &nuy laomu o;y//
- t zm;wujci; t m;u oy//
- t ou 12Epa t mu uav;i , wi; t m;AwmriA t m;}ulwi umu , r t aeji wuau;y//
- y&Z0aq;ay;jci;
y;pyjzi Cotrimoxazole 3&uay;y//
3&uaemuyi;o u omr&y;u/ 7&u t x qu v uay;y//
3&uay;lrouomyu/ uoru&uqi;l Amoxicillin u7&upwiajmi;au&E;y//
- t qwa&mia&m*} rj/umc%xyrjzpy;r o r [w aymu u i;jci;r&y a&&njzpy;aey;u (apmi
}uyjy}pu oaeaomv n;) q&m0eEiwiyaq;aE;l Erythromycin (o) Doxycycline t m; 10&u wuau/;
o iroi q;jzwy// (rrer [waom t qy t a t ;ra&m*)

wba&m*} [oo , &y;u ovyuppaq;y//

yi;xeaom t qy t a t ;ra&m*} t m;u or

- aq;&/ aq;ce;wiwi l u oy//
- u , yjci;u u oy//
- vemuw0u x i t ae t x m;wi x m;y//
- t a}umr t &njizjno i;xm;ay;y//
- &Eiy;uat mu q*}ia y;xm;y//
- t ou 12Epa t mu uav;wi; t m;Awmri A u u o r t aeji wuau;y//
- y&Z0aq;ay;jci;
Ampicillin t a}um/ t om;x;aq;pwiay;y;aemuyi;wi Amoxicillin/Ampicillin t m;
y;pyr wuau; y;(ppay;i;7&ur 10&u)+Gentamycin t a}um/ t om;x;aq;5&u
3&u}umwiro uomyu/ Amp i + Genta uoru&yqi;l Chloramphenicol t a}um/
(o) t om;x;aq;jy;/aemuyi;wiy;pyra jmi;wuy/(ppay;i;7&u - 10&u)

owjy&e-

- t u , l o i t aeji t a}umaq;o i;&eyu x njci; rj/vyEiy;u/ Ampicillin uwnaomyrm%oji
t om;aq;x;Eiyon//
- vem o u omjci;&r&o om&e/ u , y&el ao;ceEe;Ei t o u&Ee;w u yreppaq;y//
- u , 0eaqmirm;wi Cotrimoxazole Ei Chloramphenicol aq;ray;&y// , i; t pm; Amoxicillin,
Ampicillin o r [w Erythromycin u o;y//

**t ouwpEpa t mu uav;i , r;m;wi u , yjci;r&y/ &ww&u t ou&Ee;jrevmyu
Awmri b 1 c}waom b , &/ b , &a&m*}up0;pm;&rn//**

wb t qwema&m*

wba&m*o ! ruubuw&; , r;u!bmuvpp [ac:aombuw&; , m;y;a:umi:zpy:m&o ! ? "wccce;pr;oycuwi t uqpq;aq;u"lwEyaom xa&m*y; . x;jcm;ru t pEyl wcv&wi t uqpq;aq;pxiaom wvacmi;i , oEebuw&; , m; (AFB) [lvn;ac:on?

o vywi;y;&aom vemw0;acmi;q;&mr/4i; . t qyt wi;&TB buw&; , m;a&m*y;rsm;on ovyon av twi;yEom;con?wjcm;vw0;on buw&; , m;a&m*y;t m; t qyt wi;o!&loi;r&mr a&m*!u;pu c&on?

TB a&m*!u;puyym;ici;rumu , r

- acmi;q;aom t cy;pyt m;v uzi t yl q;jci;/
- **t z; tyxm;aomax;co!r** [wy;x o!waw;ax;jci;/
- ax;c t ; t m;a&m*y;ow&e u v&i;aq;zl;jci;/
- a&m*!&a!umi;aw!&onEiwSyeu aq;u o jci;on t jcm;vrsm;Eiaq;Oexr;rsm; t m;a&m*y;EEjci;r um u , on?
- TB y; t m;aea&mijcnr aoapEion?
- aea&mijcnwu&u&aomae&mwi o vyc , jci;onaq;Oexr; t m;a&m*!u;purrumu , apon?

a&m*y;u;puc&owi wba&m*!jzpy:m;rrumu , jci;

ce!re;aw!&c:u t &wba&m*y;u;puc&ov 10 0;wi(vw0;omwba&m*!cpm;&on!) u!e 9 0;on a&m*!jzpy:m;r t q i t m; [e!wm;Ei&e u!e;rmo epr;}u on?

- ar;jy;p t cewi BCG umu , aq;x;jci;onuav;i , rsm;wiwba&m*!jyi;x eaprav men;apon/ BCG umu , aq;on t & , a&muyj;orm; t m;wba&m*!rumu , &e t meoir}u;rsm;vy/
- t pmaumi;repmpm;aomujci;/ veri;pm t vyrvyjci;/ t &u t vet u!raomujci;/ q;c!a&m*! t m;wnjirapjci;/ HIV u;purra&m i&m;jci;/ ponw!onwby;u;puc&orm; t m;wb a&m*!cpm;&rrumu , apon?

a&m*!v u%mrsm;

acmi;q;ovyyjci;on t a&;u;q;aomem;a&m i&evQ%mwczpon?

a t m uy;v u%mrsm;aw!&y;u t qywbjzpEion?

- 3ywx uyaomacmi;q;jci;
- u , t av;ce u;q i;jci;
- u , t ei , yjci;
- o vytwi;ao;yjci;

t a&;u;onrmu;puapEiaom t qywb(vemwa , mu on t jyiye; t m;jzi u!e;rmaeEijy;/ acmi;q; o vyjci;r ty t jcm;a&m*!v u%mrsm;rjyoyaeEion)u o x m;&ejzpon? t x;o j i a&m*!jzpp t apmyi; t c!er sm;wi jzpon?

==> **acmi;q;ovyyaom vemwi; t m;o vywiwby;ppy!**

wboncEmu , . rnonae&mwirqjzpy:m;Eion?

oi . vemwia t m uy;v u%mrsm;aw!&y;uwb t m;x noi;p0;pm;y?

- t &nprxurEi t w!jye&n t }uwrsm;}u;rsm;jci; (jye&n!uwwb)
- aum&rsm;y;pm; lEyu!jy;c;ue;om;jci;(aum&wb)
- emwm&n t &Eijci q rsm;a&mijci;(t &wb)
- 0;aEmu t ajr;y; t wi;a&wnjci;(0;aEmu t ajr;y;wb)
- t qyt ajr;y;a&wnjci;(t qyt ajr;y;wb)
- a&z0;pjci;(0r;aci; t ajr;wb)

a&m* t u jzwowrwjci;

a&m* i&mZOi/pr;owc;uEippaq;c;ur;m; t m;jzi a&m* iowrwon?

wu:aoma&m* iowrwjci; t m;

- o vppaq;jci;
- t om;p , jci; (jye&n}uw t m; t om;p , lppaq;v;i caseating granuloma t m;aw;&jci;)

t jcm; t axmu t uEypaq;c;ur;m;

- t a&jym;ppaq;c;u (Mantoux, Heaf)
- au m&;az;u lppaq;jci; (O;aEm u t ajr;a&mijci;&y;u)

t c;l vemr;m;/ t x;o;zi uav;i , r;m;wi o vyc , &ecucojzi/wb [oo , &y;u aq;pw;u oEion/
o;aomaq;rur aocmpmpO;pm;jy;/ t jcm;jzpEiaoma&m* i;r;m; v n;r [wy;rpwi u o&r n?

**wba&m*jzpEia;umi;x noi;pO;pm;&eEio vvy;ppci;w;Syvy&e t jcm;aom yS Z0aq;r;m;
Eiru oEiawmon t cexapmipm;ae&erv t yy?**

u or

wba&m* t m;wba&m* uor t wu t x;o;oejyE Z0aq;r;m;Ei xa&mupm u oEiyon? , i;aq;r;m;u
wr;l;x u payi;l t o;E yav&on? T o;aq;wr;l;x uyl payi;u oronay;ay;u vmrnaq; t meoi
, Oy;jci; t m; umu , ay;on t jyi/ t c;aomaq;r;m; t m; , Oy;aejy;aombuw;& , m;w;u v n;aopEion?

- wba&m* t m;r non t craq;wr;l;wn;Eiru oyEi/
- t en;q;aq;2 r;t u t o;Eyy/
- t r;m; t m;jziaq;3r;t/4 r;t m;wE yieun; t o;E yav&on?

wba&m* y; t r;m;p onyxrw;uraq;aom u jci;jziyiao q;u on? x[a]umiaq;0exr; t y; t Oi t jcm;
or;m;o;a&m* u;pur t m; [e;wm;ay;on?

**x[a]umi vemwiwba&m* &aea;umi;aoc;m onEiaq;u orpwi&e t ve t a&;u;jci;jzpon?
apmiqi;ae&erv t yy?**

t c;l y; t en;i , onquvu&n)umpm &ioev;u&on/ u x;umvwawmi;ve;y;u xy;r;m;q u v u
&i oaejy;/ a&m* u jye v njzpy m;apon (wa;u mje) / x o;a&m* jye v njzpy m;r u wm;q;&e u x;um v
rn r;umjir nqonrm ay;i;py t o;E yaomaq;r;m;ay;wirwnon?

**t pr;x u q;aomaq;r;m;jzpon HRZ r;m;y;Oion 6v u x;ona&m* jye v njzpy m;r u
umu , Eion twq;aomu x;jzpon?**

wba&m*uaq;rm;

aq;t rn	v}u;	uav;
Isoniazid (H)	300mg OD	5- 10 mg/ kg OD
Rifampicin (R)	50 u v Ei t x u 600mg OD 50 u v a t m u 450 mg OD	10mg/ kg OD
Pyrazinamide (Z)	50 u v Ei t x u 2000 mg OD 50 u v a t m u 1500 mg OD	35 mg/ kg OD
Ethambutol (E)	15- 20mg/ kg OD	15- 20 mg / kg OD 8Epa t m u uav;rm; t m;ray;yEi
Streptomycin (S)	45 Epa t m u 1.50 u v Ei t x u 1g OD 2. 50 u v a t m u 750mg OD 45- 60 Ep 1.37 u v Ei t x u 750mg OD 2. 37 u v a t m u 500mg OD t o u 60Ep t x u (u , t av;cercqcm;y) 500mg OD	15 mg/ kg OD

aq;u x;rm; (aq; t r;wrEi t c e u m v)

t o; t rm;q; 6v ux; 2 crm -

1? 2 EHRZ/ 4 HR = Ethambutol, Isoniazid, Rifampicin Ei Pyrazinamide aq;4r; t m; 2v wuau;jy;u e 4v wi Isoniazid Ei Rifampicin u q u v u w u a u ;o n?

2? 2SHRZ/ 4 HR = y x r 2v wi Streptomycin , Isoniazid Rifampicin Ei Pyrazinamide aq; 4r;ay;jy;u e 4v wi Isoniazid Ei Rifampicin u q u l w u o n?

r n o n u x;Eiaq;yr m%ura&c; , r/ t o u / u , t av;c e/ t j r i t m& t } u m; t m& t o / a u s m u u y / u , O e & r & E i , c i w b a q ; u j c i ; c & r p o n w i u x o i ; p 0 ; p m ; y ?

aem u q u w q ; u ;rm;

E Ei H - r u p u x c u E i o n

Z, R Ei H - t o ? ?

Z Ei E - t & ; t q p r m ; ? ?

H Ei E - t m & a } u m r m ; ? ?

S-au s m u u y E i e m ; (t } u m ; t m &) / u , O e a q m i r c i . O r ; A u t w i ; & u a v ; i , . a u s m u u y E i e m ; u y x c u a p o n ?

aq; t m ; v ; o n t a & j y m ; u x c u a p o n ?

Rifampicin a o m u i j y ; u u , c E m r x u a o m t & n r m ; o n v a r m a & m i j z p w w o n ? x a } u m i v e m t m ; q ; / a c ; E i r ; u & n r m ; v a r m a & m i j z p y ; u p w y p & m r v a } u m i ; & i ; j y ?

}u; uyppaq;r

v e m o n a q ; a o m u o n t c w i ; , } u n p w c & o w 0 ; r a p m i } u y } u n & E i y u t a u m i ; q ; j z p o n ? t x ; o j z i u x ; w i Rifampicin Ei Pyrazinamide aq;rm;y 0 i a e y u y l v t y o n (w u & u a p m i } u n t c e w u x ; - DOTS)

wba&m*on u o l a y m u u i ; y o n ?

u o r r a t m i j r i & j c i ; . t " u w & m ; c r m u o a y s m u u i ; & e v t y a o m a q ; t m ; v ; u v u e m a o m u o ; r r & j c i ; a } u m i j z p o n ?

y&m*erwa&m*

y&m*erwa&m* y; on w l jym; cyaom oaumir; E, uyy; wr; jzpy; t x; ozi t qywa&m* jzpy; ap on // u; ua t mirc uijw x m; aom a&c*%e; rsm; w upm; o; jci; jzi Ta&m* &wwon //

a&m* v u %mrm; t qywba&m* v u %mrm; Ei t veqiwon //

- acmi; q; o vyyjci;
- u , yjci;
- acmi; q; ao; yjci;
- & i bwemjci;
- t qyt ajr; y; t wi; t a&wnjci; //

a&m* owrwjci:

t a&miaq; r q; x m; aom o vy t m; " iwcce; reb v; (Microscope) a t muwi: u nyu y; Orsm; uaw; & jci; jzi wu: aoma&m* t ajzu&& on? (t u , l vem on acmi; [y; y; x u v maomy; Orsm; u jyer; c jci; jzi rpi t wi; Yv n; y; Orsm; uaw; & Ei on //)

o vy rsm; uyr x jypajci; jzi aumi; reaom t ajzu&& ap on //

u or

Praziquantel 25mg/kg t m; wae; 3 ur (TID) Ee; jzi 3&uwuy //

- vem . u , t av; ce t m; wi; wml Z , m; r t e; pyq; t av; ce jzia& c , y; aq; t m; wae; 3 ur / 3&uay; y //

u , t av; ce	aq; yrm%(25mg/kg TID)	aq; v; a&
6 kg	150 mg	1 1E4 TID
12 kg	300 mg	1 1E2 TID
18 kg	450 mg	3 1E4 TID
24 kg	600 mg	1 v; TID
30 kg	750 mg	1 1 1E4 v; TID
36 kg	900 mg	1 1 1E2 v; TID
42 kg	1050 mg	1 3 1E4 v; TID
48 kg	1200 mg	2 v; TID
54 kg	1350 mg	2 1 1E4 v; TID
60 mg	1500 mg	2 1 1E2 v; TID
66 kg	1650 mg	2 3 1E4 v; TID
72 kg	1800 mg	3 v; TID

aq; wjym; wi 600 mgy; & o n //

&ww&u;em&i u;ya&m*

ye;em&i u;ya&m*wiavjyevr;aumi;a&mi , rjci;on t ajccjy \ emjzpon? t "y, zi qcu t &ste-
roids aq;rsm;Ei u oronavjyea&miru o u omapon(a t muzuw i&y?)Salbutamol on t ou&L
:uyr t m; c%wmou omapaom v n; avjyea&mijci; t m;ou omapon r [wy?

ye;em&i u;ya&m*on uav;i , rsm;Ei v i , rsm;wi t jzprsm;q;jzpon?

ye;em&i u;ya&m*onaopEiaoma&m*jzpjy;/uav;i , rsm;wi:u;xm;ru&ywe;apon?

a&m*v u %mrsm;

- acsmi;q;jci;
- t o u &lcucjci;
- t o u &xwp0w&& t o jrnjci;(wcw&wijzpy;m; l n t ceo;r [wreu t apmyi;wi yrq;&m;on?)
ye;em&i u;ywpcwn;o m jzpy;m;aom v wpa , muwi t zm;r&acsmi;q;a o;yjci;r&/ t pr;a&mi o vyr&

ye;em&i u;y . v u %mrsm;ona&m*jyi;xeray:rwnon?

**ye;em&i u;yjzpy;m;aom t c;a&m*jyi;xer t m; t ujzwy? t aysmpm;/ t o i t wi/ jyi;xeq;&m;aomye;em
xrpo jzi/ (T uo;cjcm;ron t veta&y;von? t b , aumiqaom uoen;rsm;ujym;l jzpon?)**

a&m*jyi;xer t ujzw&ea t m uy t cu t v u rsm; t m;ppaq;y?(a t m uyZ , m;wi&y)

- ao;ceEe;
- t o u &LEe;
- t o u &lcucr t q i
- t o u wpc&L t jy;vem onp u m;v;rnr'ajymEi oen;?
- wheeze t o&(o!)r&
- t o u &Lmwi :u u o m;rsm; t m;u;u qjci;&(o!)r&(e&:um;:u u o m;u;0ijci;)
- t o u &xwr t &e t jri q;wez;(a t muwi&y)

jzpEiy u t o;jy&ev , u l ap;vn;c/omaom t o u &xwr t &e t jri q;wez;wi;u& , m t m;
aqm i xm;o ion?(oi.:u;:uyoxwiw i jyawmi;qy?

t x u ya&m*v u %mrsm;Ei t w t o u &xwr t jri q; t &e t m;vn;wi;wmowrwxm;&ev t yon?

- Salbutamol o;r [w Prednisolone jziruociEi u o r t y;
- ye;em&i u;y r xci/x aep0Ei x t y; t cer sm;

Ten; t m;jzivemonuora:umio u omr&r&yrwu;pmq;jzwEirn?(a t m uyZ , m;wizwy) t u , l
T peak flow wi;wmrwi o iawmaom u o r t jy;Y w;wurr&y;u T a&m*on ye;em&i u;ya&m*r [wy?

Twi;wmc:u . yrewez;u o&&eo i t aeji t x;jyZ , m;wpcv t yyon? TZ , m;wiowrwxm;aom
t yEi t o u t v u vemwp0; . yrewi;wmc:u rsm;uaz: jyxm;o jzi o i vem . wi;wmc:u rsm;EiEi; , 0
pr;ppEi o n?(pmr:uEm 165 Ei 166 &Z , m;wizwy)

&i u;ye;em o nwp0;wi t jcm;a&m*rm;jzpon avjyea&mijci;/ t qya&mijci;/wb/Ev;vyie;
 cll, i; t m;en;aoma&m*o|r [w t qwu z; tyxm;aom t ajr;y; t wi;av0ijci;(Pneumothorax)
 pon a&m*rm; vn;&Ei o n u rwom; xm;&rn?
 ye;em&i u;yvew0;wi *&jy/&r nrm **wyieuwn;jzpy;m;aeaom t jcm;a&m*rm; t m;vn;ppaq;**
&mazl u o rjy?

a&m*owrwc;u (ye;em&i u;ya&m*u a&m*&mZ0i/ pr;oyjci;Ei "wcp;oyppaq;jci;rm;jzia&m*
 owrwon?

u o r

vwwavmjzpy;m;aeon ye;emxrt m; u o&et yi;o;yi;&on? (t m;v;ont a&yion)

1/ axmuyjy/pr-

a&jzi u o r/ a **t mup*ia yjci;**

2? a&wu o r-

Salbutamol

3? avjyea&mijci; t m;u o r-

Steroids(Prednisolone)

- **Salbutamol Ei Steroids** o nye;em&i u;yu o&mwi t o;rm;aomaq;Epr;jzpon? Taq;rm;rno l
 ay;&erma&m*jyi;xerEi t jcm;aomaq;yprsm;(aq;jym;/&laq;/x;aq;/Ema&i; t yl&laq;)&&Eir
 ay:rwn on?

- cucji;y;xeao m t cll v emrm;wi t jcm;aomaq;Epr; t m;wcw&t o;jy/on?(Aminophylline IV
 Ei Adrenaline im)

a&m*jyi;xer t ajc t ae t m;q;jzwyEi v}u;rm;wi vwwavmye;emxrt m;uoy

a&m*}v u %m t m;v; &cir&Eir n// o aomrnon v u %mwccjzpap &ae y}uyr q;&m;jyi;x e&e t v m;
 t v m&on//

- **vem . t ajc t ae t m;r:umc%ppaq;l u o r t m;jyiqinEi;y//**

	t aympm;ye;em xjci;	t o i t wiye;em xjci;	jyi;xeao mye;em xjci;	t o u t E&m , & aomye;emxjci;
t o u&:uyjci;	v r;av sm up0	pum;ajymp0	vaep0	t p0 t r
pum;ajymjci;	yre	pum;v;ten;i ,	wv;ci;/uav;rm; t pmrpm;Ei	pum;rajymEi/uav; wi t pmrpm;Ei
ow&r	pwyyer&Ei o n	pwwaeww o n	t p0pwwaejci;	x i;ri;jci;(o) pw&yax;aejci;
qnaom t o u&lo	t o u&lxwr o t q;yi;	u s , av mipm	u s , av mipm	r:um;&
t o u&:u o m;rm; t o;jyr(cil0ijci;)	r&	t rm; t m;jzi&	t rm; t m;jzi&	yrreaomvy&m;r
wrep t o u&LEe;	jrejci;	jrejci;	v}u;-30 t x u/ uav;- 5Ep t x u40 t x u/ 5Epa t mu50 t x u	jrejci; o r [w aEjci;
wrepao;ceEe;	100a t mu	100-120	v}u;-120 t x u/ uav;5Ep-120 t x u/5Epa t mu 140 t x u	aEjci;
u o r t y;t o u &lxwr t jriq;	yrewez; . 70% x u jriji;	yrewez; . 70-50%	yrewez; . 50% a t mua&mujci;	yrewez; . 33%a t mu a&mujci; t &e

vem . a&m*ji; xer t a j c t a e t m; (t a y m p m; / t o i t w i / j i; x e a o m o r [w t o u t E & m , & a o m y e; e m x j i;) p o n j i z i c m; q; j z w y; y u v e m t m; u o y //

	t a y m p m; y e; e m x j i;	t o i t w i y e; e m x j i;	j i; x e a o m y e; e m x j i;	t o u t E W & m , & a o m y e; e m x j i;
a q; & w i j i;	r&	u o r t y; t o u & x w r t j r i q; t & e o n y r e w e z; . 70% a t m u & y u	t p 0 t r	t p 0 t r
Salbutamol & l a q; (Spacer E i t w)-**	ay; & r n y x r 1 e m & t w i; / 15 r e p w j u r 4 c; - 8 c; & l & e / x a e m u 4 e m & j c m; w c; E e; j z i v e m t a j c t a e t j y n t 0 w; w u v m o n t x v t y o v a y; & e - *	ay; & r n y x r 1 e m & t w i; / 15 r e p w j u r 4 c; - 8 c; & l & e / x a e m u 4 e m & j c m; w c; E e; j z i v e m t a j c t a e t j y n t 0 w; w u v m o n t x v t y o v a y; & e *	ay; & r n N e b u l i s e r r & y; u y x r w e m & t w i; / 15 r e p w j u r 10 c; - 15 c; & l & e x a e m u 4 e m & j c m; w c; E e; j z i v e m t a j c t a e t j y n t 0 w; w u v m o n t x a y; & e *	ay; & r n v e m t a j c a e t j y n t 0 w; w u v m o n t x 10 c; - 15 c; E e; j z i v t y o r a y; & e n e b u l i s e r o n y a u m i; o n //
Prednisolone 10 & u x u a v m e n; l a y; y u z n; n i; p m a v m c j i; z i a q; j z w & e r v y //	ray; &	ay; o n / t a & y; o n / 1 m g / k g t m; w a e j w j u r E e; j z i v e m t a j c t a e t j y n t 0 w; w u v m o n t x *	v t y o n v j u; - 1 m g / k g t m; w a e j w j u r / u a v; - y x r a e 1 m g / k g w a e E p j u r x a e m u 1 m g / k g w a e j u r E i t j y n t 0 w; w u v m o n t x *	v t y o n v j u; - 1 m g / k g t m; w a e j w j u r / u a v; - y x r a e 1 m g / k g w a e E p j u r x a e m u 1 m g / k g w a e j u r E i t j y n t 0 w; w u v m o n t x *
a t m u p * i	ray; &	ray; &	6 + l i t / r e p	6 + l i t / r e p
Salbutamol t a i & l p u j z i & j i; (n e b u l i s e r)	ay; & e r v y; ?	& l a q; r & y; u a y; o n 2.5 - 5 m g t m; 4 e m & w p j u r E e; j z i v e m t j y n t 0 w; w u v m o n t x v t y o v a y; & e *	a t m u q * i E i t w a y; & r n / 15 r e p r 4 e m & v i w j u r E e; j z i 5 m g t m; v e m t j y n t 0 w; w u v m o n t x v t y o v a y; & e *	v t y o n a t m u p * i E i w l 5 m g t m; v t y o r r u m c % a y; & e /
Hydrocortisone IV	ray; &	ray; &	ay; E i o n	ay; E i o n
Aminophylline IV	ray; &	ray; &	ay; E i a c & o n	
Salbutamol a y; E i o n IV	ray; &	ray; &	ray; &	ay; E i o n
Adrenaline IM	ray; &	ray; &	ray; &	ay; E i a c & o n
Salbutamol a q; j y m;	& l a q; r & y u	& l a q; o r [w n e b u l i s e r r & y u	& l a q; o r [w n e b u l i s e r r & y u	& l a q; o r [w n e b u l i s e r r & y u

*** v e m t a j c t a e t j y n t 0 w; w u v m r -** t o u & x w r t & e t j r i q; w e z; r m; / t o u & l E e; / a o; c e E e; r m; y r e j y e a & m u & y; / v e m o n y r e t o u & l E i / p u m; a j y m E i o n // p w w j c i; / p w & y a x; j c i; r m; r & a w m y / q n a o m t o u & l r a v m e n; v m r n? o i r [w q u v u r u m; & a w m a y // & i b w a t m i c i 0 i r v n; r & a w m a y //

******Spacer u t o j y j c i; o n S a l b u t a m o l a q; t m; t q y w i; o & l o i; r u y r x a & m u a p o n // o i y s p a c e r r & y u 1.5 o r [w 2 v w m t c; l & n A; v w r m; (Fanta, Sprite) j z i v , u p m j y v y E i o n / A; a t m u a j c w i t a y; u w c a z; u l & l a q; A; t m; x j y; a q; j z e; y // A; x y r w q i v e m t m; & l c i; y // j y i; x e r a y; r l 2 c r 15 c; t x A; w i; o a q; j z e; y //

ye;em&i u:ya&m*|o;aq;r;m;aq;Ee;

1// Aminophylline IV

v}u;| Loading dose (t qw;aq;Ee;)250mg t m;rep 30:u may;&e
q u v u l-0.5mg/kg/ aq;Ee;jzi x e;ay;y|?

Theophylline o r [w Aminophylline aomuae ojzpyu

loading dose ay;&er vy||

uav;| Loading dose 5mg/kg t m;rep 30:u may;&eq u v u l
1mg/kg/ aq;Ee;jzi x e;ay;y|?

Theophylline o r [w Aminophylline u , ciuaomuyy

loading dose &ervy||

- aq; t m; D5W o r [w NS wi x l a&mpya v smen;apy||

2// Salbutamol IV

v}u;| 250 micrograms t m; 10 repau sm:u may;&e

3// Adrenaline IM (1:1000=1mg/1ml)

v}u;| 0.5-1ml

uav;| wpEpa t m u -0.05 ml

1 Ep -0.1 ml

2 Ep -0.2 ml

3-4Ep -0.3 ml

5Ep -0.4 ml

6-12 Ep -0.5 ml

4// Salbutamol aomuaq; t m;&laq;Ei nebulizer aq;r;m;r&&Eiaom t c;wi t o;jy|Eion// o aom
aomuaq;on t meo iua&m u&e aE;au;on t jyi| aem u q uwaq;q;u;l;r;m;v n; yrrsm;jym;on//

v}u;| 4mg TID o r [w QID

uav;| 2Epa t m u 0.1mg/kg QID

2Ep-6Ep 1-2mg TID o r [w QID

6Ep-12Ep 2mg TID o r [w QID

aq; . aem u q u wq;u sl; r sm;

- Salbutamol,Steroids EiAminophylline aq;r;m;oncemu , .ywup , rowl"mwyr m%u avmus
apaoma:umi , i;"|wt vet ri;av smen;jci;on t ou t Em& , jzpaPEion?

⌘ x|a:umi jzPEiyuwup , rym%uppaq;oion?

- Steriodsonu;pua&m*| t r;m; t jym; t m;yl q;&m;apon?x|a:umi uyy; oaumia&m*|r;m; (Strongy
loides ty t Oi) t r;b m;wbEi t jcm;b uw;& , m;ya&m*|r;m; t m;owiy|&r n?x|a:umiwb/ t r;b m;
Ei t jcm;u;pua&m*|r;m;&r&vem&mZ0iaumi;aumi; , y|?

⌘ Albendazole O|r [wMebendazoleaq;r;m;au|jci;jzi uyy; oaumirsm;jyelym;jci; t m; umu ,
Eion?

a&m*ijzpy;rrumu , jci;

emwm&n;ye;em&i u;ya&m* t m; steroids r m; yreau|jci;jzi umu , o i o n?jpEiy u&laq;en;
u o;y?Oyrm Beclomethasone wae|2:u rae|p0ay;jci;/

- a&m* v u %m r m; q u v u &a e a o m t a y m p m; y e e m x j c i; (O P D v e m) t w u s t e r o i d & l a q; t m; t e r p m; a q; y r m % E i p w i u o y ? (O y r m - & l a q; w : u r v : i w c & l o i; l w a e | E p : u r a y; & e ?)
- t o i t w i y e; e m x r j z p y m; a o m v e m t m; a q; & r q i; v m a o m t c w i s t e r o i d s & l a q; t v , t v w E e; j z i p w i u o y ? (O y r m - w : u r v : i 2 c & l o i; l w a e | v : i 2) u r a y; & e ?) o | r [w i y i; x e a o m y e; e m x r t : y; w i s t e r o i d s & l a q; t m; j r i r m; a o m E e; j z i p w i u o y ? (O y r m - w : u r v : i 4 c & l o i; l w a e | v : i 2) u r a y; & e ?) x | a e m u O P D w i & u c e; j z i x y r : u n & y; a q; E e; t m; a & m * v u % m r m; t j y n t 0 o u o m a p r n t e r q; E e; a & m u o n t x t j z n; j z n; a v m c; o m; & r n ? a & m * v u % m r m; j y e v n c p m; & y | u s t e r o i d & l a q; E e; t m; j y e v n j r i w i y ?
- v e m t m; v p 0 (o | r [w) s t e r o i d s & l a q; u e c e; w i; j y e v n c e; q p p a q; y ?
- E i; . t o u & x w r t j r i q; t & e w e z; t m; w i; w m y ?
- t o u & x w r t j r i q; t & e w e z; y r e j z p v m o n t x a q; E e; t m; w j r i a y; y ?
- x | a e m u v e m t o u & l o q n r j z p y m; j c i; r u m u , & e t w u x a q; E e; y r m % t m; t p 0 t : r q u v u a y; o m; & r n ?

o i w i s t e r o i d s & l a q; r & y | u a & m * r : u m c % c p m; a e & a o m v e m r m; t w u s t e r o i d s a o m u a q; t e r p m; E e; t m; q & m 0 e i w i y i l a y; E i o n ?

salbutamol aq; o n & i : u y y e; e m j z p j c i; r r u m u , E i y ?

em;a&m i a&m*

em;v%aci; t wi;a&mi&rjci;on em; t wi;a&m*y;0ia&m u jci;a)u mi jzpon//
 t vei , & , aom uav;i , r m;on 4i;w iem;u u caea)u mi; ajymrjyww}uay? xa)u mi ow wi
 t a)u mi;&i;&m r&aom u , yjci;/ t ejci;/ i jci;/pwwjci;Ei0r;av m jci;r m;jzpy;cy)u/4i;w . em;uppaq;y?

1) em;v%aci; t jyizuyi;a&mi&rjci;? em;v%aci; . t a&jym;wia&m*y;0ia&m u jci;

a&m*|v u%mrsm;

- em u;i jci;
- em;v%aci; t jyi b uyi;e&/ a&mi&r; lwcw&ao;i , aomjynwnemrsm;&jci;/
- em;pnyre t ajc t ae&
- (wcw&) jyi y t &m0wE lcc&aejci;

u or

- em; t m;/ t x;o jzi jynEio i;&nrm;&ae y)u/ a&oe)or [w (NS)jzi aq;ay;y//
- t u , l i yir t &m0wE l wcc&ae y)u , i;u*r;pjziaumxw&er}u l;pm;yem; t m; a&oe)or [w (NS) t &njzi n i ompma q;jci;jzi , i; t &m0wE l x u v m o n t x j y l v y y// (wcw&2-3&u ce)u m o n w i j y l v y &w w o n//)
- 0*r;wwacmi;i , jziem; t wi;aq;jym&n (Gentian violet) owvr;ay;y//
- T u o r u a&m*|ay;m u u i;on t xae)p0jy l v y a y;y// (yre t m;jzi 3-5&uce)
- em u;i r&y)u y;&mpwarmay;y//
- 5&u t }umwio u omrr&y)u/ Cloxacillin t m; y;;pyrwuau l;y//

2) &wc;n;em;v%aci; t v , yi;a&mi&rjci;? em; t v , yi;(em;pn . aemuzu) wi &wc;n;
 a&m*y;0ia&m u jci;jzpon//

a&m*|v u%mrsm;

- t v e t r i; u u c e m u;i jci; z m;jci;/
- i a:u;jci;/ pwwjci;/
- t ejci;/ 0r;om;jci;/
- em;pn o n e&jci;/ a&m i a z m i;jci;/ jyn r m;p r x u l e m;p n a y)u jci;/

u or

- jynprxur&y)u em; t wi;a&oe) (o r [w] qm;&n oe) NS jziaq;a)u m l 0*r;(o r [w] E;naompulaymzwEi oe)i;ay;y//
- t z m;Ei e m u;i r t m; u o y//
- Cotrimoxazole 5&uay;y//
- 3&u t }umwio u omrr&y)u/ Cotrimoxazole u&y l Amoxicillin t m; 5&u ajymi; l wuau l;y?

3) emwm&n jzpaom t v , em;(o) em;(t v , yi;) a&mi&r;ici;? em;pn ayıu:yıı/
em; t wi;yi; (t v , em;) ro i&n rsm;umjripmp r x uaejci;/

a&m*ıv u%mrsm;

- 2ywx uyl jyn rsm;pr x uaer/
- t zsm;r&/ em uııjci;r&/

u or

- yÆ0aq;ay;&ervyı/
- &Eiyı yÆZ0vr;aq;&n(o) t q uem; x x nay;yı/
- em; t wi;o *r;p ten;i , jzi yway;xm;yı/ em;ajcm uao v mon t x 6em&jcm;wcı *r;pu
vay;&e rcıjzpo t m; rm-u m;xm;yı/

owjy&e-

- t u , l t zsm;&yı/ u ucr&yı u&ww&ujzpaom t v , em;a&mi&r;ici; [owrrwl u oyı/

Ev;Eiao;a)umqi&ma&m*rm;

ao;w;a&m* (ao;ayicewujci;)

ao;w;a&m* (HBP) qonrm t ay:ao;ayiceEi/o!r [wa t muao;ayice(BP) jrirm;aejci;u q v on// Ta&m*ionEv;Eiao;a)umqi&ma&m*rm;(Oyrm-avjzwjci;/&ww&uEv;a&m*jazmujci;)jzpym;ap &etE&m , &aom t a)umi;&i;wcjzpon? t rm; t m;jzirn ona&m* v u%mrsm;rjyoypr;oyppaq;rrsm; jylvyaom t cwiraw&&av&on

ao;ayiceonv . t ou t & , Eiwaewm . t cersm;ay:rw n lajmi;vwwon? x)a)umiao;ay i wujci; . wez; t w t u s t m;owrwajmq&et vecucyon? t u , loionvem . ao;ayi t m; w)ur omwi;wm&y;/ vemwirnonv u%mrrcpm;ae&y)u xao;ayicewuaer t m; aq;ay;u o&ernon t cririyEi?

t rm; t m;jziao;w;a&m* t rm;p(95E) . jzpym;&jci; t a)umi;&i; t m;roEiy? T uo)ao;ayi wujci;u t vavsmuao;w;jci; (**Essential Hypertension**) [ac: on//

wc)w&r)om (5E)ao;w;&jci; . t a)umi;&i;u &mazEion? 4i;uaemu q uwao;w;jci; (**Secondary Hypertension**) [ac: on? t a)umi;&i;rm;rm-

- 1/ t &u
- 2/ aq;vyaomujci;
- 3/ Ojci;
- 4/ wc)aq;O;rm;- Prednisolone/OaEwm;aq;v;rm;/ Amphetamines (pw)uaq;jym;rm;)
- 5/ aum u ya&m*rm;
- 6/ t u'&em*v i;Ei t jcm;*v i;rm;(yu) x&*v i;w)ia&m*jzpym;r&jci;/emu s i rEip;&ryyerrm;a)umi; v n;ao;ayice , m , jriwuapEion/

owijy&e

- u , Oeaqmiry;q;ce;ao;ayiwuaomu , Oeaqmircirm;on t vep;&rz , aumi;aomu , Oe ao;qywujci; (Pre-eclampsia) jzpym;aeEion? T t ajc t aeon t vavsmuao;w;a&m*Ei t veumjcm;on? pmr;uEm 147 & t jzprsm;aom om;zmr; , yjy \ emrm; t ce;wi)u ny//

- ao;ayicerwi;rvemon5repcej i ro upmxiaeo ion n// (BP)
- q&mOeEiawjci; vemona)umu ve)aeEion? x t cp;&rpwo nao;ayi t m;jriwuapon? vem t m;pwo u awmio u omjzpa&eEpor y?
- vemwO; t m;ao;ayicewi;y)u/wnaomv uarmi;wzuuom t :rwi;y) (vemrwwr;wi rnonv uarmi; t m;wi;wma)umi;rwom;y)? x; p t m;jzinmzu t m;wi;av&on//
- wu)r&e 2 mm Hg wi;wiao;ayiwez; t m;wi;wma)umi;rwom;y) (Oyrm// 118E68)

ao;w;a&m* t m;pruor

Ev;Eiao;a)umqi&ma&m*rm;jzpym;r t E&m , avsmen;ap&eao;w;a&m* t m;u ojci;jzpon/ xrom &ww&uEv;a&m*jazmujci;/avjzwjci;/aum u uyEirsupxcuyup;jci;wirumu , Eirnjzpon//

1/&i;v i:ajm:um;rEi t}uay:ci:

ao;w;a&m*jpym;aeaumi;owrwy;y|u/vem t m;ao;w;a&m*}t a:umi;&i;v i:ajmijyy? Ta&m*}t m;
aym u u i:a t m i u o E i r r &a:umi;Ei , i;w|wiwo u w m y w v; Ta&m*}a e r n j z p a:umi; a j m i j y y/ o|a o m
ao;w:jci;on x e;cyl&y|on? ao;ay i u s q i;ap&eaq;O;r m; &a:umi;Ei v e m u , w i j y|v y E i a o m a o;ay i
u a p o n t a:umi;r m;v n; &a:umi;&i;v i:jy y|

2/ a e x i r y p u x;

ao;ay i w u a p a o m t a:umi;r m;u &m a z y? j z p E i y u u o y|o|r [w t c|p&u r m; t m; j y i q i & e v e m t m;
w u w e; y|

- **em u:ir/** vemwiem u s i r a 0' e m c p m; a e & y u/ C E i; e m u s i r u t a o t c m u o y?
- **p;&rpw/** v e m p; & r a e & a o m t a:umi; t m; & m a z y?
- **wwu:s** o w r w x m; a o m a q; O; r m; E i r; , p a q; O; r m;) v e m o n s t e r o i d s o|r [w p w: u a q; o|r [w
o a E w m; a q; r m; o; p a e j c i; & r & p p r; y?
- **t&u/** v e m t m; t & u a v s m a o m u & e w u w e; y?
- **aq;vyl** a q; v y j z w & e v e m t m; w u w e; y?
- **u , t a v; c e l** O a o m v e m j z p y u/ t a v; c i e a v s m & e t} u j y| y?
- **a v u i c e;** a e p O y r e a v u s i c e; v y & e w u w e; y?
- **t i e p m; j c i;** t p m; t a o m u w i t i e a v s m p m; c i; y?

a e x i r y p u x; w r|; w n; j z i y i a o; a y i c e t m; x a & m u p m a v s m e n; a p e i o n? o|a o m
T u x; o n t v e y i c u c v l v e m t m; w u w e; t m; a y; r r m; p m v t y o n?

3/ a q; O; j z i u o r

v e m t m; & u o w 3 y w t w i; t e n; q; 3} u r a o; a y i w i; c e r j y| y; r a q; O; j z i u o r p w i y? (w & u t w i;
3} u r w i; j c i; r [w y|) x i j y i a e x i r y p u x; r a t m i j r i a o m t c r p w i a q; a y; y| a t m u a o; a y i c e 120
m m H g x u a u s m v e a e a o m t c r|; r v l/ w| u r E p| u r a o; a y i j r i r m; a e a u m i; a w| & & r E i a q; a y; j c i;
b , a w m r p w i r j y| v y y E i? (r n o u u o r n e n; w i z w y|?)

vemwi;wi-

- **au m u u y a & m* & r & p p a q;** - q; w i w i y & w e; E i a o; y O i j c i; & r & p p a q; y| y| O i a: u m i; a w C E y u q & m
O e E i w i y i y?
- **q; c i a & m* & r & p p a q; y;** - q; w i o: u m; " w p p a q; y? a w C E & y u p m r; u E m 70 & q; c i a & m* t c e; w i
q u v u z w y|

(u) vemwO; t m; a q; O; j z i p w i u o a o m t c|

- a q; w r|; w n; j z i p w i u o y?
- t e r q; a q; E e; j z i p w i y? a o; a y i u s q i; r r & y u 2-3 y w w| u r w; j r i l a y; y|
- a q; a j m i; l r a y; r/ o|r [w a e m u a q; w r|; x y a y i; l r a y; r/ r & i; a q; t m; a q; E e; t r m; q; t x j r i
l a y; u n y|
- o w j y| & e r m a q; t r m; p o n o w|. a q; t m e o i t j r i q; j y o & e & u o w 4-8 y w t x: u m j r i w w o n/

1 a q; w r|; w n; j z i 1-2 v t: u m w i l a o; a y i c e w n j i r a e y u


- **T a q; t m; q u v u l w m & n t o; j y y?**

2 a q; w r|; w n; j z i 1-2 v t: u m w i l a o; a y i c e q u v u j r i r m; a e y u

- a o; a y i c e u s q i; v m r v; O r & v i a o m v n; a u m i; v e m w i a q; . a e m u q u w q; u|; r m; c p m; & v i
a o m v n; a u m i;
C E a q; a j m i; a y; y|
- a o; a y i; c e t e n; i , u s q i; j y/ v e m w i r n o n a e m u q u w q; u|; r r c p m; & y u/
C E a e m u a q; w r|; x y a y i; a u|; y|

ao;ay;icewn:irpmxe;c;yeiaom tcewi/vem t m;vp0;yevnppaq;y//uoron t r m; t m;ji
wouwm;wv; uo&av&y;/&ywe; l r&y/ uort m; &wcn;&ywe;ci;on vem t m; t E &m ,
jzpa;Eion// t x;o;zi Methyldopa o;r [w Propranolol aq;r m;ji u oaeor m;jzpyu -

(c) t o; y/ &eaq; O; r m;



(*)ao;w;u aq;r m;

aq; t r n	pwiraq;Ee; yrm%	yrequ v u aom u &eaq;ee;	t j r i q; aq; ee;	ro; o i a o m t ajc t aer m;	aq; . a e m u q u w q; u; r m;
Hydrochlorothiazide	12.5 mg OD	25 mg OD	50 mg	a* i u a&m* j y i; x e a o m a u s m u u y E i t o y u p; r/ u , O e a q m i j c i;	Potassium a v s m e n; j c i; (t e r q; a q; E e; w i r j z p y) O: u m; "w j r i w u j c i; a o; a y i u r/
Propranolol	80mg BID 3-4 yw t : u m w i; w i 40mg BID w j r i a y; y/	120mg BID	160mg BID	y e; e m & i u y a&m* e m w m & n a v i y e r m; y w q i r a&m* e v; c e E e; w r e p 50 a t m u	a o; c e E e; a E; j c i; v u z m; a j c z m; a t j c i; t y r u q; r m; r u j c i;
Enalapril t o u; u; a o m o r m; o r [w Hydrochloro- thiazide a o m u a e o r m;	5mg OD 2.5mg OD 3-4 yw t : u m w i 2.5 mg OD w j r i a y; y/	10-20mg OD	40mg OD	u , O e a q m i r m;	a o; a y i t v e u s q i j c i; a u s m u u y v y i e; y u p; j c i; a c s m i; a j c m u q; j c i;
Methyldopa t o u; u; a o m o r m;	250mg BID 125mg BID		3g ae; p0 v j u; r m; t w u 2g ae; p0	p w " w u s q i; r v w w a v m j z p y; a e a o m t o a&m*	y/ t e r t p m t r a&m i j c i; E w c r; a j c m u j c i; t u u j c i; a z m a , m i j c i;
Hydralazine a o m u a q;	25mg BID	25-50mg / w a e; BID	50mg BID	a u s m u u y a&m* a v j z w j c i; a o; c e E e; w r e p 140 t x u	a o; c e E e; j r e j c i; a o; a y i c i e u j c i; r; a r m j c i; c E m u , r t & n p e l x w r e n; j c i; t & n r m; j c i;
ao;ay;ice t v e t u w u r t w u Hydralazine IV	5mg IV a t m u a o; 110mmHg a t m u u a&m u o n t x 20- 30 r w p w j u r a y j c i;		20mg	*** a v j z w x m; a o m v e m r m; w i t o; r j y&***	a o m u a q; e i w o n x t j y i a o; a y i c i e v s i j r e p m t v e t r i; u s q i; a p o n//

owjy/æ-

- Hydralazine aq;jym; u u , 0eaqmirm;wi Methyl dopa jziao;ayicewn+ira t mi jy/vyEijci; r&rom t o;jy/on// omre t m;ji aem u quwq;u s; rsm; l t orjy/y?
- Nifedipine-aq;jym; o n ao;ayiceajymi; vjci; rsm; u jzpay:apy;Ev;ceEe; t m;jreapa oma:umi ao;w;a&m* u o&ene:um; t o;jy/jci; rjy:uawmay?:um&naq; t meo i xwvwaom aq; t meo i xwraE;a t mi jyi q i x m;aomaq;aq;ypri; o ma o;ayice xe;clyrwi q u v u t o;jy/on/
- ao;ayicejirm;ve;aom vemrsm;wi Nifedipine aq; t m;vma t muwixm; l u o jci; o na o; o n ao;ayice t ve t ri;v:ijrepm us q i;jci;u jzpapao ma:umi , c t cwi t o;rjylawmay//

(a t muwi&y)

(C) rnouuornen:/

Bp 141-159/ 91-99 mmHg	ae x i r y p u x ; j z i t } u a y ; y t e n ; q ; 3 v w } u r j y e v n p p a q ; y //
Bp 160-199/100-109mmHg q;c/a&m* r &/a u s m u u y a &m* r &	1/ ae x i r y p u x ; 2/ ao;ayice t m;2 ywv:iw}urji 4-12yw:um t x p p a q ; y // 3/ t : u r r s m ; r s m ; w i B p j r i r m ; a e j c i ; u t } u r r s m ; p m a w i r a q ; 0 ; u o r p w i y //
q;c/a&m* /a u s m u u y a &m* / Ev;vyie;c/ , i ; t m ; e n ; r & j c i ; ?	1/ ae x i r y p u x ; 2/ t y w p 0 a o ; a y i c e p p a q ; j c i ; t m ; 3 - 4 y w : u m t x j y l v y y // 3/ t e n ; q ; 3 } u r B p j r i r m ; a e a o m t c a q ; 0 ; j z i u o r p w i y ?
Bp 200-220/110--120mmHg	1/ ae x i r y p u x ; 2/ v e m a q m i w i w u a & m u a p l a p m i : u n y / w a e i v : i 2 c a o ; a y i c e y ? 3/ t e n ; q ; 3 } u r B p j r i r m ; a e a o m t c w i r a q ; 0 ; j z i u o r p w i y ?
BP> 220§120 mmHg E i a&m* v u Q % m j o j c i ; r & T v e m r m ; w i I V a q ; a y ; j c i ; o n , c t c w i t o ; j y i j c i ; r & v y ? ao;ayicev:ijrepm us q i;jci;a:umi -avjzwjci; -r:upu , jci; -a u s m u u y v y i e ; y r y : u p ; a p j c i ; -& i b w a t m i j c i ; -& w w & u E v ; a & m * j z p j c i ; w } u j z p a y : a p o n //	1/ IPD vemaqmiowiy 2/ t y&may:wi v;0 t em; , yap 3/ Furosemide 20-30 mg t m;w}uraomuci;y 4/ Hydrochlothiazide oir [w/ Ei Propranolol oir [w/Ei Enalapril aq;w}uaomuci;y// yxr24em& t wi;a t muao;ayiceon 110mmHg 0e;uio:u:qi;oion// aem u xy2& u t :umwi a t muao;100mmHg a t muo:u:qi;apoion// • BP av smen;ap&e&uyi; t wi;jy/vy&r n?em&yi; t wi;u s q i;aprrjy/o i y // vem t m;aq;rsm;ay; laq;&r qi;apEiyon//

<p>Bp 220/120 mmHg x ujrirm; la&m*ıv u%mrsm;cpm;ae&jci; (ao;ayıce t ve t uıwur/Hypertensive crisis)</p> <ul style="list-style-type: none"> • yıci t eciıjzpıci; • wızn;jzn;acı; u u vmıci; • owııE , iıci; • *%mrjı rıjzpıci; • wıjci;/ • ararımıci; • t jrı t m&a00ııci; • t qya&0ıazıa&mııci; • au sm u uyvyie;csıı , iıci; 	<p>1/ IPD vemaqmıoıwıyı 2/ a t m u a o ; a y ı c e 110 c e ı a v s m e n ; v m o n w i a t m i t a u m o i ; a q ; r m ; t m ; 4 e m & u m t c e x a y ; y ı x ı a e m u a o m u a q ; o ı a j y m i ; l a y ; y ı ı • t a u m a q ; f u r o s e m i d e I V 40-80mg a y ; y ı ı 1-2 e m & t : u m ; w i q u v u l a t m u a o ; a y ı c e 110 x u a u s m a e j y ; a 0 ' e m v u Q % m r m ; & a e a o ; y ı u - • I V H y d r a l a z i n e t m ; t o ; j y ı y ı ı a q ; E e ; t j r i E i a y ; y ı a t m u a o ; a y ı c e 110 c e ı a v s m u ; v m o n t x 5mg I V t m ; r e p 20-30 : u m w i ; x ; a y ; y ı t r m ; q ; x ; E i a o m a q ; y r m % 20mg. E H y d r a l a z i n e o n a o ; a y ı c e t m ; & w w & u x ; q i ; u a p E i o n u o w i y ı y ı ı 3/ a t m u a o ; 110 m m H g c e ı j z p v m y ı u a o m u a q ; o ı p w i a y ; y ı ı 4/ a t m u a o ; 100 a t m u j z p v m c e w i v e m t m ; a q ; & r q i ; c i ; y ı x ı a e m u 2 v 3 v t : u m w i a t m u a o ; 90 c e ı j z p o m ; a p & e o w r w l u o y ı ı <u>a v j z w a e a o m v e m w i</u> a o ; a y ı c e t v e j r i r m ; a e r t m ; u o & m Y y i 0 ; a E m u y u p ; r u j z p a p E i o n ı x ı a : u m i u o & m Y o w & & e v t y j y ; I V H y d r a l a z i n e E i N i f e d i p i n e v m a t m u ı j c i ; t m ; t o ; r j y ı y E i ı</p>
--	---

<p>ao;ayıceav sm u a p & e t w u N i f e d i p i n e t m ; v m a t m u w i x m ; l i j c i ; o n , c t c q u v u t o ; r j y ı a w m a y ı ı 4ı; o n a o ; a y ı c e v ı j r e p m x ; q i ; u a p E i o n ? o i w i t j c m ; a q ; r m ; r & a o m t c r (o ı r [w) v e m . a o ; a y ı c e t v e j r i r m ; a e a o m t c r t o ; j y ı y ?</p>
--

Ev;vyie;cł , i;I jzpaom Ev;a&m*

Ev;vyie;cł , i; t m;en;jci;qonrm vavmuaomao;ym% t m; rnpwxEijci;uq von?

Ev;vyie;cł , i; t m;en;jci;jzpy;m;aom a , b , s t aumi;&i;rm;rm

- 1? ao;w;a&m*(ao;ayiwujci;)
- 2? ao; t m;en;jci;
- 3? b , &;b , &a&m*(Awmrib 1 "wcłwr
- 4? Hyperthyroidism(o i&u"wrsm;aom t vyvyaqmijci;)
- 5? t&u
- 6? ar;&myEv;a&m*
- 7? Ev; t q&i&i&ma&m*rm;(Ev; . t q&i&rm;wi;uyaeroir [wrvjci;)
- 8? Ev;u uom;rm;on Ev;cejeve;I ce , omcejci;
- 9? Ev;cerrejci;

a&m*v u%mrsm;

- a&m*jzppY t m;pu xwcwi t ou&&cucjy;aemuyi;wiem;aepOYyi t ou&&cucr&jci;?
- yu v u vavsmi;y u t ou&&cucon?vemon t ypu&et wuaci; t;yl qiumo;&rn?(o)
- x i t y&rn?
- n v , aci v em v l t yaepO&ww&u t ou&:uyjci;?
- &i bwa t mijci;
- ao;ceEe;jrejci;
- wcłw&wiao;ceEe;rrejci;
- t qy . a t m u a j c E p z u p v ; t c l y w o r s m ; = u m ; & j c i ;
- v n y i & a o ; j y e a : u m r s m ; a z i i ; a e j c i ;
- t o : u j c i ;
- a j c a x m u a z i a & m i j c i ; / v a e y i u a e m u a u s m a t m u y i ; a z j c i ;
- t x ; o j z i n b u w i a c m i ; a j c m u q j c i ;
- w m & n p m j z p a e a o m y i y e ; E r ; e , j c i ;

&ww&uEv;vyie;cł , i; t m;en;jci; t m;uor

vemon &wcłn; t qwwi; a&Oiazmjci; v u%mrsm;jzpv mEion? T o j z p v m y i u v e m o n & w w & u t o u & l r O j c i ; / p ; r y y e j c i ; E i y u v u v c l r & j c i ; p o n w c p m ; & o n ?

- v e m t m ; x i c i ; x m ; y ?
- &&Eiy;u r s u E m t y p y z i a t m u p * i a y j c i ; ?
- Furosemide aq; t m;IVay;y/ v}u;40-80mg / uav;rm;wi 1mg/kg
- v e m q ; r o m ; y u o i r [w t a j c t a e r a u m i ; r e v m y i u a e m u x y r e p 30 t : u m w i w n a o m x ; a q ; y r m % t m ; x y r a y ; y ?
- v e m . t " u u a o m v u % m r s m ; t m ; p p a q ; r w o m ; y ? (a o ; c e E e ; a o ; a y i c e l t o u & E e ;) v e m t a j c t a e w n j i r v m o n t x 15 r e p w p c ; r w o m ; y ? x i a e m u w p e m & w p c p p a q ; y ?
- q ; o m ; r y r m % t m ; a o c m p m r w o m ; y ?

vem t ajc t aeaumi;revmyua&m* t aumi;&i; t m;&maz l uoy?

t u , I a&m* t aumi;&i;onEv;r t "ujzpaev i

- t y & m a y : w i t e m ; , y ?
- t & n a o m u r a v m y ? (t r m ; q ; 1.5L/day)
- a q ; v y j z w c i ; y ?

- u , t a v ; c e a e p 0 c e y ?
- **Furosemide** q u v u a y ; y l - a e p 0 20-40mg PO (a o m u a q ;) v e m . u , t a v ; c e y r e j z p a p & e t w u E p & u v i w p : u r a q ; 20mg w ; j r i y l t r m ; q ; 80mg/day
- & E i y u . **Enalapril** j z i p w i l 10mg BID E e ; o j z n ; n i ; p m w j r i y l t r m ; q ; 40mg/day x a y ; E i o n ?
- Enalapril r & E i y u / **Digoxin** j z i u o r p w i y ?
v l u ; - y x r a e l 0.25mg TID . x l a e m u 0.125-0.250mg OD
t o u l u ; o r m ; - 0.125mg OD j z i p w i l 0.0625mg OD o l a j y m i ; y l ?

a q ; r m ; E i y w o u a o m r w p

- 1? **Furosemide** o n q ; r w q i Potassium " l w q ; & ; r u j z p a p o n ? x l a : u m i a & n o ; p y u
(u) v e m t m ; i u a y m o ; p m ; c i ; y l (o l r [w)
(c) y w u p , r u v & u 1-3g/day t m ; 2 j u r o l r [w o ; j u r c l a y ; y l o l r [w
(*) Spironolactone 25mg OD x y r a y i ; a y ; y l ?
- 2? **Enalapril** : t m ; **Furosemide** E i w l a y ; y l u / t x ; o w & e v t y o n ? & w c n ; a o ; a y i c e x ; q i ; l u s
o m ; E i o n ?
(u) IPD v e m a q m i o l w i x m ; a o m v e m ; r m ; t m ; x ; a q ; r m ; u t e r q ; E e ; x m ; l a y j c i ; j z i p w i y ?
(c) y x r q ; t j u r a q ; a y ; & m w i v e m t m ; v a e a p j y ; n a e y i ; b u w i a y ; y l ?
- 3? **Enalapril** : o n Potassium u w ; j r i a p l p o t a s i u m j y e v n j z n l u o & e r v t y y l ? (a q ; Z , m ;
w i z w & y l)
- 4? **Digoxin** : a q ; r o ; & o n t a j c t a e r m ; E i a q ; t q y w u j c i ; v u % m r m ; t m ; a q ; Z , m ; w i z w & y l ?

& u c e ; j z i x y r : u n & j c i ;

- E v ; v y i e ; c l , i ; t m ; e n ; r t m ; u o & m w i t p 0 t r e ; u y p m } u ; u y a p m i : u n o i o n ?
v e m t m ; v p 0 j y e v n : u n & y l ?
- Ev ; v y i e ; c l , i ; t m ; e n ; r o n t r m ; t m ; j z i e m w m & n j y l e m w p c j z p o n ?**
v e m t a j c t a e w n i r a e y u / x u x j z i y i q u v u o a e o i o n ?
a q ; y r m % o m t m ; a v m c & e r j u l ; p m ; y l E i ?

av;b uema&m*on wcv&w i v naci; t wi;Y Streptococcus buw&; , m;y;0i;y;aem u qu v u
 jzpy;m;aoma&mi&r;ema&m*wrj;jzpon// v naci; a&mi;ci; o r [w t mo;a&mi;ci; t;y; 2ywr 6yw t:um
 (y;r;r&u20) wijzpy;m;wwo n//
 t ou 5-15Ep t wi; uav;rsm;wi t jzprsm; o n//
 Streptococcus buw&;a&u mi v naci; a&mi;jzpy;m;aom v rsm; . 2&mc iEe;om T a&m*jzpy;m;u o n?
 (u orrc , &or sm; o r [waumi;repm ru oc&or sm;)
 a&m*v u %mrsm;
 av;b uem tzm;a&m*on t&;qprsm;/Ev;/yir t m&a&u m t z t pn;Ei t a&jym;paom ae&mav;r&; t m;
 xcu o n// a&m*jzpaep0wi vem o n x v u %mrsm;a&maEm lcpm;Ei o n//
 • wpcx uyaom t qprsm;a&mi;ci;/ t x;o jz i t qp u;rsm;(';aci;/ajcrup/ wawmi qp/ v u a u m u
 0w) x t qpa&mi;ci;Ei em u;i;ci;on wae&mr t jcm;wae&m o a& v sm;on// v }u;rsm;wiyl
 t jzprsm;on// wcv&w i em u;i r wco m&y;/wcv&a&mi u i;ci;/e&jci;/em u;i;ci;rsm;y&aeEi o n?
 yo&Emec& , i; l u&ecrr&y//
 • Ev;r m;rm t o
 • ao;a&u m rsm;azi;jyn laey;Ev;vyie;c& , i; t m;en;r
 • Ev;}u;jci;
 • Ev; t ajr;y;ywwu o
 • t a&u mqrwr&;(aci;/r&uEm/ v uEiajcw wi jzpy;m;av&aom jre qel x e;cyEi;ci;r&on vy&m;r/
 n t yay;maep0wirjzpy;m;y//)
 • t a&jym;a t m u b u w i t zrm;x u v mji; /r v r w m t en;i , r 2piwrwmce& t x&Ei o n// a&E
 v sm;Ei;y;em u;i r r&y// t x;o jz i t &;r&uEm j i a y;Ei t a&u m rsm;ay;wi &wwo n// (wawmi qp/
 ' ;aci;/ v u a u m u 0w/ ajcrup/ Achilles t a&u m rsm;Ei a u sm&;rsm;ponw0u)
 • t ea&mi t em;ow&aom t eu rsm;on , m; , rr&em u;i r r& t em on jriwuaey;t v , on t
 a&mir&/ u , ay;/ ay i Ei v u rsm;ay;wi t jzprsm;on// t em rsm;on yo&meajym i;v on// x t
 jyi t zm;wujci;/Aua t mji;ci;/Ema ci;ao; , jci;Ei t qp t jrpe m u;i;ci;rsm;y&Ei o n//
 a&m*owrwc u
 av;b uem tzm;a&m*t w u o;oe&a&m*v u %mwc o r [w a&m*ippaq;ci uwc r&y//
 a&m*owrwc u on Revised Jones Criteria (yev n jyi x m;aom Jones . owrwc u)ay;wi t ajcco n//
 1) r:umao;ru Streptococcus buw&; , m;y;0i x m;aom taxmu t x m;
 ASO yrm%ao; t wi;jr i r m;aejci;(anti-streptinolysin O)
 v naci; t wi;ry; t m;ar;jrl:u n&mwi Group A beta-haemolytic strep tococcus y;ay uym;jci;/
 2) t "uowrwc u
 t x u w i a z: jyaom Ev;Ei q i a o m v u %mrsm;
 t qp t jrprsm;a&mi;ci;
 t a&u mqr
 t a&jym;a t m u z u & t z i , rsm;
 t ea&mi t em;ow&aom t zrm;
 a t m u y; t c u r m;Ei u u n r av;b uem tzm;a&m*t jzpowr wEi o n//
 1) r:umao;ru Streptococcus buw&; , m;y;0i x m;jci; taxmu t x m;Ei t "uowrwc u
 2c o r [w
 2) r:umao;ru Streptococcus buw&; , m;y;0i x m;jci; taxmu t x m;Ei t "uowrwc u
 1c + omr n o w r w c u 2c
 3) omr n o w r w c u
 t qprsm;em u;i;ci;
 t zm;wujci;
 ESR/CRP jriwujci;

Æi;wi;tyi; 3yi;y0ion?

a&m*vr;a:umi;

a&m*ja0'em on yr;r;t m;ji 3vce;u m;ji rwwy; 5% x uav smen;aom t c;rsm;wi om 6v x uau sm l
:u m;ji rwwon//

aem u quwiy \ emrsm:

1) ao;a:umrsm;azmi;jyn laey; Ev;vyie;cł , i; t m;en;&mraoq;ji;

2) av;b uem t zm;a&m*iyev n;jzpym;ji;(5-50%)

3) emwm&nav;b uemEv;a&m*(av;z uemEv;a&mijci;jzpym;aom vemrsm . 60 &mciEe;)=Ev; . t qł
&iwpc o r [w wcx uyl yo Æmey;uijm;ji; , i; onav;b uem t zm;a&m*. wcnw;aom a&n
jy \ emwcjzpon//

q;&m;ji; xeaom t c;rsm;wi emwm&nEv;cł , i; t m;en;r a&m*uquv u;jzpym;apon?

emwm&nav;b uemEv;a&m*on t rsm; t m;ji av;b uem t zm;a&m*pwijzpym;y; Epayi;rsm;pm:um
onwia t m i rnon v u%mr rjyoy&æEion//

uor

- **Benzathine Penicillin** t m; (IM)w|urx;ył

Benzathine Penicillin r&Eiaom t ajc t aer sm;wi Pencillin V aom uaq; t pm;x; l 10&u:umay;ył
Penxillin rwnaoma&m*&y;u/ Erythromycin 10&uay;ył

- **Aspirin** t m;aq;Ee;jrirm;aomyrm%Ei a&m*v u%mrsm;ay sm u u i;on t xay;ył
uav; 20-25mg/kg QID
v)u; 1-2g QID

- a&m*jzpym;rwiEv;y0ir&v i o;r [w t qp t j rpa&mijci; t m; AspirinEi u oEirr&v i
Prednisolone t m;2mg/kg 0Ee;ji 2yw:umay;ył x laem u w jzn;jzn;aq;av smcył
Prednisolone aq;&ył wv:umon t x Aspirin t m;q u lay;aeył

- **t aumqr** t em; , ył
Diazepam O|r [w Phenobarbital ay;&e

- t u , l vemwiEv;vyie;cł , i; t m;en;rjzpym;vmyu pmr:uEm&Ev;vyie;cł , i; t m;en;r t ce;&
uortwi; uoy?

u|wiumu , r

- a&0;umu , r-&wc n;av;b uem t zm;a&m*jzpym;r t m;u|wiumu , &e

Streptococcus buw;& , m;y;a:umi t mo;a&mion [, q&aom vemrsm; t m;aom uaq; 10
&u t jynwuau|ji;o|r [w Benzithine penicillin t om;aq;w|urx;ji;?

- 'w, t qiumu , r-a&m*xyrjzpym;rr|u|wiumu , &e

av;b uem t zm;a&m*w:urjzpym;z; aom vem wi; t m;4yww:ur Benzathine Penicillin 1.2million
t om;aq;x;ji;

Benzathine penicillin 4yww|urx;ji; t m;rnr:umon t xc , oioen;?

a , b , soabm wn owwc:ur&ył

t rsm; t m;ji zivem . t ou20jynon t xEiav mav m q , a&m*jzpym; t jy;aemu xy5Ep:umon t x
ten;q;quv uaq;x;&et}ujy:uon?

wc:w&wi b0wpo uwm v;q u v uaq;x;&et}ujy:uon?

q;cl&m*

q;cl&m*(Diabetes Mellitus)qonrmcEmu, twi;&Pancreas t\uw(tpmact iZi;tdxwvEw ay;aomt\uw)rtiqvi"wrsm;rxwvyEir(o[r[w], i;tiqvi"wrsm;. tmeoiavsmen;om;r w\ajumiay:ayuvmaoma&m*ppwr&jzpon?4i;onao;twi;&o\um;"wyrm%ujrirm;apon?

q;cl&m*tr&tpm;2r&on?tr&tpm;-1(a&m*jjzpr.10&mciEe;)/tr&tpm;t m;jiuav;b0rpwi la&m* cpm;&jy;tiqvijziomuoeion(aomuaq;rsm;jizax&murr&y;)/tr&tpm;2/tr&tpm;t m;jiou\u; yi;wi(tou40txu)a&m*pwilaomuaq;rsm;jziuoEion?q;0;r&y;u tiqvieuoe&vtyon?

a&m*vu%mrsm;

- a&qmavmir
- q;r\umc%om;jci;
- a&m*y;0ia&mu&ev, ujci;tx;o;zi ta&jym;a&m*trsm;/q;vr;a\umi;y;0ir/re;ru, y;0ijci; (candidiasis)Eiwba&m*trsm;/
- q;cl&m*.aemuquwjy \ emrsm; (atmuwi&y?)
- tav;ceusqijci;
- yiye;Er;E, jci;

q;cl&m*onw0;onowvpararmiy;a&mu&vmEion?

owvpaeaomvemwi;wiao;twi;o\um;"wyrm%(Dextrostix)ppaq;y?

o\um;"wyrm%jrirm;aeon uaw&y;u

- ao;a\umtwi;o\cannula yuoi;y?
- NSSqm;&noiy?
- vemtm;aq;&o\vy?

a&m*owrwc:u

wpw0;wi txuya&m*vu%mrsm;aw&y;u/q;cl&m*&r&ppaq;oion?Oyrm-q;twi;o\um; y0irppaq;y?

o\um;"waw&y;uq;cl&m*jjzEiac&on?o\aoomtclq;cl&m*tr&aomvrsm;wivn;q;twi; o\um;"waw&Eion?

x\ajumiq;ppcuona&m*tm; twnr&SyEiay/q;twi;o\um;"waw&aomvemrsm;t m;a&m* twn&SyEi&eo;twi;o\um;"wyrm%uwi;wm\uny?

ppaq;c:u		atmuytcurm;aw&y;uq;cl&m*&on
u;ye;ao;twi; o\um;ppc:u	rnontceYrqo\um;"wyr m%tm;ppaq;Eion?vem tpm;pjci;&r&ont a&ryay?	>11mmol/L* >200mg/dl
tpmrpm;rao; twi;o\um;ppc:u	reuci;Yo\um;"wyr%tm;pp aq;on?n12em&aemuyi;wi a&rvlrnont&mrrpm;aomu &evemtm;rm\um;xm;&rn?	>7mmol/L >125mg/dl

* ajymi;vjci;1mmol/L = 18mg/dl, 1mg/dl = 0.055mmol.L

aem u q u w q ; u % ; r s m ;

u o r c , j c i ; r E y y u / q ; c l a & m * i o n t c e j u m j r i v m o n E i t r i c E m u , t m ; x c u y ; u p ; a p o n ?

1/ **ao ; a j u m a & m * r m ;** - a v j z w j c i ; / E v ; a & m * i / & w w & u E v ; a & m * i a z m u j c i ; / c E m u , t p e t z m ; & a o ; a j u m r s m ; x c u j c i ; (a o ; a u m i ; r e p m r a v s m u r a j u m i a j c z m ; r s m ; a t ; p u j c i ; / e m u s i j c i ;)

2/ **a u m u u y v y i e ; c l i , i j c i ; - q ; t m ; p r ; o y w w a c m i ; i ,** (L a b s t i x) j z i p r y i u P r o t e i n " w a w & j c i ; /

3/ **n u p a & m * i** - t w i ; w r / a & w r / r u v ; t r a e m u y i ; & t j r i v m y ; u p ; r (v e m o n t j r i t m & r j u n v i r c p m ; & r n)

4/ **t m & a j u m y u p ; r** - x u s i j c i ; / w c j w & w i v u O j ; / a j c a x m u r s m ; w i e m u s i r (n t c e w i y l q ; O j ; o n)

5/ **a j c a x m u j y \ e m r m ;** - a o ; a u m i ; r e p m r a v m u j c i ; / x u s i j c i ; w a j u m i q ; c l v e m . a j c a x m u r s m ; o n t e m j z p & e i a & m * y ; O i & e y l v , u o n ?

u o r e n ; v r ;

q ; c l a & m * i t m ; u o j c i ; r m a o ; t w i ; o j u m ; " w y r m % a v s m e n ; a p & e j z p o n ? T e n ; j z i v e m o n a e a u m i ; v m j y ; a & n w i y ; u p ; x c u r r u m u , E i o n ?

1? & i ; v i ; a j y m j u m ; r E i t j u a y j c i ;

q ; c l a & m * i j z p y m ; a e a j u m i ; o w r w j y ; y i u / v e m t m ; q ; c l a & m * i t j u m i ; & i ; v i ; a j y m j y y ? T a & m * i o n a y m u u i ; a t m i u o l r & a j u m i ; E i , i ; w i t a e j z i w o u w m y w v ; a & m * i & a e r n j z p a j u m i ; t o a y ; y i (u , O e a q m i p O j z p y m ; a o m q ; c l a & m * i r v l ... a e m u y i ; w i q u v u z w & y) q ; c l a & m * i t m ; x e ; c i y l & y o n ? a o ; t w i ; o j u m ; " w a v s m e n ; a p & e a q ; O j ; r s m ; & a j u m i ; E i v e m u , w i v u e m E i o n a o ; w i ; & o : u m ; " w c l u e n ; r s m ; v n ; & a j u m i ; & i ; v i j y y ?

2? a e x i r y p u x ;

(u) t p m ; t a o m u

o j u m ; a v s m y i - v z u & n / o j u m ; v ; / b p u w / u u m u v m E i z e w m u o l t c l & n r s m ; / j u / y m ; & n / o j u m ; t p m ; / u p " w t p m r s m ; p m ; o ; y i (x r i ; / t m v ; / a c j u q / a y i r e l) / x t p m r s m ; o n c E m u , t w i ; Y o j u m ; " w o j a j y m i ; v o m ; a o m v n ; j z n ; n i ; p m a j y m i ; v o n ? x a j u m i a o ; t w i ; o j u m ; " w j r i w u r u r j z p y m ; a p y /

t q a v s m p m ; y i

t r i r s m ; a o m t p m r s m ; p m ; y i (t o ; t & u r s m ;)

t & u a v s m a o m u y i

O v e ; a o m v r s m ; / t a v ; c e a v s m y i / a o ; t w i ; o j u m ; " w u a v s m e n ; a p y o n ?

(c) a q ; v y a o m u j c i ; - q ; c l a O ' e m & i ; r s m ; t m ; a q ; v y j z w & e t j u E y y ?

(*) a v u i c e ; - a e j p O y r e a v u i c e ; v y & e w u w e ; y i ? O y r m - v r ; a v s m u j c i ; / a b m v ; u e j c i ; /

t c l a o m a O ' e m & i r s m ; o n t x u y a j y m i ; v r r s m ; t c l i j y i v y j z i 4 i ; w a o ; t w i ; & o j u m ; " w y r m % u y r e j y e j z p a p y o n ?

a & m * i p p a q ; c e w i D e x t r o s t i x 140-200mg/dl (7.7 - 11mmol/L) o m a w i & y u a e x i r y p u x ;
t m ; O ; p m p r ; o y : u n E i y o n ?
w v t j u m w i r a t m i j r i r o m / a q ; O j ; j z i u o r p w i y ?

3/ aq;0;ji u or

Dextrostix o n 200mg/dl(11mmol/L) x uau smveyu (o|r [w) aex iryp u x;ji ra t mijri yu/ q;claq;zipwi u oy? q;claq; t m; q&mOe o|r [w0&i aq;rl;rpwi lay;&ev tyon?
q;claq;0; t clrm

aq; t rn	aq;pwiee;	tjriq;aq;Ee;	owŶe
Glibenclamide	5mg OD t o u u;orm; 2.5mg OD	15mgOD	reupmEi t way;&
Chlorpropamide	250mg OD t o u u;orm; 125mg OD	500mg OD	reupmEi t way;&
Metformin	500mg TID	1g TID	t pmEi t way;&e/ Oaomorm;Ei o iawmon

owŶe

- o:um;"mwyrm%avsmu&e t vecucaomvemrm;wiGlibenclamide or [wChlorpropamide t m; Metformin Eiway;eion/o|aom Glibenclamide Ei Chlorpropamide t m;wl t o;Eyi;ci; r&y?
- q;claq;rsm; pm; o;aeaomvem on t pmrpm;ji; o|r [w t pmyrrpm;ji;rsm;&y;u ao; t wi; o|um;"wvsmen;rjzpy;m;&e t vm; t vm&on? x t a|umi;u vem t m;aocmpm&i;jy? x o|um; "wvsmen;r . v u%mrsm; t m; o&ap&Ei u oen;rsm; (t cl&n / t pmwcpm;o;&e) t m; vem u o i|um; x m;y?

4-aemuquwu or

t "u&n& , c|urm vem t m;ynmay;&e/ ao; t wi;o|um;"wyrm%aumi;reaeap&Ei u oEiaom aemuquwiy \ emrm; t m; ppaq;&ewijzpon?

- aq;pwiuocerpl ao; t wi; o|um;"wyrm%wnjirvm on t x vem t m; tywpOjyev npp aq;y? Ten; t m;ji vem t m; q;cl&m*| t a|umi;yr&i;vi;jyEion t ji; t pm; taomuEiaq;0; t wu oway;&e t ci t vr;yr&Eion?
- ao; t wi;o|um;"wvsmen;rjzpy;m;aom t cewi/ vpOjyev nppaq;y?
- ao; t wi;o|um;"wvsmen;rjzpy;m;&e t wu up"wyoiaom t pm; t pmrsm; r}umc%pm;ay;&e vem t m;ynmay;y?
- q;claq;rsm;pm; o;aeaomvemwi; t m; ao; t wi; o|um;"wvsmen;r . v u%mrsm;Ei4i; t m; t r wi uoen;u oway;ajym}um; x m;y?

u? ar;&e

- v u%mrsm;- ouomr& r&
- aemuquwiy \ emrm;- ajcaxmursm;a t;puci;/ x u;ijci;/ tjri t m&c| , i;ji;rsm;&r&
- ao; t wi;o|um;"wvsmu;rjzpz;ji;&/ r&4i; . v u%mrsm; (a t muzuwiy&)Ei jzp&ji; t a|umi; u&i;jy? x|aemurnu o|u o&rnu vem t m;ynmay;y?
-o|um; t en;i , pm;ciy?

c? pr;oy&e

vp0

- ao;ay;ice
- ajca xmuwi t emrsm; / a&m*y;0ir/ x u;ir& / r&

Epp0

- q t wi; Labstix Eiy&we;"wy;0ir (au sm u uyvyie;c, i;r)
- Ev; - Ev;vyie;c, i; t m;en;rv u %mrsm;
- rupa q;ce;Y t jri t m≺oyjci;/ t wi;wr& / r&

*? ao; t wi;o}um;"wyrm%ppaq;y

	t veaumi;on	aumi;reon	t veeru;on	t vejirm;on
ao; t wi;o}um;"w yrm%	70 t x ur 140 mg/dl a t mu 3.8 t x ur 7.7mmol/La t mu	180mg/dl a t mu 10mmol / La t mu	70mg/dl a t mu 3.8mmol/La t mu	180mg/dl t x u 10 mmo/L t x u
y/vy&e	yreu or t wi;q u v u o y;		- vemyre t pmpm; jci;&r&ppaq;y? -yrepm;y;uaq; av smay;y? -rpm;y;uynmay;y? - vemwio}um;"w av smen;aom v u %mrsm;&y;u u orjy;y? (a t muwizwy;)	-vem on aq;u oru c , aey;u aq;jri lay;y? -a&m*y;0ia&m ur &r&p0;pm;y/(Oyrm- q;vr;a}umi;y; 0ijci;) - t pm; t aomu t a}umi;ynmay;y?

owE&e

- aq;Ee;ajymi;vjci; t m; q&m0eo;r [w0;&iaq;r;r vyaqmio ion?

ao; t wi;o}um;"wvsmur

ao; t wi;o}um;"wyrm% 45mg / dl x uav smen;r (2.5 mmol / L) u q v on?

t a}umi;&i;rm;

- 1) q;c;laq; wuau;ryrm%jrirm;ve;jci;
- 2) q;c;la0'em&i on aq;aom uaeaomvn; t p m r p m;o;jci;/
- 3) iuzsm;a&m*/ t x;o;zi u , 0eaqmircirsm;Ei u;ei;aq; u orc , orsm;/
- 4) t jcm;a&m*y;0ijci;rm;/

v u %mrsm;

- ac;p;jyejci;/ Au qmjci;/ we , ijci;/ r;a0jci;/
- y l q;&m;y;u - r;r;aEm u aEm u jzpjci;/ (o l) pwwjci;/ pwq;jci;/ wujci;/ arar smjci;/

u or

- IPD vemaqmio|y|
- a&m*owrwc:uaocmap&e Dextrostix jzippaq;y|
- aomuEivsi/ o}um;&n o|r [w t c|&nwuau|y|
- owvpjci;o|r [wa&aomuEipr;r&y|u 50% Dextrose o}um;&n 50ml t m; t a}umrwqiw }uroi;ay;y| ow&vmy|uy;pyro}um;&nwuy|
- vem . aq;Ee;rm; t m;q&mOeolr [wO&iaq;r;rijev nppaq;y|

u , Oeaqmijci;Eiq;cla&m*

u , Oeraqmirq;cla&m*&aom t r|;or;rm; u , Oe&y|u olr [wu , Oeaqmi t r|;or;wO; u , Oe&pO t ce t wi;q;cla&m*jzpym;vmy|u/ t pm; t aomuwr|;xjzi o}um;"|wyr m% t m; rxe;cl|yEiaom t cwi t iqvijziuo&ev tyrnjzpon? aomu aq;rm; t m;u , Oeaqmirm;wi t o;rE yEia? x t c|r|;wi vem t m; aq;&o| vy| olr [w q&mOejziaq;aE;y|?

q;cla&m*&aomu , Oeaqmi t r|;or;rm;onuav; taoar;zm;Ee;/ u , Oeaqmi
ao;qywur/ vr aprar;zm;jci;Ei }u;xm;ve;aomuav;i , rm;arzm;Ee;yljirm;on?
(t av;c|erjynaom uav;i , rm;ar;zm;wwon)

0u&jyea&m*

0u&jyea&m* qonrm emwm&n t m&a:umqi&m a&m*wr&jzpy; wujci;on vu%mw&yjzpon
(0;aEmuuvyqvrm;r v:yp"vwvrrm;&ww&ujzpy;m;ji;)

0u&jyea&m* t r&; t pm;rsm;uijm;on? t jzp t rsm;q; t r&; t pm;2r&;&on//

1/ cE<mu , tE t ijm;y0iaomwucur

vem on&ww&uowvpom;jy;v urm;ajcrsm;ji; xepmvy&m;r&on// t a&jm;jmEr;ji; l&Eion// (wc
w&wi vem on q;om;ji;Ei v#muurji;rsm;jzpy;m;wwon//) , i;oijzpy;m;ron rept en;i , :umjriy;/
vem on twu&yom;aom t c;wem& ten;i , :um tyaym l t ouji;pm&laewwon//

t vei , aomuav;i , rsm;wi ajcl v u t a:umqrr&;rjzpy/ rup/Eycr;axmiEi v uacsmi;xyi , rsm;om
vy&m;r&;&wwon?

t u , l t a:umqwuaeceYvem onow&aeqjzpyu/ T a&m*on twua&m*r [wy/

2/ uav;i , rm;c%wmowvwr

uav;on&ww&upum;ajymji;o/r [wupm;ji;rsm;pue ten;i , :um&ywe;om;jy;aemu c% t :um
wi jyevn lovyaeon t &mu quvuvyuion/ uav;on 4i;owvwr t m;rrwrac//

cEmu , tE t ijm;y0iaomwurt m;u oji;

- pmr;uEm 15 &wu ra&m* t ce;wizw&y/

a&m*owrwc:u

0u&jyea&m* [rowrwrwu&ji; t a:umi;&i;wc t m; &maz l u orjiy/? t & , aμy;aemu pwiaom
wuc:uron t rsm;t m;ji0u&jyea&m*r [wy/ t jcm;a&m*rsm;a:umijzpEion? tyi;a'wi t & , a&mu
y;aom orsm; wujci;on Cysticercosis a&m*ia:umijzpon? wura&m* t ce;wizw&y/

0u&jye&m*wiwujci;rsm;rumu , jci;

- wEp t wi;2)urx uylwuz;y/ vem t m; aq;0;jzi u o&e p0;pm;y/?
- T uoron a&&n u orjzpy;/ &ww&u&yqi;v uy u yi;xeaom wujci;rsm;jzpy;m;Eia:umi;
vem t m;&i;jyy/?
- vem t m;0u&jyea&m* t a:umi;ajymjiy;/ T a&m*on xec;l &Eia:umi;&i;v i;jyy/?
- vem on uorc , &eoabmwnyu/aq;wr&;wn;jzipwi u oy/?
- aq;Ee; t erpm;jzi pwiay;y/ t wuen;y;v m;y; vemwiaq; . q;u&;rsm;jyovm on t xaq;Ee;
w;jriy/
- vem t m; vp0jyev njo&e wuwe;y/
- vemw0; t m; :u n&o aq;r l; yrew0;omjzp&e }u l;pm;y/

t o;jyEiaomaq;0;r;m;rm- Phenytoin,Carbamazepine,Phenobarbitone,Sodium valproate

	aq;jym;	pwiwu au;Ee;	wae;v;i t rm;q;Ee;	t jzpr;m;aomaem u quwq;u;rm;	aq; t qyjpici;
Phenytoin	50 mg 100 mg	200 mg OD o;r [w BID	500 mg	pw"wu;q;i;r t m&aum a&mijci;/ Ou;jay;ujci; om;z;a&mijci;	Epxyriji;/wejci;/ aumi;repmvr;r avsmuEijci;/ pum;ajm&cuji;/ t r t &majmi;vmjci;/ ao; t m;en;jci;
Carbamazepine	200 mg	100 mg BID	2g	t yi u jci;/ t m&a0;0; jci;/ t iji x jci;	t iji x jci;/y;ljci;/ Epxyriji;/r;jci;/ q' , r"wen;y;jci;
Phenobarbitone	30 mg	60 mg nyi;wi au; &rn	180 mg	pw"wu;q;i;r/ t yi u jci;v}u;r;m;wiji ro u om;jci;/uav;r;m;wipw vy&m;rjzpici;/ t ou}u; orm;wi t m&a00;jci;	r up u om;r;m;yre t vyrvyjci;/ aumi;repm vr;ravsmuEijci;
Sodium valproate	200 mg	200 mg TID	3g	y; t e jci;/u , t av;ce w;vmjci;ajcr:up a&mijci;	&ze&q; t on;yup;r/ t x;o;zi t ou3Ep at muuav;i , r;m;

owjy&e-

- uav;i , r;m; t wuaq;Ee;ym% t m;aq;Z , m;wi:u n&y/

0u&jyea&m*aq;0;r;m; t m;&yqi;jci;

vem t r;m;p onaq;0;u orEp t en;i , :umaom t c#wujci;xyrrjzpy;m;awmy?

t u , l vem on 2Epx uyl wujci;r&awmaom t c;Ei t m&a:umqi&mpaq;ci:u r;m;
yre&ae;u aq;0;r;m;&yqi;&ep0;pm;y/

jzpEiac;r;m; t m; vemEiwiyi l q;jzwc:u u t wwujy/

t c; vemr;m; onaq;&yvuy u wujci;jyev njzpy;m;rnu t vep;&rww:u;y/ t c; rmwwEi or
v:ijrepmaq;u&yv:u on//

- aq;&yvuaom t c;vem 60%aum on xyrwujci;r&Eiy/
- 40% x uen;aomvr;m; onaq;&yvuy u jyev n l wuEi on//

t u , l oiEi vem on aq;u or&yqi;&eq;jzwaom t c;aq; t m; 4ywv:iw}urjzn;jzn;jci;
avsmc&ev on//

- 1) Phenytoin aq; t m; 4ywv:i 50 mg Ee;avsmcy/
- 2) Carbamazepine t m; 4ywv:i 100mg Ee;avsmcy/
- 3) Phenobarbitone t m; 4 ywv:i 30 mg Ee;avsmcy/
- 4) Sodium valproate t m; 4 ywv:i 200 mg Ee;avsmcy/

Or;avma&m*

Or;aymaom (oi) Or; t&njzpaom Or;wae;3}urxuyom;ici;uqvon?

Or;avsmjci;on a&m*r [wy?

Or;avsmjci;on taumi; tr;ra;umijzpeion? (tpm tqyzpjci;/a&m*y;aumi tpm;vr;aumi; qi&m a&m*rsm;jzpjci;/ tvy&m;r. tjyibu& tjcma&m*rsm;/cpwjci;qi&mjy \ emrsm;)

rnoiyijzpap/ rnuoiaom Or;avsmjci;rqcEmu , t&n"lwq;&ici;Eiaojci;ujzpaon?
t&n"lwq;&ici;u pr;oyo&z&erm tve ta&;u;yon?

u/ Or;avsmjci;u&i;vi;cu

- vemwiOr;avsmjci;b , E , &u:um&coen;?
 - w&uwi b , Ep:urom;oen;?
 - t&nOr;vm;?ao; (oi) tcyaoomOr;avsmjci;vm;?
 - Or;Auemjci;&ovm;/ Or;om;y;aemuptemjci;&ovm; (Or;&pjci;)/ zsm;jci; (oi) tejci;&ovm;?
- u) tu , l tzm;&crnqvii qupyjzpeiaom Ta&m*rsm;- iuzsm;a&m*/em;(tv , yi;)a&mia&m*y;
tqwa&mia&m*/O;aemutajr;y;a&mia&m*/ q;vr;aumi;y;oi l jzpaoma&m*/a&m*y;yEjzpaom
a&b , s t ajc t ae?) ponw;u t p0 t r p0;pm;y?
- c) tu , l Or;avsmjci;Ei twao;y;y;u/ Or;uujci;jzpon? atmuyoice;pmtwi; vajymi;y?
- *) tu , l vemwiOr;Auqi&m vQ%mrsm;&cyu- Or;Auuzlxviemuijci; (oi) Or;Auazijci;
oion4i;w;u cpwz&ev tyaoauprm; [p0;pm;oion? (t twua&mia&m*/ t vr;aumi;
ywqjci;/ t ayujci;)

c/ uav;rm;wiOr;avsmjci;

- uav;wO;wi Or;avsmjci;Ei tzm;y;y;u/ qupyljzpeiaoma&m*rsm;u t jrxnlp0;pm;y;
(iuzsm;a&m*/em; a&mia&m*/ tqwa&mia&m*)?
- uav;wO;wiemwm&nOr;avsmjci;&aom t ci (2ywau sm:um) t m [m&c;l wjci;up0;pm;y? uav;
on Or;avsmjci;Ei twwcewn;Y t m [m&y;c;l wae v;i ORS u*&wpuay;y? (t m [m&c;l wjci; oice;
pmY:uny?)
- uav;i , rsm;wi tpm; t pmajymi;vauljci;u t p0x np0;pm;y? rciEwuau;rjzwjy; EA;wuau;
aom t cOr;avsmjci;on t jzprsm;on? (Eon aumi;aumi;rereazmpyrxm;jci; (oi) a&aumi;aumi;r qjci;/
EA;npywjci;)

rciE&nwuau;jci;on uav;i , rsm;wi Or;avsmjci;uumu , on? rciE&n
wuau;jci;u t m;ay;jy; EA;wuau;jci;u t m;ray;yEi?

* / t&n"lwq;&ici; . vuQ%mrsm;u&mazy?

1/ vemu:un&ppaq;y;-

- a&b , say:viaeaom vu%mrsm; (E;xow&ici;/wpwca:umi rcr&yEijzpaom/ iujrn;--)
- ruv;rsm;/rsu&nrm;/y;pyEi vmw;u:unjci;/18 vatmui , aomuav;rsm; . i , xyuy;uny?

2/ vema&iwjci;&ovm;? tejci;&ovm;?

3/ vemupr;oyppaq;y;-

- t&jym; . u\$avmEirpr; t m; (Skin elasticity)
- ao;ayicel/ao;ceEe;/ q;om;jci;wuppaq;y?

4/ vemwi t&n"lwq;&ici;vu%mrsm;&yua t m uyZ , m;u:uny;ruv; t vec;i0iaejci;
t&n"lwq;&ici;r& tawm t oi& (oi) q;q;O;O;jzpa

t & n "wq; & jci;	r&	t awm t oi&	q; q; 0; 0; &
a&b , ay: viae aom v uQ%mr;m; yre/	E; x ow&	*wpwca:umircr&yEi jzpaom/*emrji rjzpci; (vya&&m;jci;/ i jci;)	*r t romjzpci;/ owarjci;/ ajc z;m; r;m; Ei v uz;m; r;m; a t ;jci;?
ru v; r;m;	yre	r u v; c i 0 iaejci;	r u v; t vec i 0 iaejci;
ru & nr;m;	&	r&	r&
y; pyEi v:m	ppw	ajcm u	t veajcm u
i , xy (6-18) v	yre	c i 0 i	t vec i 0 i
a&iw jci;	yre t wi; aom u	* t vea&iw jci; jzp	*a&raom u Ei (oi) aom u&ej i i;
t a&jym; uq: un jci;	v si jrepmaem u jye om;	*aE; au; pmjzi aem u b u jye om;	* t veaE; au; pmjzi aem u b u jye om;
ao; ayice	yre	yre	ao; ayice u; (oi) pr; v i r&
ao; ceEe;	yre	jre	jre/ c n r 0 t r iao;/ t m; en;
t ou&ljci;	yre	eu&i; pm&L (Deep)	eu&i; pm&L jre
q; om; jci;	yre	q; en;/r (q; t a&m i&i SG 1.030)	q; rom;
q; jzwc u	t & n "wq; & jci; r& NO DEHYDRATION	t en; q; u , t rwjy xm; aom v u %mwc t y 0 i/ v uQ%mr;m; 2c o; 2cx uy v i t awm t oi t & n "wq; & jci; MODERATE DEHYDRATION	t en; q; u , t rwjy xm; aom v u %mwc t y 0 i/ v uQ%mr;m; 2c o; 2cx uy v i q; 0; pm t & n "wq; & jci; SEVERE DEHYDRATION
uor t av; c e 5 u v a t m u 5 - 7 u v 8 - 10 u v 11 - 15 u v 16 - 30 u v u v 30 t x u	t pp0 u ORS t en; q; vwm & Ei o av m u ae p 0 w u · · -1 1 1 · 2 2-3	t pp0 c ORS wxwu 4 em& jcm; wc; wu 300cc 500cc 700cc 1 L 1.5 L 3 L	t pp0 * Ringer (oi) NSS u IV ay; 2 Epa t m u q v i 70cc/kg Ee; jzi 4 em&jcm; wc; 2 Ep t x u q v i 100cc/kg Ee; jzi 4 em&jcm; wc;

3) t&n0r;av#mci;. uoruq;jzwy?

**t&n0r;av#mci;jzpaom vemrm;Yy\$Z0aq;rvy?
owu t&n"wjyevnznxnay;&eomviivon?**

u) t&n"wq;&jci;r&aom 0r;av#mci; (t pp0 u)

u) ORS u t r w i a o m u & e a y ; y ? (t a y : Z , m ; u : u n y ?)

c) ORS u r n u o j y i q i j y \ v y & r n u r c i t m ; & i ; j y y ?

ORS w x w u o e i ; a o m a & 750 p p w i a & m p y y ?

**a t m u a z : j y y a & m p y y p P n ; r m ; j z i t & n " w j z n q ; a y ; & e a z m & n u t r w i r n u o j y \ v y E i o n u
o r t m ; o i j y y ?
o : u m ; Z e ; j y n j y n 1 Z e ;
v u 3 a c m i ; q w p m q m ;
a o m u a & 500 p p (& E i y u) o y & m t & n t p u t e n ; i ,**

*) j y ; c a o m 4 v c e j u A w m r i a t r & & a o ; a o m 12 E p a t m u u a v ; r m ; t m ; v ; u u m u , a q ; E e ; j z i A w m r i a t a y ; y ?

C) r c i E i & n u q u v u l w u a u l ; & e o r u a j y m y ?

i) t p m y r e p m j c i ; E i O R S t j y i t & n r m ; r m ; a o m u & e (a & / x r i ; & n -) w i u q u l j y \ v y o m ; & e v e m u a j y m j y y ?

p) t z m ; E i 0 r ; a v # m c i ; j z i t w q u p y j z p a o m a & m * j (w c c & v i i) w i u u o y ?

q) t & n " w q ; & j c i ; v u % m r m ; & y i u (r c i u 4 i ; v u % m r m ; t m ; & i ; j y y)

(Z) t u , l 0 r ; a v # m c i ; o n 3 & u : u m j y ; a e m u q u l j z p a e a o ; y i u j y e v m & e a j y m y ?

t u , l 0 r ; a v # m c i ; o n 3 & u : u m j y ; a e m u q u l j z p a e a o ; y i u v e m u j y e v n p p a q ; y ?

1) t u , l t a w m t o i t & n " w q ; & j c i ; & v i i ==> I P D Y x m ; & j y ; t p p 0 c t w i ; v y a q m i y ?

2) o a u m i r m ; E i y w o u j y ; a r y i ==> t u , l r m ; o a u m i & y i u M e b e n d a z o l e u a y ; y ?

3) t u , l a o ; 0 r ; o m ; y i u ==> p m r s u e m 82 w i : u n y ?

c) t a w m t o i t & n " w q ; & j c i ; r & a o m 0 r ; a v # m c i ; (t p p 0 c)

u/ v e m u I P D x m ; y ?

c/ O R S u y x r 4 e m & : u m a y ; y ? (t x u a z : j y y Z , m ; t w i ;)

* / (C) / (i) / (p) / (q) / t p t p 0 u

4 e m & : u m j y ; a e m u v e m u j y e v n p p a q ; y ?

1/ t & n " w q ; & j c i ; . v u % m r m ; r & y i u ==> t p p 0 u t w i ; O R S u q u a y ; o m ; y ?

2/ t a w m t o i t & n " w q ; & j c i ; q u l & v i i ==> O R S y r m % t w w u y i x y l a y ; o m ; y ?

3/ q ; 0 ; j y i ; x e a o m t & n " w q ; & j c i ; . v u % m r m ; j z p a y : v m y i u ==> I V R i n g e r / N S S u a y ; y ?

4 v e m w i a o ; 0 r ; o m j c i ; & y i u ==> p m r s u e m 82 : u n y ?

o w j y & e -

- Z e ; E i a q ; x ; j y e w i u t o j y \ l u a v ; i , r m ; u O R S a y ; & e ? O R S u A ; w i x n l r a y ; y E i ?

***) q;0;ji;xeaom t &n"lwq;&r&aom 0r;av#mji; (t pp0 *)**

(u) IV Ringer (o) NSS u cujci;pwia;y? (t x uaz: jyyZ , m;wi:u ny?)

(c) t u , l o i o n t&nroi;ay;Eiyu ORS u Emaci;yujziay;y? vemaouomvmao t q t &n o i ;&e aem uwcjye)ul;pm;y?

(*) t &n"lwq;&ji; . v u%mrsm;Ei azmji;uwem&wcppaq;y (q;q;0;0;aupzpyu ppaq;ruyl jyvyy?

(C) vemaomuEi vi i aomuEijci; ORS pwiwuy?

a t muaz: jyy **vuQ%mrsm; t & uoru vuav#mna t miy/jiy?**

1? t &n"lwq;&ji; v u%mrsm;qul&ao;vi
t &n t rsm; t jym;ay;ji; . v u%mrsm;r&u

IV aq;o i;ji;u e*Ee;
t wi;ay;om;y?
ORS ay;&e)ul;pm;y?

2? t &n"lwq;&ji; ten;i ,
om;&vi
t &n t rsm; t jym;ay;ji; . v u%mrsm;r&u

aq;o i;ji;u av#m-y;
ORS u pwia;y;om;y?

3? t &n t rsm; t jym;ay;ji; .
v u%mrsm;
r:ucrsm;azma&mijci;/ t o u&l
jreji;
t qw . t ajcrsm;Y Creps t o
rsm;um;&ji;

aq;o i;ji;u &y?

(i) 4 em&um;y;aemu vemuiyevnppaq;y? t x uaz: jyyZ , m;& t p t p0 c wi :u ny?

(p) t &n"wnr;r &r&u ppaq;y? rpiom;aom t }uru a&wuy;/ qom;aomyrm%Ei t &ay;
aom yrm% (IVEi PO) wi;wmy?

(q) 12 Epa t mu uav;rsm; t m;v;u umu , aq;Ee;ji Awmria t ay;y?

**t &n"lw t vet urm;ji;/ qm;"wrm;ji;Ei ywuq , r"wrsm;ji;on t &n"lw IV ay;l uor .
q;0;aom aemuquwy \ emrm;jzpon?**

1/ ppaq;rr&b wn v; t &n o i ;ay;ji;u rvyyEi?

2/ t u , l vemon t &nyrm%v vavmuavmu aomuEirnqy u t &nroi;ay;yEi?

3/ vemon t &n u y;pyr aomuEipr;&y u IV o i ;ay;ji;u t jreq;&y?

owjy&e-

- t x;o jzi uav;)u;rsm;Ei v)u;rsm;wi t &n0r;av#m-y; t &n"lwq;&ji; . v u%mrsm; t vsi t jrew;rsm; jzpay:vmyu umv0r;av#ma&m* (Cholera) u p0;pm;y? "lwce;wi (yym;ji;- culture rnonaq;ay; l u oEioen;- Sensitivity) w)u qe;ppo;oy&e t wu rpiere mu , & pp0jyvyy? x)em u q&m0eEi wiyiy/ umv0r;av#muya&m*. t pp0 t qirm;u vuemvyaqmi y?
- quv u l t eji;Ei 0r;av#mji;jzpaomvem (o) 0r;Auazmi;um;ji;jzpaomou (t or yw q i;ji;- 2&uau sm;um IV u o i ;ay;&ev t yaom uav;w0;wa , m u rsm;&y)u q&m0eu jyy/ (oir [w q' , rEiywuq , ru ppaq;y?)
- t u sji;u en;apaomaq; (0r;wm;aq; - (Loperamide u o)) aq;rsm;u b , awmrray;yEi?

$$\text{drops/min} = \frac{\text{cc/hr} \times \text{drop}}{60}$$

Oyrm 4 em& t wi; t &n 600 ppay;ci o n? 1 pprm t pu 20 &o n?
xaemu drops/min= 600/4 x 20/60= wrEp t pu 50 ay;&r n?

5- Or;av#ma&m*#u umu , jci; (prevention of Diarrhoca)

Or;av#ma&m*#u umu , &e t wu vemrsm; t m;v;Ei (o!) rcirsm; t m;v;u a t muwiaz: jay;x m;aom
t c:ur sm; t m; ynmay;&i;jyy?

- t pm; t p m r p m;ci Ei t r o m o m;yaemuyi; v u u aq;aumy?
- uav;i , rsm;u rciE&nwuau|y?
- u v&i;jzi oe|pi x m;jci;r&aoma&u qyua t mi u#c:u;y;raom u o;y?
- t pm; t p m u c:u j y|wy? Æi;w|u z; t y x m;y?
- t r o m u t o;jy?
- 4- 6 v t & , &aom uav;rsm;u v}u; t pm; t pm (t pm t pi t c)w|u pwi l au|y?
- uav; . rpirsm;u oe&i;y?
- Ou o ua&m*#u umu , &euav;u umu , aq;x;y?

Or;u u a&m*

ao; t c| yaom0r;av#mici; (0r;u uici;)u u or†

ao;yaomrpion aq;rl;rsm; t wu v , viwujriEion?Æi;on 0r;u u a&m*ijzpon?

ao;yaom0r;om;ici;2r#;&on(0r;u uici;)

1) **t r;b;m;y;a-umi jzpaom0r;u uici;**? (Amoebic)

r:umc%qo vyi &ww&u emru e;jzpjci;r#;r&y? 30 % t x u aom vemwion t zsm;&u on? met-ronidazole jzi u oy?

2) **buw;&; , m;y;a-umi jzpaom 0r;u uici;**/ (Bacillary) rsm;pmaom buw;&; , m;y;a-umi jzpaom 0r;u uici;jzpeion/ Shigella y;a-umi jzpaom 0r;u uici;on t q;qjzpon?

r:umc%qo vyi t zsm;Ei 0r;&p lAuemici;&(rpiom;jy;p temici;)/ vem on ru e;rmy?

- u e;r m;a&;aumi;aom vem u OPD ay; l u oy? 0r;av smici;on obmomoaumi;om;r n?
- t E&m , &aom vem rsm; (a t muwi:u ny) o r [w t veemru e;jzpaom vem rsm;u IPD wiwi l yÆ0aq;rsm;jzi u o o ion?

u or

"lwce;pr;oyci;r&b t r;b;m;y;Ei buw;&; , m;y;a-umi 0r;u uici; 2 cu qcm; l r&Eiy? u oru vem . a&m* v u %m rsm; t ajc t aet & u oru q;jzwy? (t x;ojzi t zsm;&jci;Ei vem on t E&m , &Eiaom t ajc t aewi &y u)

t E&m , &aom vem

1/ 2Epa t m u uav;i , rsm;

2/ t ou 50 t x u vem rsm;

3/ t m [m&c;lwaom uav;i , rsm;

4/ 38.5 t x u &aom t zsm;u jci;rsm;

5/ q;0;jyi;xepm t &n"lwq;&; . v u %m rsm;

1/ t zsm;&y u-

- vem t ajc t aeaumi;y u OPD wi u oy?
- vem t veemru e;jzpy u IPD wi u oy?
- t &n 0r;av smici;q i&m u o aom vr;ne;uyi t o jyl t &n"lwjznu o ay;y? (t x u wi:u ny) p m r:u Em 78)
- **Metronidazole** ay;y? uav; 7.5 mg/kg TID 5 &u (o) t ou t & , t m jzi
 - 1-3 Ep 100-200 mg TID x 5 &u
 - 4-7 Ep 100-200 mg TID x 5 &u
 - 8-10 Ep 200-400 mg TID x 5 &u
 - V:U; 750 mg TID x 5 &u

t r;bm;y; t wu metronidazole o n yreaq;Ee;x ujrion? T rmaxmucc;uay;x m;aomaq;Ee;u v uemy?

- jy;caom 4 vce|u **Awmriat** r&a o;aom 12Epa t mu uav;rsm; t m;v;u **umu , aq;Ee;zi Awmriat** ay;y?

2/ t zsm;/ vemwi t E&m , r&Ei/ a&b , t a c t aeaumi;

- OPD wi u oy?
- t zsm; u y&mpwarmjzi u oy?
- t &nOr;av smjci;q i&m u oaom vr;ne;uyi t o;jy| l t &n"wjznuay;y? (t x uwi:u ny| p m r:u Em 78)
- metronidazole ay;y? t zsm;r&aom vemrsm; t wu Awmriat u umu , aq;Ee;ziay;y?

3) t zsm;/ t E&m , &Eiaom vem

- IPD wi x m; &y?
- t zsm; u y&mpwarmjzi u oy?
- **Ciprofloxacin** (7.5 mg/kg BID 3&u:um)
- **Metronidazole** (aq;Ee;u t x uwi:u ny?)
- t u , l Ciprofloxacin r&Eiy;u u cotrimoxazole o;Eion?(x i;Eiwi cotrimoxazole aq; , Oy;r t versm;on?)
- 12 Epa t mu uav;rsm; t m;v;u **Awmriat u o**raq;Ee;uay;y?
- t &nOr;av smjci;q i&m u oaom vr;ne;uyi t o;jy| l t &n"wjznu oay;y? (t x uwi:u ny| p m r:u em 78)
- p m;aom t p m; t p m vav m ur&on uaocsmapyj -uav;i , rsm; t w urciE&nEi v:u;rsm;Ei uav;u; rsm; t wu yre t p m; t p m?
- aem u quw jy \ em rsm;uapmi:u ny|- Or;Auazijici;/ t ayujici;/ buw;& , m; t qyy;Eijici;/

rw&e-

- t u , l rsm; vem t a& t wuw;rsm;vmyu "wcc;wi (y;ym;jci;- culture / r n o naq;ay;l u oEi oen; - sensitivity) w|upr;ppo;oy&e t wu rpi eremu , y? q&mOeu t a:umi; :um;jy;aemu Or;u u uya&m*|u ppOaqmi&urn t qirsm; t wi;v uemy?

oamirm;

oamia&m*rm; on t vr;a:umi;wi t jzpr;m;on? (Ascaris/Hookworm/Trichuris/Taenia). vem on n pywaom v ur;m;ji t pm; t pmpm;ji;/ zeyrybEi vr;av#m u;ji; (o!) aumi;repmrc:ujy/waom t om;Ei t o;t&uw/upm;ji;w/a:umi oamia&m*u&&on?

oamia&m*rm;u u o&vrrn?

1)ao;t m;en;a&m*Ei t m [m&c/wjci;u umu , &e?

2)aem u quwy \ emrm;u umu , &e

u/ t vr;a:umi;ywqjci;/ ywqjci;a:umijzpaom t a&jym;Ojci;?

c/ Cysticercosis(Taenia solium y;a:umijzpaoma&m*)- O;aEm u Ei t a&jym;w/wi t emrm;jzpci;

1) t jzpr;m;aom oamirm; (ASCARIS, HOOKWORM, TRICHURIS)

a&m* v u %mrm;

- oamirm;u wc/w&wi t ezwe i rpi rm;:um;Yawjiri&on?
- Or;Auemjci;
- &ine;a t m;ji; t jzpr;m;on? t x;o;ji o cyaumia&m*wi t jzpr;m;on?
- Or;Au:u;azmi;um; la&miaejci;
- p t 0 , m; , jci;
- emwm&nao;t m;en;a&m*
- t m [m&c/wjci;
- aem u quwy \ emrm;

owjy/&e

- oamirm;&aom vemrm;wi t zsm;r&/ t zsm;&y u t jcm;aom q upyzpEi o na&m* u &my?

u or

1/ v)u;rm;Ei EpEp t x u uav;rm;(u , 0eaqmi t r;l;or;rm;u ray;&?)

- Mebendazole 100mg BIDx 3 &u

(o i r [w)

- Albendazole 400mg a q;Ee;wc;pm(c u jci;ay;y?)

2/ EpEpa t m u i , aom u av;rm; t w u

- Pyrantel 10mg/kg c u jci;ay;y?

(o!)

- Albendazole 200mg u c u jci;ay;y?

3/ q upywl jzpaom rnon ao;t m;en;a&m*urqu o&e ow&y? (t x;o;ji o cyaumia&m*wi)

umu, jci:

vrm;wiuatmuywłtm; t:uay;&e

- tromto;jy/&e
- tromom;jy;aemuEi tpmrpm;ci vurm;uaq;a:um&e
- zeyp;&e

2) (wyjym;oaumi)

oaumion&non ?jym;jy;rm;pmaom t pwyi;rm;jz i jyl vyz|pn;xm;on? vemrm;on tao t csm
c:ujy|wł rxm;aom (O u om;(o!) trom;rm;)upm;jci;jzi Towyjym;aumi u&&on?

a&m*|vu%mrsm;

- vemrm;on oaumi . tpw tyi;włu rpiw iawłon?
- vem on t+rwr;Auqmaeon?
- vem on tpm trsm;:u;pm;on/ olaomu , tav;cæq;&on?

uor

- Niclosamide 30 mg/kg c:ujci;ay;y? pm;aq;rm;on Oj; lpm&ev tyon? vemow&IE;x aeyłu
Metoclopramide 10mg u vemE;x vmaom t c:ay;y? xlaemu vem u pm;aq;rm; t m;Oj;pm;&eajymy?
(Oj r [w)
- Praziquantel 20mg/kg c:ujci;ay;y?

t oijnwnema&m*

t oijnwnema&m* 2r&on?

1) t r;b m;y;a:umijzpaom t oijnwnem

- t r;b m;y;a:umiOr;u u jci; 3 q y l t jzprsm;on?
- vem on r:umao;ci u jzpaom Or;u ua&m*u t oay;ajymaumi;ajymEi on?
- Metronidazole jzi u oy? +/- (t &np;x u apici;)drainage

2) buw&; , m;y;a:umijzpaom t oijnwnem (bacterial)

- rsm;aom t m;jzi buw&; , m; on on;ajc&n yu o wu om;jci;a:umijzpon?
- rsm;aom t m;jzi vem on ue;rma&;raumi;y;- buw&; , m; . t qytawm u rsm;yijci;
- buw&; , m;y;rsm;pmu us , us , jyejye owEiaomyEZ0aq;0;rsm;uay;y? +/- (t &np;x u apici;) drainage

Ta&m* 2 r&; u cjc m; lajym&erm t vecu on?

a&m* v u %m rsm;

- t z m;jci;/ cr;jci;/ t pm; taomuy;u jci;/ (Anorexia) yijci;
- t o&aom tyi; buu z l4i; (o) v u jziaqu l4i; pr; oyppaq;u nyu w t m;em usijci;(50%aom vem rsm;w iaw&)
- nmbu t qwt ajry;wi t &n0ijci;Ei tw &iywem usijci;

rsm;aom t m;jzi t om;a&0jci;r&/ab v;u jci;r&/ a&z0;pici;r&
(t u , l &&cyu t jcm;aoma&m*rsm;u yp0;pm;y)

u or

- IPDWi x m;&u oy?
- **t u , l vem . t a c t aewn jirr&y u** (aeraumi;rjzpy;Sao;re;rwuy)
- Metronidazole upwi lay;wuy?

1-3	Ep	100-200 mg	TID x 5 &u
4-7	Ep	200-250 mg	TID x 5 &u
8-10	Ep	200-400 mg	TID x 5 &u
11-15	Ep	400-500 mg	TID x 5 &u
v:u;		750-800 mg	TID x 5 &u
- t u , l w;wur&y u ==> 14 &u qu lay;om;y?
- t u , l (3 - 5)&u twi;w;wurr&y u ==> Ampicillin Ei Gentamicin w u ayi;ay;y?
(aq;Ee;rsm;Z , m; u :u ny?)
- t u , l vem on ue;rma&;raumi;y;- buw&; , m; . t qytawm u rsm;yijci;&u -
 - Ampicillin, Gentamicin Ei Metronidazole w upwi lay;y?(t x u yaq;Ee; t wi; t wwyizpon?)
- t u , l wejyer&y u 14 &u:umqu v u lay;y? (Gentamicin u 5 &u jy;aem u &yy?)

t o:u;on t &, t pm;ay:rwn l t oijnwnem rsm;on cpwl jyn&n p;x u ap&ev tyon?
t u , laq;uoru wejyejci;r&y u/ t jcm;a&m*rsm;up0;pm;jci; (o) t &n u cpwl p;x u ap&e
aq;&o! vajymi;ay;y?

t a&jym;a&m*rm;Ei t jcm;aom t a&jym;q i&m t ajc t aerm;

t a&jym;a&m*on t jzprsm;on? 4i;a&m*wi on r:umc%qovyi uo&cucon? t a&jym;a&m*
t awmrsm; rsm;on wu , a&oe&i;jci; t m;en;rEi qupyljzpon? yreoe&i;aq;a:umjci;on t a&;u;
a:umi;Eiyw ou l t :uOm%ay;&vrrn?

vem&mZ0iu aumi;aumi: , y

- rnon t cœu t emrsm;pwijzpcoen;?
- b , ae&mrpwi l jzpcoen;?
- 4i;wy&Ejci;&co vm;?
- 4i; t emwi , m; , jci;&ovm;?
- t a&jym;a&m* a:umi t jcm; t E&m , &r n t cœur sm; &y ov m;? vyie;&mZ0i ao;rwnjci;&mZ0i w u , y?

vem .wu , v;u pr;oyppaq;jy;aem u t emrsm;u az: jyy

- b , ae&mr m v?
- b , avm ur sm; v?
- bm t a&mi&oen;?
- rnon yoœe&oen;? (jym;jci; (oi) jriwujci;)
- y (oi) a t ;

rnonaq;u orrrpwir t emrsm;ua&Ei qyjmwjziaq;a:umy?

**owjy/&e- rnon t a&jym; t emrq a&m*y;0ia&m uEion? t u , l t emrsm;on
jynjzippwici;/ ejci;/ yjci;/aE;jci; (oi) vemwi t zm;&y u -y\$Z0aq;jziuo y?**

t empu

T a&m*on buw&; , m;a&m*y;a:umijzpaom t a&jym;a&m*jzpon? uav;rsm; t :um;wi t v , wuyEi on?
r:umc% qovyi taumi uuaom (oi) uwraom t yi;wae&mr0ion? &ur sm;pmr &uowyw
rsm;pm:um on t xy&Ei on? 4i;wi on 0i;jci;/ t aya:umwi;aom jym;aom t emjzpci;/ 0.5 r 3piwrwm
t u s , &av&on? 4i; t emwi on wœw&Y pppwpw&on?

**1) ten;i , omjzpaom tempua&m*/ cEmu , . t pwyi;wae&mwi jyn&aom t empur sm;&jci;? y;py
yww nY4i;/ em;rsm;aem uz uY4i;/ v ur sm; (oi) ajcax m ur sm;Yr:umc%jzpa v&on? t zm;r&y?**

u or

- a&Ei qyjym (oi) y;owaq;&nji oe&i;y? (Oyrm- Savlon (oi) Chlorhexidine)
- t ay: , rma:umjci;rsm; uz , &m;y/ v u on;rsm;u jzwy/ t u , l v tyyu aci;&wy?(t u , l aci;
wi t emrsm;pm&y;u)
- GV u wae 2 :ur **owvr**;ay;y?
- r:uEmwijzpy;u GV t pm; y;owaq;u BID vr;y?

**2/ tawm t o i omjzpaom tempua&m*/ cEmu , . t rsm;paom t pwyi;rsm;wi t vm;w t emrsm;
jzpci;?jye&n t z t :uwrsm;x ujci; (v uY t emjzpy u cœi;um;/ ajcax muwi t emjzpy u ayijc:um;)?
t zm;&aumi;&Ei on?**

uor

- ten;i , riomjzpaom t em t m; uon twi; wnaom uoruay;y?
- Cloxaicillin x 5&uay;y? Penicillin uao;rw n l "wweijyejci;jzpyu Erythromycin uay;y?

jynwnem

wpo;l;aymrsm;xwi jynrm;pa t mi;jci;jzpon? 4i;ae&mwi el em u;il/jzpaomae&m t yi;Y yci;/a&mi&r;jci;/ tzm;&Eion? jye&n t:uwrsm;vn;u;Eion? yEZ0aq;on jynwn t aci;rsm;o;aumi;aumi;a&mujci;r&y? x|a:umi uoron jynw| t m; t jyi o| p; x uap&e jynwnem u cpwzi&r n?

t c|aomjynwnemrm;on yjci;Ei emjci;r&y? (a t;aom jynwnem) ? t u , loion
T o|aomjynwnem u aw|cyu ==>wba&m*up0;pm;y?

1/yxrt qi/ t a&jym;on rmon?

uor

- a&aE;aE;zi t yuyay;jci;u wae| 4:urjy|vyy?
- em u;iru Paracetamol (o) Aspirin jzi u oy?
- ySZ0aq;v t yav r&y?
- a t muaz: jyy| t ajc t aer sm;Yom v|i cloxacillin 5&u o|r [wpenicillin uao;rw n y|u erythromycin ay;y?
1/ q v rsm;a&mi&r;jci; (a t muwi:u ny?)
2/ a&b , s v u %mrsm; (t zm;&jci;/ cr;jci;)
3/ 1 Epa t mu uav;rsm;
4/ r;uEm| aci;Ei vnyi;wijnwnemjzpjci;/jynwnemrm;pmjzpjci;?

2/ 'w, t qi/ t veem uion? t a&jym; . wae&m on aym v m j; yi x uz|&e t q i o i jzpaen?

uor

- v u t yrm;Eiy;oepijy;om;ypn;w|u t o;jy|y?
- y;oeljy;aom "j;zi cziy?
- jynrm;uz , &mjy;/ *v% t wi;yi;u oel&i;y?
- Normal Saline jziaq;aum oepiy?
- t ay|u t wi;o| Normal Saline qwxm;aom yww;pu x;o i; t &npwaq;x nci;vyy?
- t ay|upwil t om;jyncex ael0aq;x nci;uij|vyy? t i t;' i yww;pjz i oel&i;jci;rjy|vy&? oion t opwu vmaom wpo;l;rsm;u y;up;apv ron? t emr t &n:unw|x u vmont x Normal Saline jzi n i ompmaq;aum y?

qvrsm;a&mi&r;jci;

t a&jym;a t muY&ww&u buw;& , m;y;0ia&mu lyCEEjci;jzpon? e&jci;/a&mi&r;jci; (jynwnemw0uwi omjzpon?) Ei em u;ijci;wei t wijnwnemjzpaom t yi;&jye&n:un t:uww;u;vmon? t em . t em; om;ywv non wwu:sr&y?

Streptococcus pyogenes ei Staphylococcus aureus w|a:umi t jzprsm;on? t emr4i;/ye;jcpaom ae&mr4i;(o) cpwp0 t a&jym;u v;jzwaom t ci;y;w|azi u0i:uon?

qvrsm;a&mi&r;jci; . t E &m , onao;qywujci;(Septicaemia-a o;t wi;buw;& , m; y jyeEjci;)jzpon?==> ao;qywujci;uumu , &a&m*owrwjci;ei ySZ0aq;ay;l uojci;on t ve t a&;u;y|on?

uor

- jzpaomajc/v u u ra&v m;a t mijy/vyji;ei t ay:ojriwi x m;ji;?
- a t ; lppwaomaq; x nji;?
- **v;jzwlrziyEi?**
- emu:ijci;Eia&m i&r;ji; t wu ASA u ay;y?
- y&Z0aq;r m;ay;y?

1/ t en;i , r i o m j z p a o m a u p r m ; Y

- y;pyr Penicillin V u 5 & u p m a y ; y / & u c e ; & e y r e j y e v n p p a q ; j c i ; v y y ?
- Penicillin u a o ; r w n l " w w e j y e j c i ; j z p a o m v e m r m ; t w u E r y t h r o m y c i n u o ; E i o n ?
- 3 & u : u m j y ; a e m u **w ; w u v m r r & (o)** v e m t a j c a e y l q ; v m y u v e m u I P D w i x m ; y ? **Cloxacillin** u a y ; y / a o ; q y w u j c i ; . v u % m r m ; u & m a z & e y r e j y e v n p p a q ; j c i ; v y y ?

2/ q ; 0 ; j y i ; x e a o m a u p r m ; Y

- **IPD** w i x m ; & y ?
- IV (o) IM **penicillin** u p w i a y ; y ?
- t u , l 48 e m & t w i ; **w ; w u v m j c i ; r & y u (o)** v e m t a j c t a e y l q ; v m y u / **Cloxacillin** u y ; p y (o) IV a y i ; a y ; y ?

t u , l r m ; q v r m ; a & m i & r ; j c i ; o n j y n w n e m (o) y i a e a o m t e m w c c E i w p y l j z p y u
Cloxacillin j z i u o r u p w i y ? (r n r ; q ; 0 ; o n a y : r w n l y ; p y (o) IV a y ; y ?)

t e m r m ; E i r ; a v m i j c i ; r m ;

uor

- z r e l t n p t a : u ; r m ; E i j y i y p n ; r m ; u a & j z i a q ; a : u m z , & m ; y p y ?
- y ; o w a q ; & n j z i o e l i ; j c i ; j y l v y y ?
- G V u o w v r ; y ?
- o e l i ; a y ; j c i ; E i a q ; x n j c i ; e m u : i r w u r j y l v y r t e m u : i o u o m a q ; a y ; y ?
- **a r ; c i a & m * u m u , a q ; a y ; y ?**
- : u ; a o m t e m r m ; t w u t e m u : u j r e a p & e o i o n t i t ' i ; E i o : u m ; w u a & m p y l t o ; j y E i o n ?
- r ; a v m i e m r m ; t w u o i o n Z i n c O x i d e V a s e l i n e o i n t m e n t (o) S i l v e r S u l p h a d i a z i n e c r e a m U & E i y u t o ; j y E i o n ?
- t e m a j c m u o n t x / r ; a v m i e m o e l i ; o n t x / t e m E i r ; a v m i e m u a e p 0 a q ; x n a y ; j c i ; j y l v y y ?
- : u ; r m ; a o m r ; a v m i ' % & m r m ; t w u R i n g e r (o) N o r m a l S a l i n e u I V o i ; a y ; j y ; a q ; & o i y a q m i & e u p 0 p m ; y ? r ; a v m i a o m t a & j y m ; t u s , a e & m E i y u p ; r t q i t & v t y a o m I . V t & n y r m % u w u c u , y ?
- q ; 0 ; j y ; e u & i ; a o m t e m r m ; u c p w l o e l i ; j c i ; E i t q i u o & e t w u a q ; & o i v a j y m i ; y ?

t a & j y m ; 0 p m ; a & m *

t a & j y m ; 0 p m ; j c i ; o n u y y ; y ; w r d ; a : u m i j z p o n ? 4 i ; a & m * o n t j z p r m ; j y / t v , w u y E i o n ?

v u % m r m ; w i t v e t r i ; , m ; , j c i ; (t x ; o j z i n b u t c e) / t e m a o ; a o ; a v ; r m ; E i a j c a c m i ; r m ; E i v u a c m i ; r m ; t : u m ; w i t j c p & m t r w r m ; / v u a u m u 0 w r m ; y w v n Y 4 i ; t j c p & m r m ; / * i ; u m ; (o) a y i j c m ; E i t j c m ; a e & m r m ; w i v n ; t j c p & m r m ; & j c i ; w y 0 i o n ? r o m ; p w i & a o m t j c m ; a o m o r m ; v n ; t a & j y m ; 0 p m ; j c i ; & E i o n ? & u o w y w r m ; p m r v a y i ; r m ; p m : u m o n ? t a & j y m ; 0 p m ; j c i ; w i a & m * y ; 0 i a & m u E i o n I n f e c t i o n u t & i u o y (t e m p u a & m * w i : u n y ?) j y ; a e m u t a & j y m ; 0 p m ; j c i ; u u o y ?

u o r

- cEmu , wcv;u a&Ei qyjymjziaq;a:umy?
- r;uemEi vi t *w;rv l cEmu , wcv;u **Benzyl Benzoate Emulsion (BBE)** OWVR;y? aq;uay;ajcmuij;r oe&i;aom t 0ww;u0wqiy?(**t en;q; 12 em&umraq;a:umyEi?**) wae;wc; 3 &u:umjyvyy? aq;a:umoel&i;ici;u a&miu:0&e t wu (BBE) u naeci; vr;y;uyl v , uon?
- **wcewn;Yyi** t jcm;aom rom;p0ir;m; uy; u oy?
- t 0wt pm;r;m;u a&q qEi qyjymjzia vsmzwaq;a:umy?
- t y , mypn;r;m; (Oyrm- apmiw;u aeyvr;y?)
- , m; , jci;on &u owywr;m;pmqu l jzpa0;rnu vem t m; ynmay;&i;vi;jyy? T ol , m; , jci; on aoom;aom uyy;y;w;. "wwe;jyeici;jzpon?

u or;j;aem u w;wuwe;jyerr&y;u u o&mwiaumi;aumi;aq;vr;jci;&r&aojcmapy?
quvul w;wuwe;jyevmici;r&y;u aemuxyuorwcu ajymi;ay;&e p0;pm;y? (Oyrm- Lindane)

ry;a-umijzpaom t a&jym;a&m*r;m;

ay; wajz;ajz;jci;u;xm;vmaom ajcmuao;l 0i;aom t emrm;jzpon? (&uowywr;m;r vrm;x:um)? t v , wi &i;vi;aejy; t em;pe;r;mw;ajcmu l jzlaom t a:u;cr;m;&jci;/ t ve , m; , on o;aom emusijci; (o) t zm;r&y? 0;aci;wijzpy;u/ 4i;jzpaomae&m& qyir;m;q;&jci;&r n?

u o r

- a&Ei qyjymw;jziaq;a:umy?
- aci;wijzpy;u aci;.&wjyppy?
- **Whitfield vr;aq; t q** u wae; 2:ur t en;q; 3 yw:um vr;y?
- t u , l 3yw:umjy;aem u w;wurr&y;u **Clotrimazole vr;aq;**u wae; 2:ur 3yw:um vr;y?
- t veq;0;aom auprm; (o) t x uaz: jyy;u orrm;jzirw;wuy;u/ q&m0euijci; (o) Griseofulvin u o;yw:umay;y?
- aci;wijzpaomay;on t ay: , vr;aq;jziaumi;reav r&y? 4i;u Griseofulvin jzi 6yw:um u oy?

t u , l quv u;y;w;wujci;r&ao;y;u/ t em;u;a&m* [wr [wu aojcma t mijyvyy?

y;py t wi;Yjzpaom ruc&em/ (Candida Albicans) y;ua:umijzpaom y;py t wi;Yjzpaom t jzl a&mi t pu t ajmurm;? t us t cl t ajr;y; . a t muajceon t x owypjci; (o) jcpypjci; jylvyEion?

u o r

- t pmpm;jy;wi; GV u owvr;y?
- t emonq;0;y;u (o) GV u w;wurwe;jyey;u (y;py t wi;o;pyoi;&e-) **Nystatin** t purm;c; aq;Ei aq;jym;/ pm;aq; v t yaumi;v tyEion?
- t wct iA/ a t ti' t u vemr;m;/ pmr;uEm 135 u :u ny?

ao; rwn l "wwe§ jyeji; t ijiu uxji;

t a;jym; x u;jriaom t ea&mi t z t ye;rsm;(repyi; t wi;) 4i;w|. ypEi t & , t pm;w|on v i;jrepm
ajymi;v :uon? t ve , m; , on?

a t m u y w | r m t j z p r s m ; a o m a o ; r w n l " w w e j y e j i ; r s m ; -

- aq;0;rsm;-aq;uort opwcu v uc&aeaom vemw0;qv i (Quinine, Amoxycillin, Cotrimoxazole) aq;uoru &y y?
- y;r m;rsm;u ujci;/a:umi ar;rsm;/ o aumi rsm;/ aom u o;aom t &n rsm;w i y a o m a q;a&m i rsm;
opyi rsm; owypn;rsm;Ei x pyrjci;/ t pm; t pm/

r:umc%q o vyjzp&aom t a:umi;&i;u &maz&erm rjzpEi y?

uor

- a&jzia t ;apy?
- a&m*y;0ia&m ujci;u umu , &ev uon;rsm;ujzwy?
- q;q;0;0; , m; , r&y|u- , m; , jci;&yon t x Chlorpheniramine u ay;y?

ruemay:wiazma&mijci;jzp&cy;u aq;&w i y; Dexamethasone u IV (o!) IM ay;y?

t ou& &cucy u Adrenaline ay;y?

ao;jirwn l "wwe j yeji; t a:umi;u pmruem 21 wi:u ny?

Ei;ca&m*

cEmu , . wae&m&mw i , m; , jci;Ei emwm&njzpaeaom t emrsm; rsm;aom t m;jzi cEmu , . 2zupv;
wijzpav&on?(t x;o;ji wawm i qprsm;Ei ' ;qprsm;wi)? 4i;on ae&m wae&m Y (o!) u s , u s , jye j ye j
jzpaumi;jzpEion? t ajcmu (o!) t p jzpEion? o|aom 4i;w|on t ve:um&n pmjzpon? ajcmu aom
t emrsm;on t ve , m; , :uon? q;q;0;0;jzpy u (a&u o!) t &n rsm;prx uon? wae&mwn;Yyijzpv u/
aymu v u jzpw w on?

a&m*y;vn;0ia&muEion? a&m*y;0ia&mu y u 4i;u t &i uoy (t empua&m*wi:u ny?)

x|aemu Ei;cu uoy?

uor

- uwjcpici;rjy|vy&?
- a&jziwuc|wji;rjy|vy&?
- a&jzi o m a q;a:u m y| - Ei;cemjzpaeaom ae&m ay:w i qyymu t o;rjy|&?
- **t 0w t pm;rsm;uaumi;aumi;oe pi y? x o j y | v y r o m v i i q y j m w | t 0w rsm;ay:w i r u e&r n
jzpon?**
- ajcmu a o|aom t c| **Vaseline** u owvr;y?
- t u , l q;0;y u steroid vr;aq;rsm;*u t o j y jci; t m;p0;pm;y? (O yrm- &&Eir n qy u Betamethasone
(o!) Hydrocortisone)
- t u , l t ve , m; , y u Chlorpheniramine jzi u oy?

*owjy&e-

• Steroids vr;aq;;rsm;on t pr; t r s ;r s ;&on?Hydrocortisone t en;i , jyi; Betamethasone y l
jyi;on? jyi;aom steroids vr;aq;u umv:um&n t o j y y u owxm;y? E i ;vr;aq;on t a;jym;u
y:up;apEion?

a&au sm ua&m*

Ai;&ypy;a-umijzpaom t jzprsm; on t a&jym;a&m*ijzpon? 4i; on t v , wuy;Ei on? t & , t pm; t r; r; &aom Oi; on t aysm ur sm; jzp- u on? 4i; wj . t xwi jyn (o!) t &n: un&on? t c; t emw; on t ay: , rmau sm r&on? cEm u , wcv; wijzpon? ajc/ v ur sm; wi t jzpen; jy/ u , v; ay: wi t jzpr sm; on? , m; , jci; &/ t zsm; ten; i , &/ t re; em; jci; (o!) rom; p x r t jcm; or sm; wi wnaom v u %mr sm; &on?

u or

- a&Ei qyjymw jz iaq; a- u my?
- v u o n; r sm; u jzwy?
- a&m*y; Oia&m uaom t yi; & t puay sm ur sm; ay: wi **GV** u owvr; y?
- t zsm; u Paracetamol jzi u oy?
- q; O; pm , m; , jci; jzpcrom v; i Chlorpheniramine u 1-3 & upmay; y?
- r u v; xwi t emr sm; & y u TEO jzi u oy?

a& , e(ao;) a&m*

a& , ea o; a&m* on Herpes simplex Ai;&ypy;a-umijzpon? y x r t : u r a&m*y; &&y; aem u/ Ai;&ypy; on cEm u , xwi u e&acon? t u , l x o o n aem u w c; em r u e; jz p jci; / pwz p jci; (o!) t a t ; u 4i; (o!) ae u 4i; t v exy u aem u w c; jyejz p Ei on? a&m*y; on t rwr; t & , t pm; w n p m jz pay: on?

a& , ea&m* on t emr sm; u w u & u xaw jci; t m; jz i ye ym; on?

a& , e t emr sm; on ce; re; ajc 10 & u av m u wi 4i; w; b m o may sm u u i; on? o; aom ow; on r: umc% jyejz p ym; on?

a&m*v u %mr sm;

- t a&jym; (o!) t u s t c| t ajr; y; ay: wi (y; py (o!) v i t *) : u n v i aom t &n r sm; jz i jyn aeaom t wi , av; r sm; t p jzpon?
- vemaq; ce; o; r v mci/ r: umc% q o v yi 4i; t &n: un t ww; u y; u i y; / t ay: a u sm rmae: u on?
- t veem u s i on? t emr sm; r jz pay: r n? pyz O; z O; em u s i jci; Ei , m; jci; jz pa u mi; jz p Ei on?
- y; py xwi em u s i jci; Ei pm; aom u & cu c jci; y; py t wi; Ei Ewcr; r sm; ay: wi t em (zuc u em) jz p jci; r: umc% q o v yi om; z; r sm; a& mi & r; u on?

aem u q u w q; u %

r u v; r sm; wijzpaom a&m*y; on q; O; pm jz p o m; Ei j y; / r upu , jci; Ei r u: u n vma& mi & r jci; (Keratitis) w; u jz p a p o n?

<p>t u , l u , 0eaqmi t r; or; . v i t * wi a& , eem&y u/ ar; zm; p O t awm t wi; u av; i , u a&m*u; pu Ei aoma: umi ar; ui; pu av; i , twu t vet E & m , & Ei on?</p>
--

u or

1/ t a&jym;ay:wi

- t emrsm;u Savlon Eiaq;a:umjy; ay;ajcm uyy?
- (r u emay:wi r [wyu) GV jzi owvr;y?

2/ y;pyxwizpyu

- qm;a&aE;jziy;pyu aq;a:umy?
- GV owvr;y?
- t u , l 'w , a&m* u (buw;& , m;)0iyu Amoxicillin jzi u oy?

3/ rsuprm;xwizpyu

- rsuprm;u u&c;u xm;aom a&a t ;jziaq;a:umy?
- Terramycin vr;aq;
- aq;aE;wiyici; t wu q&m0ex o! vajymi;y?

4/ vi t *rsm;ay:wi jzpyu-STT wi:u ny?

- qyjmeia&jzi aq;a:umy/ em u:ijci; t wu paracetamol u ay;y? vi t * t pyon u;puyEjci;u umu , &eunon?
- ar;vr;a:umi;wi a&m* jzpyu Acyclovir aomu&e von? o!aom u , oeaqmip0wi jzpyu

rnrix

t E&m , ui;pw&onrm raocmy? q&m0ex vajymi;y?

a& , e(u;)

t a&jym; . r u emjiwae&mwi t ea&mi t &n t :uwzrm;(a& t aymur sm;)jzpay: jci;? 4i;u a&aum u a&m* u jzapaom Ai;&ppy;a:umi yjzpon? o!aom a&m* y;&&jy;Eprsm;pm:umjy;aemur jzpy m;on? a& , e(u;a&m* on rnont out& , wirqjzpeion? o!aom u , cpr; t m;u;q i;aom vemw wi t jzprsm;on?

a&m* v u %mrsm;

- t z t ye(rsm; **rxur**&u ten;i , Y r:umc%qo vyi vemY t zsm;Ei cr;jci; ten;i , &on? vem aex i l raumi;y?
- vemwi t emjzpay:v m r nae&mY t em**rxuvmci** t awm t o i r q;0;pmem u siav&on?
- 4 - 5&u:umjy;aem u a t m u ajceaom t &n:u n t w(a& t aymur sm;) rsm;ay:vm on? (a& , eao;Ei qiwon o!aom y l:u;rm;us , jyeEon?)
- xaem u 4i; t emw on jyn t wrsm;jzpv m on? 4i;aem u t wrsm;ay u u l t ay:au smrm;wi;rmvm on?
- t emzw jzpay:ona e&m& t m&a:umz;up;c&on? &iyway:wi t jzprsm;on o!aom rnont a&jym;(o) t u t c l t ajr;y;wirqaw&Eion?(b , t m&a:umu zup;xcu onay:wirwnon?)
- t emw on cEmu , . wzuw&uw i omjzpon?

u or

- t emzrm;u a& , eao;u o!u oy?em u si ru v n; u oy?
- a&a t ;ywwuay;jci;
- pmrsm;uem 10 &em u ijci; u or t ce;& vr;neu v uem l em u ijci;u u oy?
- t u , l em u ijci;ro u omyu Amitryptiline v t yEion?
- t u , l r u v;uy;xcuy u (o)a&m* on q;0;jyi;xeyu q&m0ex o! vajymi;y?Acyclovir &y;u E i;aq;jzi o u omEion?

t qpr̃m;cl̃ , i;yup;ji;a&m*̃r̃m;

t &; t qpr̃m; , , i;yup;ji;ona&m*̃y;a:umi (buw;&; , m;y;0ia&m u l t qpa&mijci;) (ol)u;pu a&m*̃y;r̃m;a:umir [wb (ol) '%&m̃r̃m; (t qpq qeç&̃ji;(Strains)Ei t qpr̃u;ji; (Sprains)w;a:umi jzpEion?

Tvr;nepm tywi xcu '%&m̃r̃m; . uoru aq;aE;xm;ji;r&y?

1/ buw;&; , m;y;0ia&m u l jzpaom t qpa&mijci;

t &; t qpwc t wi;(monoarticular) (ol) t qpr̃m; t wi; (polyarticular)ol&ww&u buw;&; , m;y; 0ia&m u;ji;a:umijzpon? t qpr̃m;wijzpyu wzuEiwzuwnavr&uy?

t &; t qpwcwi buw;&; , m;y;0ia&m u l t qpa&mijci;on uav;r̃m;wi t jzpr̃m;jy;/ Staphylococcus a:umijzpa v&on?

t &; t qpr̃m;wi buw;&; , m;y;0ia&m u l t qpa&mijci;on v}u;r̃m;wiyl t jzpr̃m;jy;/ Gonococcus y;a:umijzpeion?

a&m*̃v u %m̃r̃m;

- t qpemu;ijci;/ t qpu x vi z v;iemji;/ejci;/a&mi&r;ji;Ei aE;ji;?
- wcw&wi t zm;(ol) cr;ji;&on?

uor

uav;r̃m;:

- IPD wiy/
- xaemu IV Cloxacillin 3&uay;y? xaemu y;pyr 14 &u qu ay;y?
- yxr 3&u t wi;w;wur r&y;u/ Gentamicin IM/IV u xyay;i;lay;y?
- t &;u}ul;pm;l:uypn;ay;ji;Ei t &;qpu yxr&u ten;i , twi; tem;ay;ji; t x;ojzi tav; cieuo , aqmi xm;&aom t qpr̃m; ayi t qpEi';qp? tem; , ziv tyon?

v}u;r̃m;:

(u) cEmu , wcv;wi a&m*̃y; t qyy;Ejci; . v u %m̃r̃m;r&v;i OPD wi uy?

- Cloxacillin 500 mg C;uci;wuy + cloxacillin 500mg u 14 &u:umwuy?

(c) t u , l t zm;&ci;Eivem . t ajc taev n;aumi;y;u (ol) OPD wi uor 2&u:umy;rouomyu-

- aq;&wiy?
- OPDEiwl uoy?
- im/ iv Gentamicin 6 mg wae;w}ur 5&u

r:umc%yi t qpr t&ñr̃m;u p;xuapzv on? (q&m0eEi taw t }ul&aom aq;r;l; . }u;uyr a t mu wi vy&rn?

2) t & t qpa&mijci; (u;pua&m*iy;rm; a:umir [wb t & t qpa&mijci;)

auprsm;pm&y/on? t jzprsm;q; t &mrsm;on t qpwi;&t &Ersm;yup; l t qpa&mijci; (Osteoarthritis)av; buem t qpa&mia&m* (Rheumatoid arthritis) Ei a*!uac: t qprsm;a&mijci; (, & , m;rm; l jzpjci;) a&m* (gout) u jzp:uy/on?

t u , lrm; t & t qpwi&a&m*iy;0ia&muy;u/ q;jzw&e t vecuon?
&i;vi;aom a&m* &mZ0iu &&z t a&:u,y/on? vemwiy \ em t ceumv:um&npm&cj;y/(o)
4i;on jzpvu aymv u qujzpaey;u a&m*iy;a:umijzpEip&mr&vy?
oo , &rnqv;i a&m i&r;jci;Ei a&m*iy; 2r;pv; t wu uoy?

u/ t qpwi;&t &Ersm;yup; l t qpa&mijci;/ t &;qpu t o;jyjci;rm;aoma:umi t ou
t & , :u;vmaom t cY t qprsm;a&m i&r;jci;/ t jzprsm;q;aom t qp rsm;rm- ay i qprsm;/ ' ;qprsm;/ c; qprsm;/
ajc qprsm;Ei v u qprsm;wjzp:u on?

a&m* v u %mrsm;

- emusijci;Ei t & t qpwi;jci;Ei t & t qprsm; . vy&m;ravsmen;vmjci;/
- r:umc%qo vyi a&m i&r;jci;Ei ypyu , i;jci;/ vy&m;v i t ojrnci;

u or

- Paracetamol ay;y?
- t a&m i uaq; ASA, Ibuprofen, ,Indomethacin ay;y?
- wm&n uojci; t wu t em u s o u omaq;r:umr:um v tyon? aq;q;u d;rm;u owxm;y? t x;
ojzi v}u;rm;wi jzpon?

c-av; buem t qpa&mia&m* (Rheumatoid arthritis)

a&m* v u %mrsm;

- t veemusijci;Ei r:umc%qo vyi 4i; t qpwi on reuyi; awmiwi;uyjci;jzpon u vem
rajymjyav&on?
- t qprsm;emusijci;/yaE;y; a&m i&r;aom t qprsm;?
- wm&ny;up;aeaomauprsm;wi t qprsm;ypyu , i;jci;?

u or

- t a&m i uaq;0;rm;jzi u o v&Ei on? Indomethacin, ASA, Ibuprofen
- aq;u oru umv:um&npm v tyau mi;v tyvrn?
- wejyerr&y;u/ q&mOeEiaq;aE;wiyi;y; Steroids (O) chloroquine u ay; l u o&e p0;pm;y?

- a!uac: t qprsm;a&mijci;(, & , m;rm; l jzpjci;) a&m* (gout)-

yprraom t pi t crsm; (a u sm uw; i , i , av;rm;) t & t qprsm; t wi;jzpay:jci;a:umijzpon?
t pm; t pm u 4i; (o) t c!a omaq;0;rm;Ei q upy l jzpEi on? ' ;qprsm;Eiajcacsmi; t qprsm;
wi t jzprsm;on?

a&m* v u %mrsm;

- t qpwi q;&m;pmemusijci;/
- t qprsm;wi yjci;/a&m i&r;jci;Eiejci;&on?

u or

- t a&m i uaq;ay;y? inflammatory t x a&m u q;aq;jzpon?
- emwm&njzpaom vem rm; t wu q&mOeEi aq;aE;wiyi;y; a&&n umu , jci; t wu allopurinol
aq;u p0;pm;Eiyon?

tem:u;a&m* (o s)Eema&m*

tem:u;a&m*on t jcm; ta&jym;a&m*/ t m&a:u/ t &ei rupa&m*wi Ei t ajc taeweion?

tem:u;a&m*on buw;& , m;wrjzpon Mycobacterium leprae a:umijzpon? u;pu&ec , O;on? avrwqio[r [waq;urxm;ony;&tem:u;a&m*on . emaci;rwqiaomvn;aumi;u;pueion? ta&jym;uuiw , onrEi u;pu avr&ay? tem:u;a&m*on trm;pw/on ru;puwwy? aocmpm aq;uo xm;aom tem:u;a&m on t m;v;e;y; ru;puwwy? trm;tm;ji tem:u;a&m*ijzpaon buw;& , m;ei awixraomvn; a&m*ijzpym;ji;rwway?

a&m*owrw&e t cu 2 cu

- ta&jym;ay:& t u onr , m;/ x t jyi 6 vxuren;umrijy/ omrmeaq;uorrm;jzivn;rou om yre ta&jym;a&m*ei vn;rwv i t em:u;a&m*ijzpeion?
- rnonvemjzpap ta&jym; t ajymi; t vei t m&a:umv u%om (a&mijci;/cpm;r ejci;/ vy&m;rr&ji;) rsm;aw&y u t em:u;a&m* [ovrweion? t jzla&mi t u u t a&jym;ay:wi&jy; xaw/cpm;rejci; ei t m&a:umx;y;u;ae v i t em:u;a&m*ijzpeion?

emusi rraomxcu '%&mrm;/ r;avmi '%&mrm;ei t emrm; ajc/ v u w i w i aw&y u t em:u;a&m* [p0;pm;eion?

v u %meipr;oyaw&c;ur:m;

ta&jym; t u u /	:uwuraeaom t u u / t v , wi t a&miazm lab;ecr; ten; :u;y;eaern? :uwuaom t u u / x;y;v;0i;yeaern? :u;y;jyeiaeaom t ea&mi t u u &on?
t m&a:u/	ajc/ v u / vnyi;Ei acji;yw0e;usi& :u;y;xaom t m&a:umrm;/ emusiaom t m&a:umrm;/ pr;v i em on t m&a:umrm;/ aymy;:u u om; t m;r&ji;(v u acmi; rsm;au;jci;/ v u aum u0wwu:aeji;/ajcqji;/ rsuEmwjcr;&ji;) :u u om;rsm; orji;?
ruap	rsu v; t rwi xaw/cpm;rr&ji;/ rsu v;rywEijci;/a t murucr;veaeji;/ rsu c;ar;u\wji;/ rsuawmipuji;/ rsu v;ajcm u l t emjzpci;/ rsueua&mijci; ei rsuaprijci;?

a&m*owrw&c;u

tem:u;a&m*&on [xiorm; t m;uo&eeia&m* t rnaz:xw& oi . a'owi tem:u;a&m* wuz:ua& t p t p0&v i v emrm; t m; vajymi;ay;y?

oi . a'owi tem:u;a&m* wuz:ua& t p t p0r&v i a t m u y t w i ;aqmi&uy?

- a&m* &mZ0i , y; a&m*ijzpym;r 3 ywx uen;v iaomvn;aumi;/ , m;v iaomvn;aumi; t em]u; a&m*ijzpe t ci ta&en;on?
- ta&jym; . t v , u 0*r;/ tywji pr;oyy? xaw/rcpm;ji;r&v i t em]u;a&m* [rwc:uyjiy? emusi rrrq;&r xawryxrq; &q;on?

pr;oyrwi y0ion t curm;

1/	t a&jym; t m;v;u t v i;a&miaumi;aumi;&aom ae&mwipr;oyy? t u urm;/ t a&miajmi; rrm;/ ajcm uaoi r/ t ar;u wrrm;/ yq;y; az: jyy?
2/	t m&a:um}u;r <ul style="list-style-type: none"> • Ulnar wawmi qpa t mu t wi;zu (v uarmi;au;y; pr;y?) • Median wawmi qpEi v uaum u0wa&Eyi; • Radial v uz t jyi&;v urbu t yi;Eia t mu q; t yi; • Peroneal (lateral popliteal) ' ;qpab;ajco v; t jyi&; t ay;q; t yi;(' ;au;pr;y) • Tibial ajcu;i;0w t wi; ajcr;upaem u • Posterior Auricular v nyi;/em; . a t muEi aemuzuwi pr;y? wbu o r;uEm v nci;y? • t a&jym; t u uEi e;aom t m&a:umrm;?
3/	0*r;o r [wpm&u t o;jy;y; xaw r t m&q;&r&r&u o b m0 t wi;r [waom t a&jym;ae&mr m; wi pr;oyy?
4/	t x uypr;oyr t wi; ajc v uEi r;uEmw u pr;oyy? em u s i r t wu t yEi pr;oyy; t y t a t ; or q;&jci; &r&u v n; pr;oyEi on?
5/	r;u:u n vm (Trigeminal nerve) u v n; xaw r t m&r& 0*r;u t o;jy;y; pr;y?
6/	:u u om; t m;avmr/ x v i t o&rrm;u ajc v uEi r;uEmw wi pr;oyy? <ul style="list-style-type: none"> • (Peroneal)- ajczm;r t ay:o qwi y (ajcu;i;0w t m;au;jci;) v wv uy? ajcax mu jyeru s y uajcqrr&? • (Tibial)- ajczm;r a t mu o qc;y (ajcu;i;u;i;0w qe xwji;) • (Radial)- v uaum u0wu aem u o vey? (v uaum u0wu qe jci;) • (Medial)- v u0;u pm;yay:wi vexm;y;/ v ur t wi;bu o uyci;y? • (Ulnar) v u0;u pm;yay:wi vexm;y; v ur t m; t jyi bu o cmci;y? v u oe;ab; o jze ci;y? v u n;ab; o jze ci;y? v u acmi;r m;jzi pm&ur m;u ru&e nyci;y? • (Facial)- r;uEmwi&aom t m&a:um- r upywci;y?

4- 6 ae&mr t a&jym; t m;jcpl erem , y? Emaci;npj;vn; erem , y?

- b , / n m em;&ua t m uy i;/ t u u . Ewcr;EpcEi a&m*|r&aomae&mr erem 2 c t a&jym; jym;jc p y; , y?
- 5 rr(rvrwm) t &n/ 2 r 3 (rr) t eu "ijzi jzwy? ao;r x uyapEi t a&jym;u np x m;y? "ijzi ve l t qyae&m u jcp y?
- 7 rr t ci;&aom t u u jzpa t mi rejym;ay:wi jzey? Ziehl Nielsen q;aq;jzi t o;jy;y;:u ny? t uppEi t a&mi q;Eiaom (Acid-fast bacilli- AFB) &m&ejzpon? t a&jym;ajymi;r/ Eem t o;x r/ t m&a:um x curEi Emaci;w|wi y; (AFB) aw|r w jzi a&m*| o wrw:c u u t w n j yEi on? t a&jym;Ei Emaci;r m;r pr;oyc:u wi y;raw|aom v n; vem on t em}u;a&m*|jz p ym;Ei on? vem t r m;pon t u u Eem&y; y;raw|&ay? vem . t a&jym; erem/ t m&a:um erem o|r [w :u u . t }uwr m;wi y;ar;jrL y;a&m*| &mazEi on?

u o c u

aq;0;jzi u o jci;on vem t wu t &q;/ t &i;q; v t yaom t u t n jzpon? y;aoapy; u;puru &ywe|ap&e aq;u reuepm waom u jci;/ t ceum v t wi;aom u jci;jzi v , upm y;u owEi on? o|aom t m&a:um y;up;jci;u &u owyw t wi;raym uy;u wo u v; o;r&jz p w w l t m&a:um y;up;jci;u

umu, &et a&u;on?

ajc/ v u/ r upw/ u t m&rcpm;Ei on t wu wou v; i yev n xax miay; &jci/ t umu, ay; jci/ avusi
ay; jci/ ypn; Ei pwyi; qi&myy; ay; jci; won a&&nv tyon t wu vemu, wi y0i vyui&e vou o/
t jcm; or m; r v n; v yaq miay; &e v tyon?

aq;0; u ocu?

- Dapsone 100 mg ae\wi; (OD)
- Clofazimine 50 mg ae\wi; (OD)
- Rifampicin 600 mg wvw\ur
- Clofazimine 300 mg wvw\ur

wvw c/ aq; rsm; on } u; uy rji ay; y; / o; r s; won ten; q; 2 EpEi t a&jym; ay; wi
y; raw/ && y u o; ae&m pr; oyy? wv: um; 2 c/ pr; oyy? (WHO on 1 Ep t: um aq; o; o ion [q . /)

aq; . q; u; r m;

- Dapsone on ao; e0 ay; u uy; up; aom ao; t m; en; a&m* & u l G6PD (GLUCOSE-6 - PHOSPATASE- DIFFICIENCY) pr; oyy; ay; y?
- Dapsone on t a&jym; t iy; 0 x; y; wcw& q; &m; pm jzpay; wwon?
- Clofazimine on t a&jym; u varma&miE t na&mi ajymi; apy; aq; &y y u wjzn; jzn; aym u ui; wwon?
- Ethionamide o/ r [W prothionamide w/ on clofazimine t pm; t o; j y Ei y; / t on; u xcu wwon?
- Rifampicin on q; u varma&mi ajymi; apaom v n; t E&m , rapay?

&ww&u aq; u o&e t a&ay: t ajc t aeEi t em\ u; a&m*

1/ &ww&u jyi; xepm " &ww& jyer u aq; ay; p0 jz pww . ? cc t m; aumi; l t m&a; um r m; / t a&jym; r m; xcu y;
(u) t m&a; um t v; i t jrea&mi jci; / em u; i jci; / t xrcEi jci; /
(c) vy&m; rrj y/ Ei jci; (v u aum u 0 wrr wEi jci; / ajc ax m u qjci; Ei r s u Emw jcr; &jci;)
(*) t a&jym; t ema [mi; r m; em u; i jci; Ei t em jz p jci; /

u o jci; - t em; , jci; / Aspirin, Prednisolone t jri Ee; jzi ay; jci; / (40 r 60 mg ae/ p0 ay; jci;) 1 & u r
2 & u t wi; o u o mapy; aq; u wjzn; jzn; o; v rav; v t wi av smy? t em\ u; a&m8; aym u aq; u quay; y?

2/ jyi; xeaom wej yeron aq; ru on vem o/ r [ww0 uwy u u on vem w/ v n; u , ct m; u jci; a; um i
yr q; &m; pm aw/ &Ei on? (Eem t o; r m; yr\ u; x m; v mEi on?)

u o jci; - t em\ u; a&m* aq; Ei prednisolone y/ i way; u o&r n?

3/ t z m; Ei u , v ur t rom jz p jci; /

t m&a; um/ : u o m/ t & t qpa&mi jci; / oi , t r r s u v; a&mi jci; / a0; 0 em jci; / q; xwi y&we; aw/ jci; /
t ea&mi t o; r m; x jci; / t em jz p jci; w/ t jyi t o u q; & apEi on?

u o j c i:- Thalidomide o n t x a & m u q ; a q ; j z p o n ? & & e c u c o n ? u , o e r a q m i r o m o ; & r n ? Clofazimine U Thalidomide r & v i o ; E i o n ? a q ; & & e c u c o n ? Clofazimine (w a e l v i 300mg E e j z i 3 v a y j c i ;) o l r [w C h l o r o q u i n e u o ; E i o n ? P r e d n i s o l o n e o n q ; & m ; a o m v e m r m ; t w u u o & e j z p o n ? (T h a l i d o m i d e r & E i r o j y ?) t c l q ; & m ; a o m e m w m & n v e m w w i " j w w e j y e r r & a p b a q ; u & y w e & e c u c o n ?

x a e a o m a j c l v u E i r u p w l r x c u & e u m u , r t a & j u ; o n ?

- z e y c x & r n / (O y r m - u m ; w m , m a & m b m o m ; E i j y l v y x m ; a o m z e y) q ; ' % u m u , & e j z p o n ? z e y t w i ; o m ; a y m a y m i ; p m & & r n ? (E ; n a o m a & m b m o m ; j z i j y l v y & r n) ? T t & m o n x a e a o m a j c a x m u t m ; z t m ; E i ' % & m & j c i ; r & a t m i u m u , a y j c i ; j z p o n ?
- v u t w u t v y v y p 0 E i c u j y l w c e w i t o j y l & e ?
- r s u r e (y 0 i r y) r s u v ; u m u , & e t o j y l y ?
- a j c E i v u u w a e l v i r e p 30 a & p r y ; a j c m u a o l a e a o m t a & j y m ; u a e l p 0 [i ; o ; [i ; & u q j z i o w v r ; l y w y ? T o n r m t a & j y m ; u u t u j c i ; E i t e m j z p c i ; / y ; 0 i j c i ; w i u m u , & e j z p o n ? (a & p r y l q E i y w y)
- t q p r m ; a w m i w i j c i ; r m ; t m ; u m u , & e t j c m ; o r v y & m ; r a v u s i c e ; r m ; u j y l v y a y ; & e (a j z ; a j z ; / o w x m ; l / t c i e r e r e a e l p 0 j y l v y y ?)

y n m a y j c i ;

x a e a o m v u / a j c E i r s u p r m ; t m ; u m u , & e u n j y o o i o n ? t r m ; t m ; j z i r j z p E i a y ? ' % & m & & y u a o a o j c m j c m j y p u o E i & e r e r e a q ; p p a y j c i ; u 0 ; p m ; a y ; y ? t y r a v m i a p & e p 0 ; p m ; a y j c i ; o n v n ; t a & j u ; o n ?

j y e v n x a x m i a y j c i ;

c p w j c i ; E i a v u s i a y j c i ; o n t a & j u ; o n ? v u / a j c E i r s u E m w l . : u u o m ; r m ; c l l , i j c i ; E i t e m r m ; t & ; r m ; u u o j y l p j c i ; o n v n ; t a & j u ; o n ? t a : u m a o o m ; a o m : u u o m ; r m ; u j y e v n j y j y i c p w j c i ; j y l v y a y ; E i o n ? c p w j c i ; E i a q ; 0 ; u o j c i ; o n y u p ; o m ; a o m t m & c p m ; r u t p m ; r x ; E i a y ?

u m u , e n ; t q i 3 q i

- a p m v s i p m & m a z y ; u o j c i ; ?
- a p m v s i p m o & y ; a e m u q u w q ; u l ; r m ; u v a v m u p m u o a y j c i ; ?
- u , w i j y l p u o & e v e m t m ; y n m a y j c i ; ?

t e m j u ; a & m * j v e m t r m ; t j y m ; o n p w " j w u ; y ; p w t m ; i , w w o n r m t q y o w l t a y : c j c m ; q u q r a : u m i j z p o n ? o w l . r o e r p r ; r b 0 t a e t x m ; a : u m i v n j z p o n ? t o t r w i j y l y ; a q ; 0 ; E i t j c m ; t a x m u y a y ; r o n t a & j u ; o n ? r v t y b a : u m u & r w j c m ; o w l . c j c m ; p m q u q r l y p y , x m ; r w l o n t a & ; y a o m a & & n j y i p a p m i a & m u & e t w u t a & ; w l u ; v t y o n ?

q;vr;æumi;Ei vi t*yi;qi&m t ajc t aerm;

q; t ra&mia&m*

q; t ra&mia&m*on q; t rwi a&m*y0i;a&mujci;a&umijzpon? rsm;aom t m;ji E.coli y;a&umijzpon?
t jzprsm;aoma&m*ijzpon t x;ojzi t rsl;or;rsm;wi t jzprsm;on? 4i;y;on obm om oaeyu
t E&m , r&y? a&um uuy(uawm-pyo tyi;)a&mia&m* rjzpom;&a t mi q; t ra&mia&m*u uoy?

a&m* v u %m rsm;

- vemq;r-umc%om;/en;en;bom/
- q;om;em uijci;Ei x em uiron ypyavmijzpon?
- q;om;cipwr-umc%cpm;&jci;/
- **tzm;r&**
- q; t e , yjci;/
- wcw&q;ao;yjci; (Haematuria)

u or

t en;i , omjzpaom q; t ra&mia&m*u a&rsm;rsm;aom uci;jziawm iou omaym uui;on?

- v:u;q v i a& wae 3- 4vwmcel rsm;rsm;aom uoy?
- Cotrimoxazole 3 &uay;y?
- 3&u:umjy;aem u o u om v mji;v n;r& a&um uuy(uawm-pyo tyi;)a&mia&m* . v u %m rsm;
v n;r&v i Amoxicillin (7) &upm (o) Cephalixin (7) &upmay; l uoy?
- u , Oeaqmi t rsl;or;rsm; t wu q v i Amoxycillin / Ampicillin (7) &upmay;y?

owjy/e-

- a , m u sm;rsm;on rsm;aom t m;ji q; t ra&mia&m*r&y? 4i;w jzpyu vi q u qjci;ru;puaoma&m*
(o) q;uwa&mia&m*up0;pm;y?
- q; t ra&mijci;xycxycjzpyu q; t rau sm uwnjci;(o) vi q u qjci;ru;puaoma&m*wl u p0;pm;y?
- uav;i , rsm;wi UTI xycxycjzpyu a&um uuyy;upjci;u umu , &e "lwcpr;oyppaq;rsm;jy/
vy&vrrn?

au sm u uya&mia&m*

au sm u uya&mia&m*on au sm u uyi a&m*y;wc0ia&mujci;a&umijzpon? q;0;aoma&m*ijzpy; IPD
wixm; l yEZ0aq;jziay;l u o&vrrn?

a&m* v u %m rsm;

- tzm;u;jci;/ cr;jci;/
- au sm u uya&m (o) c;b uemjci;
- vemq;r-umc%om;/en;en;bom/ q;om;em uijci;Ei x em uiron ypyavmijzpon?
- q; t e , yjci;/ wcw&q;ao;yjci;

"wcpr;oyppaq;ici:

- **q;u tEun reb;v;ji ppaq;ici;**- jyn q vrm;pmaw/Eijci;/ao;q vrm;Ei buw;& , m;w;u Vn; gram stain vy:un v;i aw/&on?
- **Dipstix, multistix:** Leucocytes Ei Nitrites w;u aw/&&on?

u or

- vem u IPD wi x m; y?
- t & n r m; r m; a o m u c i; y? (v:u;w0; t w u q v:i 3-4 vwm)
- em u i j c i; E i t z m; u Paracetamol j z i u o y?
- **Ampicillin** IV/IM x 2-3 & u a y; y? q u l Amoxicillin/Ampicillin u y; p y r a y; y? (p p a y; i; 14 & u) Ei
- **Gentamycin** , IM/IV x 5 & u a y; y?

i u z m; e i a u s m u u y a & m i a & m * w i o n w l j z p E i o n ? a o ; a z u l i u z m; y p p a q ; i c i ; u j y / v y y ?

q;vr;aumi;au sm uwnjci;r m;

q;vr;aumi; t * i t z i t p n; w i a u s m u r m; j z p a y; j c i; (q; t r x w i (o) a u s m u u y x w i) 4 i; a u s m u w i o n q;vr;aumi; u w y i; t p y w j c i; (o) t j y n y w j c i; j z p E i o n ?
a u s m u u y w i j z p a o m a u s m u w i o n q; y j y e (o) q; x w j y e o i q i; v m j y; y w q i E i o n ?

q;vr;aumi;y;0iaoma&m*r;r m r u m j z p a o m v e m r m; w i q;vr;aumi;au sm uwnjci;upr;oy&mazy?

a&m* i v u % m r m;

vemwia t m u y; v u % m r m; w c (o) w c x u y l & E i o n ?

- j z p v u a y s m u v u j z i j z p w w a o m q; q; 0; 0; c; e m j c i; (o) q; c e m j c i; (q; o m; j c i a o m t c e m j c i;)(o) t q u r j y w e m u i r n ?
- q; w i a o; y j c i; /
- q; w i a u s m u r m; y; v m j c i; /
- a & m * i y; x y l o i a & m u j c i; . v u % m r m; & j c i; - t z m; & j c i; / c r; j c i; /

a&m* i p r; o y p p a q ; i c i :

• **dipstix** j z i q; p p j c i; - a o ; / t u , l leucocytes Ei E u x & u w i u a w i & y u v n ; 4 i; w i o n a & m * i y; E i q u p y j z p E i : u o n ?

u or

- vem u IDP wi x m; y?
- t & n r m; r m; a o m u c i; y? (v } u; w 0; t w u q v : i 3-4 vwm)
- t u , l r a o m u E i y u IV t & n o i; a y; y?
- em u i r r n r i q; 0; o n t a y: r w n l e m u i r u o u y?
1/ **Aspirin, Ibuprofen, Indomethacin(O)** Diclophenac PO(o) IM w i u w e n; r [w w e n; j z i a y; E i : u o n ?
2/ **Buscopan (Hyoscine butylbromide)** 20 mg/1cc (IM/IV q; 0; j y i; x e r t a j c t a e a y: r w n l a y; y?)

Buscopan - u a v; r m; 6 E p t x u IM/IV 0.5mg/kg
v } u; r m; IM/IV 20 mg

6 Epa t mu uav; rsm; Ei u , 0eaqmirci rsm; t wu t o; rjy/yEi)

- t u , l rsm; q u v u l em u s i a e a o; y u T a q; E e; t w i; r E p 30 : u m w c; a y; E i o n?
- a q; 2 v; u 500 cc D5W w i a & m l r E p 30 x u y: u m: u m a y; E i o n?

t u , l rsm; em u s i j c i; r o u o m y; u -

3/ pentazocine (im/iv) 30 mg/1 cc:

uav; rsm; t wu	im 1 mg/kg
	iv 0.5 mg/kg
v}u; t wu	im/iv 30-60 mg

- t u , l t z m; & j c i; E i c r; j c i; (a e m u y; w r; 0 i j c i;) & y u E i; u a u m u u y a & m i a & m * u o i u o y?

- | |
|---|
| <ul style="list-style-type: none">• t u , l t e m u s i o u o m a q; u t rsm; q; a y; E i a o m E e; j z i a y; j y; a e m u e m u i j c i; r o u o m y u a q; & y i y?• q; x w j y e y w q j c i; . v Q % m rsm; & y u (q; c t a y; y i; e m j c i; E i q; r x u E i j c i;) a q; & o i y i y?• e m w m & n q; v r; a u m i; y w q i a o m v e m u y a q m i a o m t c q; t w a z m i; w i; l t j c m; a o m t * w u u o m; a p c i; e i a u m u u y y u p; j c i; w u u m u , & e p 0; p m; y i? |
|---|

& w w & u j z p a o m a u s m u u y a & m i a & m * v u Q % m p (AGN)

T a u s m u u y a & m i a & m * o n a u s m u u y w i & a o m t n p t a: u; p p Z u m rsm; w i a & m * y; w c 0 i a & m u j c i; j z p o n? T v u % m p u j z p & a o m t a: u m i; & i; rsm; p m & o n? t j z p rsm; q; a o m t a: u m i; & i; w c r m P o s t - S t r e p t o c o c c a l G l o m e r u l o n e p h r i t i s j z p y; 4 i; u u o l & E i o n? T a & m * o n t a & j y m; a & m * (o i) v n a c m i; e m a & m * j z p y; a e m u y i; r j z p a v & o n? w c w & t j c m; a & m * rsm; j z p a o m t q y a & m i a & m * w u z i u a & m * l e p t o s p i r a y; a u m i j z p a o m a & m * i u z m; a & m * . B y; a u m i j z p a o m t o a & m i a & m * C y; a u m i j z p a o m t o a & m i a & m * 0 u o u a & m * w i j z p y; a e m u y i; v n; j z p w w o n? t o u 3 E p t x u & a o m u a v; rsm; w i y l t j z p rsm; o n?

a & m * v u % m rsm; -

- r; c; a & m i / o a c; e n a & m i q; o m; j c i;
- t & n rsm; p l a z a & m i j c i; (a z m j c i;) / t x; o j z i r u E m w i j z p o n? o i a o m E i; a z m j c i; o n w u , v; w i j z p o n?
- q; o m; e n; j c i; (o l i g u r i a)
- a o; a y i w u j c i; - t e n; i , r i o m w u a v & o n? 5 - 10 E c e l a o m v e m rsm; w i q; q; 0; 0; j z p E i o n?
- t u , l w u , v; a z m y u / t q w a & 0 i l a z m j c i; j z p E i o n? t o u & c u c j c i; / t q w a t m u a j c rsm; w i t c l o rsm; & j c i;?

" w c p r; o y p p a q; j c i;

Dipstix :

- q; w i y & w e; " w y j c i;
- q; w i a o; y j c i;

q; u t E u n r e b; v j z i : u n l p p a q; j c i;

- R B C E i W B C rsm; / h y a l i n e w w u s u s o w r w x m; a o m q v rsm; t o m; p q v (g r a n u l a r) E i a o; e 0 t p rsm; u p p a q; o n?

<p>, c i u t a & j y m; a & m * (o i) v n a c m i; e m a & m * rsm; j z p z; j c i; & r & a r; y i?</p> <p>t e m p u t e m a [m i; rsm; . v Q % m rsm; u t a & j y m; w i & m a z y?</p>
--

uor

- IPD wi uoy?
- tem; , y?
- om;pm;ji;u pn;-uyy?
- v}u;rm;wi t&naomujci;u 500 Ei 1000 pp:um;wi pn;-uy owrwxm;y?
- q;O;pmazma&mijci;&y}u Furosemide 1mg/kg/day wuy?
- aemuquwyj \ emrm;u uoy- ao;w;Ei &wc:n;jzpaom t qwa&Oiazmji;w}u ouqi&m t ce; wi:u ny?
- post streptococcal glomerulonephritis u o o , &y}u a t muaz: jyy}ywZ0aq;O;w}uay;&e axmucc:ujy/xm;on?
 - (u) Penicillin 10 &uay;y?
 - (o) Benzathine Penicillin Cujci;ay;?
 - (o) Penicillin jzirwny}u Erythromyein ay;y?

au sm u uy v y p n ; r m ; a & m i a o m v u Q % m p

T v u % m p o n a u s m u u y a & m * j a : u m i j z p o n (a u s m u u y & t n p a : u ; p p Z u m a & m i & r ; j c i ;) (o !) q ; c i a & m * (x y q i l j z p a o m a u s m u u y & t n p a : u ; p p Z u m a & m i & r ; j c i) u o ! t j c m ; a & m * r m ; . a e m u q u w a & m * j w c v n ; j z p E i o n ? a u s m u u y t o m ; p u p p a q ; u n r o m j z p o n t a : u m i ; t & i ; u t w t u a z m j E i r n ?

a & m * v u % m E i p r ; o y a w & c : u

au sm u uy Ei q i a o m a & m * v u % m p o n a t m u a z : j y y w } p a y i ; l j z p j c i ; j z p o n -

- cEmu , azma&mijci;
- q;wi y&we;"wy}Oijci; (Proteinuria)Ei
- ao;wi t , vjAlri"jwavmen;ji;

uor


- IPD wi v u c u o y ?
- t & n a y ; j c i ; u p n ; - u y y ? v } u ; r m ; w i w a e l v i 0.5 r 1 v w m t w i ; a y ; y ?
- q ; a q ; a y ; y ?

1/ Furosemide uav;Ei v}u; 1 mg/kg OD/ PO/

Ei

2/ Spironolactone uav;Ei v}u; 3 mg/kg OD/PO/

4 y w t : u m w i v e m t m ; j y e : u n y ?



wejyer t & aq;avmy?

- Prednisolone 4 yw ay;y?
uav; PO / 1mg/kg BID t rm;q; 60mg/day
v}u; PO 1-1.5 mg/kg OD
- Steriods a:umi oaumirm; rjeap&e Albendazole ay;y?
- TB a&m*Ei Amoeba a&m*ui;&i;a:umi; aq;rwrr;&mZ0i , y(Steriods on yq;apon)
- u , t av;ce ae;wi;ce
- Steriods ay;ji;Ei Protein "wen;ji;wa:umi u;pua&m*rm;0i&e t ci t vr;rm;on?
- jyeaumi;on t x IPD wixm;y? aq;&q;v;i t ywwi; jyeunay;y? (q;Ei u , t av;ceppy)
- ppayi; uo&e 4-5 v ce:umEion?

Predniolone aq;zi ouomr&aomvemrm;on a&m*jjyev njzpy; &e t vm; t vm&on?
x vemrm; t m; azma&mijci; ten;i , jzpay:vm onEi OPD o! jyevmjy&e ne:um;y?
u oru jyevpwiy?

v iEiywo uaoma&m*rm;

t u , lo ion viEir;ym; t *vr;a:umi;qi&ma&m*wcuo o , &y u vem u o;jcm; t ce;wcwi
jynqi;ji; / t emrm; :u uErm; / ar;vr;a:umi;0a&m i&r;ji; / xaw;pr; oyaom t q emusi;ji; &r&w u &maz
&e vi t *upr;oyppaq;ji; u jyvyo ion?

vem .&mZ0iEipr;oyji;w u t ajcc l / aq;u ortwu vr;necurm; u t o;jy/y?

1/ t r;or;ar;vr;a)umi;a&m i a&m*

vemajmijaom u vQ%mr;m;	a t m uyw u o y	aq;Ee;
(Vaginitis)ar;vr;a:umi;a&m i a&m* Ei t w a. t jrlyxaom t jzla&m i om;e&n b.i; ywe&aom r;cpr;a&m i om;e&n c. , m; , aom t jzla&m i om;e&n	a. Trichomonas b. Gardnerella c. Candida	a. Metronidazole (PO) 2g C u jci; ** b. Metronidazole (PO) 2g C u jci; ** c. Nystatin 100,000 , ep 1 re;r u , x x naomaq; (pessary) u ar;vr; a:umi;wi (7) n x ny

** u , 0eyxr 3 v ywwi Metronidazole u t o;rjyEi?

14 &u t wi;jyev m&e vem u t }ujyajym:um;y?

14 &u y;aem u orwi v u %mr;m; q u &aeao;y u / om; t rxy0a&m i a&m* t jzpu oy? (*Eu;a&m*Ei
chlamydia) a t muwi:u ny?

2/ q;c&*i&t*rm;a&mi&r;aoma&m* (PID)

=om; t r0 t x u&aom t *rm;wijzpaoma&m*rm;(om; t ra&mia&m*/ om;y/ jyea&mia&m*/ om;y/ jyeEi
r;0 t rwi jynwnjci;/ q;c&ui;w0u& 0r;wi; t ajr;y;a&mia&m*?)

vemajmjc;u vQ%rm;	a t m u y w u o y	uor
Or;a t m u y i;em u s i j c i; v i q u q a o m t c i Y e m u s i j c i; &m o a o; q i; c e Y r e r [w a o m e m u s i j c i; r e; r u , r o m; e n q i; j c i; q; o m; p o e m u s i j c i;	Gonorrhoea Chlamydia Anaerobic Bacteria	Ceftriaxone (IM) 250 mg C i u j c i; (O!) Ciprofloxacin* (PO) 500mg C i u j c i; Ei t w w l Doxycycline* (PO) 100mg BID x 14 & u a y; y i? (O!) Tetracycline* (PO) 500mg QID x 14 & u Ei t w w l Metronidazole** (PO) 500 mg TID x 14 & u a y; y i? <u>q;0;ji;xeyu vemu IPD wixm;ji;</u> <u>a t m u y w u a y; l u o y i?</u> Ceftriaxone (IM) 250 mg OD (O!) Ciprofloxacin* (PO) 500mg BID Ei t w w l Doxycycline* (PO) 100 mg BID (O!) Tetracycline* (PO) 500 mg QID Ei t w w l Metronidazole** (PO/IV) 500 mg TID (O!) Chloramphenicol* (PO/IV) 500 mg QID T a q; w r s m; u v e m t a j c t a e w; w u o u o m o n t x a y; y i? x i a e m u Doxycycline (PO) 100 mg BID x 14 & u q u l a y; y i?

* u , O e a q m i c e w i r a y; y i E i - u , O e a q m i c e w i C i p r o f l o x a c i n u C e f t r i a x o n e j z i t p m; x; j c i; E i D o x y -
c y c l i n e u E r y t h r o m i c i n j z i t p m; x; l a y; y i?

** u , O e y x r 3 v y w w i r a y; y i E i?

3-u) tr;or;rm;wi viquqci;aumi u;puiyeym;aoma&m*rm;jzpci;

vemajmjc:u vuQ%mr;rm;	atmuyw uuoy	yxra&c , &rn aq;tw	'w , a&c , &rn aq;tw
vi t*wi;zpaom temrm; (yiaeaom zucuemrm;)	Syphilis (qpz vp) Ei Chancroid (&eum&u)	Benzathine Penicillin ¹ (IM) 2.4 MIU C:ujci; Ei twwl Ciprofloxacin* (PO) 500mg BID x 3 &u (o) Erythromycin (PO) 500 mg QID x 7 &u (o) Azithromycin (PO) 1g C:ujci;	Procaine Penicillin (IM) 1.2 MIU OD x 10 &u (o) Doxycycline*(PO) 100mg BID x 15 &u (o) Tetracycline* (PO) 500 mg QID x 15 &u Ceftriaxone (IM) 250 mg C:ujci;
re;ru , r om;e&nu:ci; (Vaginal discharge) jynyjci;/ om; t ra&mi&r;ci; (cervicitis)	Gonorrhoea (*E& , m;) Ei Chlamydia (u vrri' , , m;)	Ciprofloxacin * (PO) 500mg C:ujci; (o) Ceftriaxone (IM) 250 mg C:ujci; (o) Azithromycin (PO) 2g C:ujci; Ei twwl Doxycycline* (PO) 100mg BID x 14 &u (o) Azithromycin (PO) 1 g C:ujci;	Amoxycillin (PO) 500 mg TID x 7 &u (o) Erythromycin (PO) 500 mg QID x 7 &u (o) Tetracycline* (PO) 500 mg QID x 7 &u
vi t*wi;zpaom** temrm; (Genital ulcers) (i , j;emaom t&n untwr;rm;)	Herpes [m;y;p	qyjymEia&wjziazq;a:umjci; x 3 &u vyy? Paracetamol 1g QID x 3 &u	
vi t*wi;zpaom :uuEr;rm;(t v , wi t ciav;jzijcm;xm;)	Molluscum Contagiosum arm v p u r uewm* , pr;	qyjymEia&wjziazq;a:umjci; x 3 &u vyy? 8 yw t wi;aymu om; vrrn?	
vi t*wi;zpaom- :uuEr;rm;(a*:zye;uo :uuEr;rm; t pv ujp on)	Condyloma Acuminata ue' i v ;rm; a t:ulraewm	qyjymEia&wjziazq;a:umjci; x 3 &u vyy?Paracetamol 1g QID x 3 &u (cpwu o l 4i; wu z , &m;&ev ty on?	

* u , Oeaqmice tawm twi;ray;&? ciprofloxacin u ceftriaxone zi Ei; Doxycycline u erythromycin
zi Ei; t pm; x;ay;y?

¹aq; x x na:umijzpon? T benzathine penicillin aq;Ee;on aq;2 v;uwzu wc:upwic l x;ay;
av&on?

**vaginal wi izpaom a& , ea&m* twu ar;zm;p0 uav;u a&m* u;puijci;r umu , &eacyclovir
v tyau mi;v tyEion? acyclovir on u , Oeaqmi twu pwc&onrm aocmrr&y? q&mOeEiwiyy?

t xa&muq;aom t u\$;&v 'rm;&&&e -

- vemEi o . t az:uy;aq;uoy?
- vit *pwrm;(ue'r)u t o;jy/&et}uay;y;/ vemw0;ji;pu ten;q; ue'r 6 cay;y?

3-c) tr;om;rm;wi viquqji;aumi u;puiyelym;aoma&m*rm;jzpci;

veajmijcu vuQ%mr;	atmuy wuuoy	yxra&c; &rnaq;tw	'w , a&c; &rnaq;tw
vit *wijzpaom temrm; (a , mu;sm; viway:wijzpaom yiaeaomzucuemrm;)-	Syphilis (qpz vp) Ei Chancroid (&eum&u)	Benzathine Penicillin (IM)2.4 MIU C;ujci; ¹ Ei twwl Ciprofloxacin (PO) 500mg BID x 3 &u(o) Erythromycin (PO) 500 mg QID x 7 &u(o) Azithromycin (PO) 1g C;ujci;	Procaine Penicillin (IM) 1.2 MIU OD x 10 &u(o) Doxycycline (PO) 100mg BID200mg OD x 15 &u (o) Tetracycline (PO) 500 mg QID x 15 &u Ceftriaxone (IM) 250 mg C;ujci;
a , mu;sm;viw(o) q;xwiyer om;e&nujci;- jynyjci;q;xwiye c;v;cvjzpci;/ q;omp0ypy yavmijzpci;	Gonorrhoea (*E& , m;) Ei Chlamydia (u vrri' , m;)	Ciprofloxacin (PO) 500mg C;ujci;(o) Ceftriaxone (IM) 250 mg C;ujci;(o) Azithromycin (PO)2g C;ujci; Ei twwl Doxycycline (PO) 100mg BID200mg OD x 14&u(o) Azithromycin (PO)1 g C;ujci;	Amoxycillin (PO) 500 mg TID x 7 &u (o) Erythromycin (PO) 500 mg QID x 7 &u(o) Tetracycline (PO) 500 mg QID x 7 &u
ayi;jca&mi&rjci;	(u vrri' , m;)	t x uwi:u ny?	
vit *wijzpaom temrm; (i , jy;emaom t&nuntwrm;)	Herpes [m;y;p	qyjymEia&wjziaq;a:umjci; x 3 &u vyy? Paracetamol 1g QID x 3 &u	
vit *wijzpaom :uuEirm; t v , wi t ci; iav;jzi jcm;xm; on?	Molluscum Contagiosum armv;pur uewm*, pr;	qyjymEia&wjziaq;a:umjci; x 3 &u vyy? 8 yw t wi;aym u om; vrrn?	
vit *wijzpaom :uuEirm;(a*:zye;uo :uuEirm; t pvujzp on)	Condyloma Acuminata ue' i v;rm; a t :ulraewm	qyjymEia&wjziaq;a:umjci; x 3 &u vyy? Paracetamol 1g QID x 3 &uc pwl E i;wuz , &m;&ev tyEion?	

¹aq;x x na:umijzpon? Taq;Ee;on aq;2 v;uwzuwC;upwicl x;ay;av&on?

t xa&muq;aom t u\$;&v 'rm;&&&e

- vemEi o . t az:uy;aq;uoy?
- vit *pwrm;(ue'r)u t o;jy/&et}uay;y;/ vemw0;ji;pu ten;q; ue'r 6 cay;y?

t m [m&c#wjci;

t m [m&c#wjzp&jci; on t pm; t pmv vavm uavmurpm;&jci; (o) v tyreueaom t pm; t pmrsm; vavmurr&jci; (o) a&m*yrsm;Oia&mujci;w&aumijzpm&aom&v'rm;jzpon? x t&urrm;u pm;aomuci pwq;&apjci; (o) cEmu , r rno! t m [m&u t o;jy/onw! t m; ajymi;jci;rm;ujzpapon? 5 Epa t mu uav;i , rm; t m; t r!;r!;aom t pm; t pmw! t m;en;en;Ei t :urrm;pmray;y! u t v , wu t m [m&c#wjci;ujzpapon? t x; ojziow! t m;rciE!&nwuau!jci;u&yaom t cwiyljzpon?

t u , lrm; uav;on v tyreueaom t pm; t pmrsm;u t pmyrm% rereueuejz rpm;aomucy! u :u;xm;raE;au;rn(o) &yom;rn? t m [m&c#wuauv;rm;on v , viwuzm;emEion? t jcm; uav; rm;xupmvi emrue;jzpjci;aumiyl aoq;uon?

- IPD (o) OPD o!vmaom 5 Epa t mu uav;vemwi;u w/H % ppaq;r&&vrrn?
- uav;u , t av;ceaomu& , mji uav;u , t av;ce u , y? t &ywi;y?
- ow! . umu , aq;x;vurwwi&aom , cirwxm;on u , t av;ceji Ei; , Oy?
- u , t av;ceEi t &yjriZ , m;u t o;jy!y; w/H % uwucuy?

t &y t vu u , t av;ce on &ww&u t m [m&c#wrujyon?

a&m*!v u%omrm;

1/ tawm t oi t m [m&c#wjci;

t &y t jri twu u , t av;ce on 80 % xuen;on (t &y t jri twu/ u , t av;ce on 70 % Ei 80 % :um;wi&on?)

2/ q;0;jyi;xeaom t m [m&c#wjci;

t &y t jri twu u , t av;ce on 70 % xuen;on?o!r [w cEmu , azma&mir&on?

q;0;jyi;xeaom t m [m&c#wjci; 3 r!;&on?

(u) Marasmus t m [m&c#wjci;

- t &ay: t a&wi/:un&onrm yeaon? t q (o!):u u om;ten;i , om&on?
- uav;u:un&onrm v:u; t w0;u o!jzpon?
- pm;c!pwr&/ t pm; t aomuyujci;
- t jri twu u , t av;ce on 70 % xuen;on?

(c) Kwashiorkor t m [m&c#wjci;

- v urrm;ao;o , yejci;/ajcaxm urrm;azmjci;?
- t a&jym;onajcmuy; i; t a:u;crsm;yjzpon? t a&jym;a&m*&Eion?
- uav;wi v u o!O!;aeaomrsuEm&on?
- pm;c!pwr&/ t pm; t aom u t m; pwrOipm;ay?
- t jri twu u , t av;ce on 70 % xuen; (o!)yon? (yaejci;on azma&mijci;aumijzpeion?)

(*) Marasmic Kwashiorkor t m [m&c#wjci;

- a&m*!v u%omrm;a&mpyl aw!&on?

pruor

tawmtoi t m [m&c\waom uav;w0;u jznpu~~mau~~;l uoaom tptp0 (SFP) jzi OPD wixm;l 4i;uo&r n?

q;0;pm t m [m&c\waomuav;w0; twu **uor tpm**;aom tptp0 (TFP) jzi IPD wixm;y? ~~Ei~~;(o)

IPDwi uo t y;aq;&rqi;aomuav;i , t m; OPDolvajymi;l jznpu~~mau~~;l uo r tptp0 (SFP) wi quvujoy?

oi .aq;ce;wi tpm;uortwu t x;pp0xm;on vemZ , m;&&r n?

oi .aq;ce;wi uorvr;netwtu:&yap? &v'on au;ar;jylo . pwy;0ipm;pm }u;yr;r tay.rwnon?

aq;&wu S aq;&rqi;&e

- uav; . u , t av;ceEi t &y t jriw;u a&rw y?
 - rnon t av;cea&mu v;i uav; t m; aq;&ray;q i;rnu Z , m;ay:wi owrwxm;y?
- q;0;jyi;xe t m [m&c\waomuav;r m;(au;ar;uo tptp0)-**
⊕ u , t av;ce >80% w/H 2 yw:um v;i (SFP)
- t o i t w i t m [m&c\waomuav;r m;(SFP: Supplementary Feeding Programme)**
yrau;ar;a& tptp0
⊕ u , t av;ce (aq;&q i;&e) ≥85% w/H 2 yw:um (t pau;)r 1 v:um v;i (t ajcmuau;)

1/ **tawmtoi** t m [m&c\wici; (70 % r 80 % w/H)

uav;u jznpu~~mau~~;l uoaom tptp0 (SFP) wi pm&i;oi;y? uav;u trrmxm;l uoEiyon?

- uav;bma:umi **rj u;xm;ont cuu:ul;pm;l&mazaz:xwy-** ta:umi;&i;rsm;pmy;0iEion ~~Ei~~;wrm-

1? Ejzwyrrejci;(rciEjzwp0 tpm;tpmay;r rreuejci;(o) tpm;taomurvavmuji;ponwizpon?

2? rom;pwc v; twu tpm;tpmvavmurr&jci;?

3? uav;pm;Eiavmu~~ao~~ tpm;tpmym%en;en;u t }urrm;pmcl vavmuavmurau;jci;?

4? zm;emjci;?

5? rci on aemu uav;wa , mu&&y/yxr uav;u :un&&et cer&jci;?

6? rci t vyvy&aoma:umi uav;u :un&rapmia&muEijci;?

t rwi&ma&mu ue;rma&apmia&muay;o (Home visitor) w0;r t ro l om;a&mu vnyway;jci;Ei rom;pEi jypay;jci; t m;jzi unEion?

- **rnona&m*urquoy-** Or;avmjci;/ao; t m;en;jci;Ei t jcm;aomu;pua&m*rm;u &mazluoy?
- wyw t wi;xway;aom tpm;tpmrm;(-u uO/yrsm;/ t jcm; tpm;tpmrm;) u uav;pm;oionu &i;jy? o laom t wi; t m;"rau;jci;u rjy/vyyEi? uav;u o/orw l .yre tpm;tpmw u qu lpm; o;&eu t m;ay;wuwe;&vrrn? (xri;/ i;/ t o;t&ur sm;/ i uaysm o;rm;--)
- rci t m; **tywp0** tpm;tpmay;a0jci;u **vma&mu** vuc , &ejymy?
- **uav; . u , t av;ce**u tywp0 , l Z , m;ay:wi a&rw y?
- **wv:um uav;u , t av;cew;vmjci;r&v**i uav;u :un:uyl tpm;au; &et wuaq;&wi&r n?
- **wv:um** uav;u , t av;cew;vmjy/quvul **85 % w/H (o) xxuyl** xr;xm;Ei vi i uav; u t ppOr **ay;q i;y?**
- pce;wijzpyi uav;u t ppOr ay;rqi;ci rom;p0i t m;v;u pm&i;rw l &aom&um tpm;tpmvavmuji;&r&u }u l;pm;l az:xwy?

- Eijzwjy;aom uav;rm;uquvuue;rm&Ei aumi;repm;u;xm;ap&etwu tpm tr;ri;/ yrm;/ opo;rm;/ to;t&ur;Ei to m;/Or;Ei i;wju&Eiyu/ uav;rm; t m;pm;ap&erci u &i;yy?
- trwi&ma&muue;рма&apmia&muay;orrom;pwcv;u ue;рма&Ei t m [m&q i&ny nmayjci; wju **quvula**aoacmcmjylvyay;&rn?

pepwu: u oay;ci:

- **Mebendazole** 100 mg BD (oir [W Albendazole- oaumirm; taumi; oice;pmwi:u ny?)
- **Vit. A** 6 vat muuav;rm;u 50,000 IU u D1, D2 Ei D8 wiay;y?
6 vr 11 v uav;rm;u (<8kg) 100,000 IU u D1, D2 Ei D8 wiay;y?
1EpEi1Epau muuav;rm;u (>8 kg) 200,000 IU u D1, D2 Ei D8 ay;om;y?
- **Vit B1** (10mg) aeip0wae;wv; x 6 yw
- **Folate** yxrae (5 mg) Eiaemuyi; 1 mg OD x 3 v
- **Ferrous Sulphate**
<5kg: 50 mg OD 3 vay;y?
5-9kg: 100 mg OD 3 vay;y?
>10kg; 200 mg OD 3 vay;y?
- **Zinc Ei** (Magnesium, Copper)owl"jwrm;&Eiyu jznpuay;y?

2/ q;0;jyi;xeaom t m [m&c;wci; (w/H 70 % xuen;ji;(o) azm;ci;)

vem t rav vmo;oy&e v tyon?

uoru tyi; 2yi;clay;y?

tyi; 1 on aq;buqi&muorjzpon uav;u , tav;cewuz arimvil r&y?

tyi; 2 on vemu t m [m&ay; l jye v nyipy;axmiay;ci;jzpon?

q;0;jyi;xeaom t m [m&c;wci;on aq;buqi&t a&ay: t aic t aeizpiy;4i;wju IPD
wixm;l uooion? vemu t qurjw:un&apmia&muay;&ev tyon?

tyi; 1

- **ao;xwi o:um;"wawmen;ci;u umu , y-** uav;u ae&amny; t pm;u en;en;ci;Ei t:urrm; pmau;ay;y? ylaojcmap&e T taumi;u rom;pu &i;jy&vrrn? t b , a:umiqaomowionaq;rl; (o) oemjylw. :u;uyrat muwi rom;pr;uav;rm; t m; t pmau;ay;&rnjzpon?
- pr; t ijrirm;aom E(HEM-75)u jyi qiy; uav; . u , tav;ceay:rw n l 2-4 em&jcm;wcay;y?
- **24em&t wi; 6-12)ur** (HEM-75) **u uav; t m; au; y? a t muZ , m;wi:uny? t vet m;en; aom uav;Eizm;emaeaomuav; t m; t x;Ei u 1 em&w;urau;ay;y? (1 ae 24 c)**
- yxr&u ten;i , wi en;en;ci;ay;y?
- uav;raomuEiyu emacji; t pm t ryuray;y?
- uav;r t rom;jzpwwon? t m;en; l rpm;v:uy? t ce , y; uav; t m; au;ar;y? oir [wrb rrm; t m; jyoay;y? uav;u vavmupm au;ar;y? **owrwcu(t qi 1) t rm;q;xu yraul;&? (cwi;jyeraumi;r)**
- **uav;u at;vmjci;r&a t mi umu , ay;y?** uav;u rciEi e;e;uyuy t cewi;wi c;xm;ay;&e t m;ay;wuwe;y;yxr&u ten;i , wi a&c;ay;ci;rjy;Ei?

• **t&n"wgj&jci;uyypuoy?**-q;0;aom t m [m&c&wjc;wi t&n"wgj&jci;u uo&erm t ve cuon? t m [m&c&waeijzpl t a&jym;on a&m , (aymw)aey;/ r;u v;r;m;rm v n; c&i0ijci; &jy;jzpl ppaq;o;oy&e cuon? x;a:umi y;pyEi r;u v;r;m;wi ppwjci;&r&u &mazy? uav;q;yreom;r om;ar; y? **IV t&n"wjznjci;u jzpEiyu a&miy?**

• t m;aymaom ORS u t o;jy;(a&Eiywuq , rrm;&rn? qm;"wyen;&rn? Z , m;wi:u ny (o|r [w) ReSoMal u o;y? ORS qm;azm&onro;o iay? cEm u , wi ywuq , r eaey; q' , rrm;aeon? yre ORS wi WHO pcex uywuq , ryr;m;y; q' , reo ion?(UNICEF q;0;jyi;xe t m [m&c&wr pruo y)

• rciE&nuquv u l wuau;y?(rci t m; Vit.A, Ferrous Sulphate Folic acid, Vitamin B1 ay;yr Ewi v n; t qy;Awmrirm; y0irn? rci t m; oEi t jcm;a&m*irm; t m; u oay;y; pm;Ei aomuEi jzpa&rn?

• oe&i;aomaom u o;&naxmuy;ay;y?

• **u;pua&m*rm; twuySZ0aq;ay;y**(a t muwi:u ny)q;0;jyi;xe t m [m&c&waomuav;onu , t ycerwub u;pua&m*&Eion? ie;rz;ao;ve;jci;v n; jzppww.? yCEZ0aq;u q;0;jyi;xe t m [m&c&wo uav; t m;v;uay;y?

• q;0;jyi;xe t m [m&c&wo **uav; t m;v;u iuzm;y;ppy?**(rz;m;v n; ppy)

• **tou&i&e ta&j;u;aom vQ%mr;m;Ei q;xuaom yrm%u ppy?**

• **u , tav;ceucel u'ym;wi rwwr;wiy?**

tyi; 1- pr;t i t m;jirm;aomEi (F- 75) V t yC;U(130 cc/kg/day)

u , tav;ce (kg)	HEM-75 wae 24 }ur w urwiy;&rnym%	HEM-75 wae 12 }ur w urwiy;&rnym%	HEM-75 wae 8 }ur w urwiy;&rnym%	HEM-75 wae 6 }ur w urwiy;&rnym%
2.0	11 cc	21 cc	32 cc	43 cc
2.5	13 cc	27 cc	40 cc	54 cc
3.0	16 cc	32 cc	48 cc	65 cc
3.5	19 cc	37 cc	56 cc	76 cc
4.0	21 cc	43 cc	64 cc	87 cc
4.5	24 cc	48 cc	72 cc	97 cc
5.0	27 cc	53 cc	80 cc	108 cc
5.5	29 cc	59 cc	88 cc	120 cc
6.0	32 cc	64 cc	96 cc	130 cc
6.5	35 cc	69 cc	104 cc	140 cc
7.0	37 cc	75 cc	112 cc	152 cc
7.5	40 cc	80 cc	120 cc	162 cc
8.0	43 cc	85 cc	128 cc	1703 cc
8.5	45 cc	91 cc	136 cc	184 cc
9.0	48 cc	96 cc	144 cc	195 cc
9.5	51 cc	101 cc	152 cc	205 cc
10.0	53 cc	107 cc	160 cc	216 cc
11-14 kg	60-76 cc	120-150 cc	180- 225 cc	238 -303 cc

(q;0;jyi;xe t m [m&c&wr pruo jci; - t xuwe;ue;rma&; t &m&Ei q&m0ev up / WHO, 1999)

HEM F - 75 jyi qiy (t qi 1 q;0;aom t m&c\wr t wu)

y0iaomypn;rm;	t c\; t q
t q xwy;Eire\	25 g
o:um;	70 g
[i;&uq	25 g
xri;&n o r [w u q" \w	35 g

o|r [w

y0iaomypn;rm;	t c\; t q
rvi t jynEire\	35 g
o r [w	
vwqwEm;E\	300 ml
+	
o:um;	70 g
[i;&uq	17 g
xri;&n o r [w u q" \w	35 g

y0ionypPn; t m; v;a&maemjy;a& 700 m xy? 5 : 7 r;ep t x q a t mi t yay;y? aemu q; t a t;cjy;
1000 ml jzpon t xa&u xya&my?
(q;0;jyi;xet m [m&c\wr pruoji; - t x uwe;ue;rma& t &m&Ei q&m0evup / WHO, 1999)

pepwu\ u o r

1/ Antibiotics: q;0;jyi;xepm t m [m&c\waom uav;rm; t m;v;u aq;&wup0wi buw;&; m;y;
rm;pm uowEiaom yEZ0aq;0;rm;ay;y?

- wn:iraom uav;rm;u po Cotrimoxazole (O) Amoxicillin
- Kwashiorkor a&m*;&aom uav;rm;/ re;wuao;veiaom uav;rm; o:um;"wen;aom
cEmu , a t;puaeaom uav;rm;u
 - im Penicillin/Ampicillin 2 - 3 &u ay;y? (x|aem u y;pyr Amocicillin) ay;y/ Ei im
Gentamicin 5 &u ay;y?
- 3 &u t:um ou omrr&v:i 0;aEmu tar;a&mi oo , jzpeiijy;
 - im chloramphenicol 2 &ur 3 &u ay;y? (x|aem u y;pyr ay;y? T uav;rm;u iv a&mi
u:0y?)

2/ Vit. A: t o i t wi t [m& c\wrwi :u ny?

3/ Vit B1: t o i t wi t [m& c\wrwi :u ny?

4/ Folic acid: t o i t wi t [m& c\wrwi :u ny?

5/ Zinc supplements Ei OW" \W(Magnesium,copper)&Eiyu ay;y?

6/ uav;on t pmaumi;repm pm;Eiyu(t qi 2) wiocaq;Ei ferrous sulphate ay;y?

7/ umu , aq;x;ji;&r&ppaq;y; umu , aq;x;ay;y?

**t qi 1 wi &aom q;&m;jyi;xepm t m [m&c\waom uav;rm; t wu t m;aymaom ORS qm; (q' , r)
w0u \$ o:um;yreEi ywuq , ryrx ny?**

ORS t re\wxw(a& 750 pp t wu)+ a&oe\ 1500 pp + o:um; 30 *&r + ywuq , r 1E5 *&r
o|r [w

ORS t re\wxw-(a& 1000) pp t wu + a&oe\ 2000 pp + o:um; 40 *&r + ywuq , r 2.5 *&r)

t q i 1 q; & m; j i; x e t [m & c; w o r m; t w u t m; a y m a o m O R S (q m; a z m & n) u , w i j y v y a & w v w m w i

o: u m; 40 * & r (y r e t c; t p m;)

q m; (N a C l) 2 * & r (w 0 u t c; t p m;)

y w u q , r (K C l) 2 & 5 * & r (t c; t p m; y)

E i

r u u e p , r u v & u 0 & 6 * & r (& v; i t o; j y y)

Copper sulphate 0 & 01 (& v; i t o; j y y)

Zinc actate 0 & 066 * & r (& v; i t o; j y y)

t q i 2

c w i; a u m i; v m v; i j y e v n x a x m i j y p o n t q i o l u a v; i , t m; p m & i; o i; y ?

t q i 2 w i E m a c i; t p m t r y u j z i a u; a r; a o m u a v; r m; r y a p & ?

- t q i 1 H E M t c; t q (p p) t w i; t o; j y j y p a u; y ? o l a o m H E M - F 100 u o y ? (T t x; a y m & n o n H E M - F 75 x u u , v v y r y 0 i o n ?
- u a v; o n t p m; u u e p i a t m i p m; y u a e m u w j u r a u; v i 10 m l x y w; a u; y ? a j z; a j z; j c i; t j c m; t p m r m; x n a u; y ? H E M t c; t p m; E i t j c m; t p m; t p m r m; u u a v; . c w i; a u m i; r a y: r w n l w; a u; y ?
- u a v; o n 80% W/H a & m u & l 2 y w: u m v; i a z m a m i j c i; r & & u; p u a & m * r & & S F P (S u p p l e m e n t a r y F e e d i n g P r o g r a m m e) t p t p 0 o l v a j y m i; y ? q u v u: u n & y ?
- u a v; o n t q i 1 r t q i 2 o l w; w u a & m u & y; o; & u t w i; j u; u y a u; a r; a o m v n; u , t a v; c e w; j c i; r & y u u; p u a & m * E i e m w m & n a & m * u p 0; p m; y ?
 - e m w m & n a & m * & r & p p a q; y l O y r m - T B, A I D S, T h a l a s s a e m i a, C a r d i a c d i s e a s e, H e p a t i t i s B
 - u; p u a & m * & r & p p a q; y l O y r m D i a r r h o e a, P n e u m o n i a, U T I, P a r a s i t e i n f e c t i o n ?

t p m; t p m u r e u e p m i j i q i y; t c e Z , m; t w i; a u; a r; r u a o j c m y a p ?

tyi; 2 - HEM F- 100 pr; t i t m; j r i r m; a o m E l + a' o w i; t p m; t p m- (v r; n e r i o m j z p o n ?)

t c e	t p m	<5 kg	5-7.4 kg	7.5-9.9 kg	10-12.4 kg	12.5kg(o) t x u
6 a m	HEM F-100	170 cc	250 cc	335 cc	420 cc	500 cc
9 a m	a' o w i; t p m; t p m	HEM170 cc	50 g y r m; 0 1 v;	100 g y r m; 0 1 v;	100 g y r m; 0 1 v;	100 g y r m; 50 g x r i; 0 1 v;
1 p m	HEM F-100	170 cc1 i u a y m o;	250 cc1 i u a y m o;	335 cc1 i u a y m o;	420 cc1 i u a y m o;	500 cc1 i u a y m o;
4 p m	a' o w i; t p m; t p m	HEM170 cc	50 g x r i; 1 a o w m A;	50 g x r i; 1 i; a o w m A;	50 g x r i; 1 i; a o w m A;	50 g x r i; 1 i; a o w m A;
9 p m	HEM F-100	170 cc	250 cc	335 cc	420 cc	500 cc
1 a m	HEM F-100	170 cc	250 cc	335 cc	420 cc	500 cc

o w j y & e -

• y 0 i a o m t & m w i a y: r w n l t c e Z , m; u t w , o; y? o l a o m u a v; o n a e i a & m n y l E p c e p v; t p m; t p m a u l; y?

pr; t m; j r i r m; a o m E l (F -100) j y i q i & e (t q i 2 q; 0; j y i; x e a o m t m [m & w o r s m; o; & e)

y 0 i a o m y p P n;	t c e t q
t q x w E i r e l	80 g
o - u m;	30 g
[i; & u q	60 g

o r [w

y 0 i a o m y p P n;	t c e t q
E i r e l	110 g
o - u m;	50 g
[i; & u q	30 g

o r [w

y 0 i a o m y p P n;	t c e t q
v y q y E m; E l	880 ml
o - u m;	75 g
[i; & u q	20 g

y 0 i o n y p P n; t m; v; a & m a e m j y; a & 700 ml x y? 5 : 7 r; e p t x q a t m i t y a y; y? a e m u q; t a t ; c j y; 1000 ml j z p o n t x a & u x y a & m y?

(q; 0; j y i; x e a o m t m [m & c i l i w r t m; j y i p e n; / t x u w e; u e; r m a & 0 e x r; r m; e i q & m r m; v u p / u r B m i u e; r m a & ; t z i 1999)

j y p u o r

1? Folic acid, b 1 e i z i n c e w i u q u a y; y?

2? Mebendazole 100 mg BD x 3 & u (o r [w Albendazole)

3? Ferrous Sulphate (o"l'uaq;) u 2 yw u oiy;v;i xyay;i;ay;y; oir [wq;0;jiy;xe t m [m&c\wr t qi2 oiajmi;v;i 3 v quay;y? < 5 kg 50 mg OD
5-9 kg 100 mg OD
≥10 kg 200 mg OD

q , au:mo u t & , ei v :u ; t m [m&c\wr t wu

q , au:mo u t & , ei v :u ; t m [m&c\wr wy;v;i BMI (Body Mass Index) u t o;ijci;zi oeij; t m [m&au;ar;u o&ev tyon?

BMI ppaq;&ea t muyyaoen;u t o;ijleion/ u , tav;ce(u v*&r) t &y t jri(r w m)/ weight for height (wt. Æht. x ht.)

$$\text{Oyrm / u , tav;ceon } 38 \text{ uvei t \&y t jri on } 1.6 \text{ rwm} \\ \text{BMI} = 38 / 1.6 \times 1.6 = 38 / 2.56 = 14.84$$

a&m* t r naz: xwy

- BMI on 16 x uen;ae;yv;i (oir [w)
- t qy v onyej;az;ae v i t m [m&"w c\w on?

t xuyvon t m [m&c\wr wy;au;ar;u o&evon?

q , au:mo u & , r m ; t wu/ t m [m&c\wr uruaz: xw&ea t mu;yv u %mwc u oir [wwc u x uyj; von?

- b , nm2 zuwiazaeij; t jcm;a&m* r&ap&
- aq;b u q i&m t m [m&c\wr (Clinical Marasmus) t veyeaern?
- n t cersuprjriji;/ jzLzwjzLa&m (o) t jcm;Aw mriei ow" w c\w jci;?
- a&m* jci;/ Oyrm Or;av smjci;/ Ou o u a&m*?

jy/pu o jci;

t qi 1

au;ar;&rn t pm; t pm on uav;r m ; t m;au; on u or t m [m& t wi;jzpij;/ t cæ t qom ujym;on? (wae 6 :urce;au;y)

t yi; 1- pr; t m;j rirm;aomEi F-75 v t ycu

t ou(ep)	ae;pOau; &rn HEM F75 per day cc/ kg cEmu , tav;ce	t pm; t pmwcjci; . yrm%urnuowucurnen; (t pm; uwae 6 c;au; &rn)?
7 - 10	70 cc/kg	70 cc x ppay;i;u , tav;ce kg x 6
11 - 14	60 cc/kg	60 cc x ppay;i;u , tav;ce kg x 6
15 - 18	50 cc/kg	50 cc x ppay;i;u , tav;ce kg x 6
> 19 - 40	40 cc/kg	40 cc x ppay;i;u , tav;ce kg x 6

pepwu\ u o\ci;

q;0;ji; xepm t m [m&c\waomuav; t m; u oen; twi; u oy? u , jyelyEZ0 aq;ay;y? Awmri a t
200,000 e i i wum , epw\urwn;ay;y? t jcm;Awmriay;y\ WHOvr;net&q , ausmo uei
v:u;rsm; twu oc&ervy?

t qi 2

- cwi;aumi;vmv:i t qi 2 py?
- vemqmvmv:i HEM t ji t jcm; t pm; t pmau;y?
 ♪ xri; t ji t jcm; t pm; t pmvn;au;y? (xri;onAujynv , l xri;ei acuqu ten;i ,
 omau;y)?

t qi 2 pr; t m;jirm;aomei -F 100 v t yc:u + t jcm; t pm; t pm

t cie	t pm	pm;ce t wu t pm	t qmajy t pm
eu 6 em&	HEMF-100	xri; (o)acuqrsm;ypyjy\w (o)yausm/i;aowm(o) t jcm; t om;rsm; vwqyaom t o; t Ersm; qejzia&m l4i; (o) cujiw&etwuqu o;y?	i uaysm;o;Ei t jcm;aom vwqy on t o; t Ersm; y0;ausm / i uaysm jziay;i;aom aumuni;ay;i; qE& ov t jcm;aoma'oqi&m om;&n pm t pmw\ uay;y?
eu 9 em&	HEMF-100 + xri;		
ae\vn 1em&	HEMF-100+om;&npm		
ae\vn 4 em&	HEMF-100 + xri;		
n 9em&	HEMF-100+om;&npm		
eu 1 em&	HEMF-100		

u oyuo en;

- t xuy\ twi;q;0;aomuav; t m [m&c\ur twi;u oy?
- u , t av;cew;jy;cwi;aumi;v:i q , ausmo uei v:u;rsm; t m;aq;&rqi;ei on? t jcm;u;pua&m*
 r&ap&?
 t rwijznupm&&r n? BMI 18E5 o\r [w t m [m&c\waomv u%mrsm;aysmu u i;&r n?

Awmri "wclwji;rm;

Awmria t "wclS wji;

owijy&e-Awmria t "wclwji;Eiywo u lyrl tao;pwo vyu jrermEiie , pywi t o;iylaom y%mr r;upapmia&mua&pm tyu vr;ney/on?

Awmria t "wclwji;on rupu , &aom t "u taumi;&i;jzpon? T t cuon uav;b0emruæ; jci;rm; t x;ojzi Or;avmjci;/ t qwa&miEi0uoua&m*wi;zp&jci; . t veta&;u;aom t cujzpon? Awmria t "wclEwji;on rsm;aom t m;jzi uav;i , rsm;wi t rsm;qaw/&on? o|aom v:u;rm; u vn;jzppy/on? t x;ojzi u , OeaqmiEiaom t ou t & , &aom t r;or;rm;wi clywon?

v u %mrsm;rm

Awmria t "wclwji; . v u %mrsm;u ru v;rm;wiawEion? n burjri&jci; (-u ru u o i jci;)/ Bitot's spots [ac:aom t jzla&mi t aysm urm; ru:u n vmajcm u jci;Ei ru:u n vmyupjci;]

u or

Awmria t clywji; t wu u or

- **6 vat mui , aom uav;rm; t wu**
a&m*owrwaom&u u (D1) 50,000 IU
aem u&u u (D2) 50,000 IU
wyw:umy;aem u&u u (D8) 50,000 IU
- **6 v r 11 v :um; uav;rm; t wu (<8 kg)**
a&m*owrwaom&u u (D1) 100,000 IU
aem u&u u (D2) 100,000 IU
wyw:umy;aem u&u u (D8) 100,000 IU
- **1 EpEi 1 Ep t x u uav;rm; t wu (>8 kg)**
a&m*owrwaom&u u (D1) 200,000 IU
aem u&u u (D2) 200,000 IU
wyw:umy;aem u&u u (D8) 200,000 IU
- **u , OeaqmiEiaom t ou t & , &aom t r;or;rm; t wu u or**
wae;v;i 10,000 IU u aeip0 2 yway;y? (t jcm;aem u wen;rm-25,000 IU wyww|u r x 8 yw)

- **vemajm;jyc:u v u Q%mrsm;Ei pr;oyo&aom v u Q%mrsm; t & tao t cm o aom&Awmri A cly waom vemrm; t m; v;u u oy?**
- **t m [m&clywo t m;v;u u oy?**
- **0uouay|u ouav; t m;v; u oy?**
- **IPD - t wi;vemXmewi wua&muon q;0;aom t ou&lvraumi; a&m*cpm;&o uav; t m;v;?**
- **IPD - t wi;vemXmewi wua&muon q;0;aom Or;av sma&m*cpm;&o uav; t m;v;?**

Awmria t avmavmq , &y;jzpaomvn; xyr&oion?

umu, jci:

Awmria t c\w\jci;a&m*on pm; o;aom t pm; t pmrsm;wi Awmria t c\w\jci;a:umijzpon? t pr;a&m i t o; t&ur sm;/ Or sm;/ t r\; r\;aom t om; rsm;wi Ei o&u o;/ oabmo;/ a&z , o;/ z , o;/ b;o;Ei rsm;pm aom t jcm;aom t o; rsm;wi Ei;"wu aw&on? rci .E&non Awmria t &jci; . t "u t&i;t jr pzp on? xri;/ i uay sm;o;Ei varmo; rsm;wi Awmria t y\Oir t veey;on?

v tawmrsm; rsm;on t om;/ Or sm;Ei t jcm;aom Awmria t yaom t pm; t pmw\ u pm;o;&erwwEi:uy? x\;a:umi uav;i , rsm; t m; Awmria t c\w\jci;rumu , &eq;awmir sm;u jze\ a0ay;y? 200,000 IU &aom aq;Ee;wc\pm on uav;w0 twu Awmria t ten;q; 4 v - 6v xvavmur&on?

- **ar;ui;puav;rsm;** 50,000 IU ar;zm;cie
- **6v xui , aom uav;rsm; (ar;pwi Awmria t r&y;u)** 50,000 IU
- **6vr 1Epuav;rsm;** 100,000 IU 4v - 6v w\ur
- **1EpEi 1Ep t x u uav;rsm;** 200,000 IU 4v - 6v w\ur
- **rcirm;** 200,000 IU uav;ar;zm;cie

Awmria t c\w\jci;uaq;ray;ci/ vecaom 4vce\ u xvemu Awmria t ay;jy;ci;&r&ppaq;y?

owjy/&- aq;Ee;u 200,000 IU x uav\m lay;&e?

- aq;O; t awmrsm; rsm;on aq; t m; 200,000 IU Ei v m:u on? t u , laq;Ee; ten;i , om ay; &ev t y;u Oyr m - 100,000 IU aq;awmi u uya:u;jz jzwy? uav; t m; 3puwau\;y; ueo n aq;u pelypy? (oi) aemu uav;w0; t m;ay;y?
- u , 0e&aom oir [w u , 0e&Eiaom t r\;or; (t o u 15 Epr 50 Ep) t r\;or; t m; aq; t c\et q jr i r m;pm ray;y;Ei?
- vecaom wv uwi aq;&y;y;u xyray;y;Ei? u o r Ei jye v npr;oyr:um;wi wv:um&r n?

Awmri b 1 "wc\w\jci;(xemp/ xemajcmua&m*)

T a&m*on xi;-jrerme , pywi t Ei t jym; t jzprsm;aoma&m*jzpon? t x;o;zi u , 0eaqmi rcirm;/ Ei\wurcirm; Ei 4i;w\ . uav;rsm;wi t jzprsm;u on? a&m*on xemp (wet beriberi)/ xemajcmu (dry beriberi) (oi) 2 r\;pv;w\ 4i; yp t r\;r\;jzpay:Ei on? t jzprsm;q; aw\&aom Awmri b 1 "wc\waom a&m*rm ten;i , r\;c\won t qiomjzpon?

1/ v:u;rsm;wijzpaom Awmri b 1 "wc\w\jci;-

aq;b u q i&m v u %mrsm;-

(u)xemajcmu

ten;i , t qiomjzpaom vemajmjyc:u v u %mrsm;

- ajc/v u x usijci; (numbness)
- ajc/ v ur sm;wi yavmiru 4i; (oi) usijci;u 4i;cpm;&on?

q;O;aom t q i jzpaom vemajmjyc:u v u %mrsm;

- t m;en;aoma:umi vem on w0;wn;vr;rav\m uEiy (oi) apmia:umi x iaom yp t ae t x m;r rwwy r&yEijci;?
- t &wrsm; . weljyep; av smen;jci; ?

(c) xemp

- azmjci; (ajcrsm;/ cEmu , Ei r suem)
- t o u&l& cucjci;/
- Ev;cejrejci;/ 4i;aemu Ev;vyie; , , i; t m;en;on\ t x jzpm;Ei on?

u o jci:

ten;i , t qiomc wici; (ten;i , omjzpaom xemajcmu)

- 100 mg vitamin B1 po, OD x 7 & u
x aem u 10 mg OD x 6 yway;y?

q;0;aom c wici; (q;0;aom v u %mrsm; Ei t wjzpaom xemp/ xemajcmu)

- vem t m; IPD o wiy?
- 100 mg vitamin B1im TDS 1 & u x;ay;y?
- x aem u 100 mg vitamin B1 po OD x 7 & u x;ay;y? 4i;aem u po 10 mg OD x 6 yway;y?
- vemwi t jcm;aom Awmri rsm;y; c wEi o n u p0;pm;jy; B-complex (o) Multi-vitamin w u yay;&e

**Awmri b 1 u aom up0/ ur;o;u r0; &e vemrsm;u t:uay;y/ ur;o;on b 1 "wu t jye t ve
aczi:u:u on?**

u m u , jci:

Awmri b 1 "wci wici; u um u , Ei & e vem u a t m u y w i t m; t:uay;&rn? -

- xri; t jyi t jcm;aom t pm; t pmrsm; u ypm;o;y? (Oyrm- y0rsm; Ei t jcm;aom t pm; t pmrsm; &Eiy u/
t om;rsm;/ opo;rsm;Ei t o; t &ur sm;ponw jzpon?)
- t pmr pm;ci (o) t pmpm;jy;aem u ur;o;rsm;u 0;jici;rjy/&?
- qeu rcuci w-uroma q;a:umy/ cujy;aom xri;&n u t jcm;aom t pm; t pmrsm; jy/vy&mwi
t o;jyiy?

**u , 0eaqmi t r;or;rsm;Ei orw. uav;rsm;wi Awmri b 1 "wci wici;u um u , &e?
u , 0eaqmircirsm;Ei Ewurcirsm; t m;v;u Ewu ce (6 v):u m on t x aep0 Awmri b 1 u
100 rv*&ray;y?**

2/ ar;ui:puav;i , rsm;wijzpaom Awmri b 1 "wci wici;

rci E wr;wn;omp;y; rci u v n; b 1 "wci wici; (o) b 1 pm;o;ren;v i uav;i , rsmwi xemp/
xemajcmu t jzprsm;on?

**T o jzpi;on t vep&r&aom t a j t a e jzpon & u ten;i , t wi uav;i , uaoapont x jzpeion?
aq;b u q i & m v u %mrsm;**

, ci u u e;rmaom uav;i , rsm;wi a t m u az: jyy v u %mrsm;wc (o) wc x u y l jzpay:vmaom t c;
xemp/ xemajcmu jzpci;u p0pm;y?

- t o u & & cu ci; / t o u & t vejrejci;
(50 t x u)
- cEm u , wcv;azmjci;
- jymEr;jci;
- q;om;en;jci;
- t o:u;jci;u pr;v &Ei o n
- wujci;
- em;uyziem;axmiaom t c; t qwrsm;
t o &i;v i;on?
- x;x;jcm;jcm; t oajymi;jci; (o) t o u jci;
- Ev;cejrejci;
- Ejaumi;aumi;rpawmjci;
- t ejci;Ei

**T t a j t a e o n t a & ay: t a j t a e jzpon / aq;u orr & y u
uav;v i jrepmao om;Ei o n?**

u o jci: -

- uav; t m; aq;&wiy?
 - Vitamin B1 50mg (0.5 cc) im TID 1 & uay;y?
 - x aem u 10 mg po OD 6 yway;y?
 - rci uy;u oy- : 100 mg vitamin B1 po, OD x 7 & uay;y? x E aem u 10 mg OD x 6 yway;y?
- Awmri b 1 1 vial = 1 cc = 100 mg

om;Eiouqiaomjy \ emrm;

u/ om;z;rm;Eiom;rm;wizpaoma&m*rm;

tjzprsm;q;aomjy \ emon om;y;pm;jci;(om;wia&m*y;0ijci;) Ei om;z;rm;a&m;r;jci;jzpon?
om;z;a&mijci;on aelp0 cwi;oe&i;jci; r&aoma-umi;jzpon? aemuq; om;q;&jci;u jzapon?
om;y;pm;jci;on tclrm;(o:um;v;/ }u/ tcl&n) t vet upm;o;ra-umi;jzpon?

1/ om;y;pm;jci;(om;wia&m*y;0ijci;)

t x;o;zi a t;aom tpm; taomu wlu pm;jci;(o) aomu jci;jyaom t c;emon? wax;/ t pm; t pm/
r&v ujci;/ buw;&; , m;y;Ei cwi;oe&i;jci;wion a&m*ijzpci;u t m;ay;apaom t cuw;jzpon?

a&m*v u%mEi pr;oyaw&jci;?

t ra&mijzpci;Ei om;wupm;c&jci;/

t x;o;zi a t;aom tpm; taom urm;u pm;o;on t c;emu:ijci;jzapon?

u o jci;

- emusi/u ujci;u uoy/ (paracetamol (o) ASA) (Z , m; 1)
- jzpEiyu om;*v%rm;u zmy (om;zmjci;) (o)
- om;Ewjci;

umu , jci;-

- aelp0om;rm;u oe&i;jci;? (eeu/ naeEi t pmpm;y;wi; om;wuy?) t cl&m iy?

2- om;z;a&m*rm;

om;z;a&m*rm;on emusijci;urjzpapy xla-umi vawmawmrsm;rm;on owl emru e;jzpci;u owr
jylr:uy?

u)om;z;a&mia&m*

tjzprsm;q;aom cwi;a&m*ijzpon? Ta&m*on om;rm;ywv nwizpaom a&m;r;jci;jzpon?

tjzprsm;q;aom v u%mrsm;rm-

a&m*v u%mEi pr;oyaw&c;u

ejy;a&m;r;aom om;z;rm;/ om;wuaom t cao;x ujci;Ei teq;&jci;/

u or

- aelp0cwi;oe&i;jci;/
- Chlorhexidine 0.2 % jzi y;pyu aq;a-umjci; (o) qm;&nzi y;pyu aq;a-umjci;

c) a&m*y;a-umi om;z;om; yup;jci; (a&p;ur;jylvuujci; -Periodontitis)

om;wnaqmuzpn;ru taxmu ujylxm;aom t&mw wi buw;&; , m;a&m*y;0ijci;a-umijzpon?

a&m* v u %m Ei pr; oyaw& c u

em u; i jci; /

u , y jci; /

om; z; a&m i&r jci; Ei jyn , jci; w i un; nai ym qrn?

u or

- ae p0 cwi; oe& i jci; /
- y; pyr Amoxicillin/Ampicillin Ei Metronidazole uay; y?
- om; Ew jci;

c/ cwi; t c t ajr; y; w , , i; y up; jci;

cwi; t c t ajr; y; w y; up; jci; on t jcm; aom ' %& m rsm; a: um i om ru Ali; & yp/ buw; & , m; Ei ry; w i a: um i v n; jz papon? cEm u , t zip n; rsm; q i& m a&m * i rsm; r v n; t em rsm; (o i) zucu em rsm; u jz papon? cwi; t c t ajr; y; w y; up; jci; u jz paom t a: um i; & i; u o i u z , & m; v uaom t c i 4 i; a&m * i on 10 & u ce t wi; aym u om; on? aq; u oray; jci; 2 y w: u m j; aem u ro u om y u q& m 0 e Ei wi yi y?

u or

1/ y; pyu Chlorhexidine 0.2 % or 3% Hydrogen Peroxide jziaq; a: um jci; t m; jzi Ali; & yp Ei buw; & , m; y; w i u o& rn?

2/ Candida Albicans ry; w i u rowvr; aq; (antifungal) jzi u o& vrrn? (t a& jym; a&m * i rsm; t a: um i; pmr s uem * 7 wi: u ny?)

*/ ' %& m

t u , l v: u; om; on x; euc& l u w x u om; y u jre Ei or t jreq; 4 i; om; u ae& mwi jye x n ay; y (om; . t pw t rx ol jye we; x n jci;)

i , om; u w x uy; u : u; pm; l jye v n o i; x n jci; u r y vvy; Ei?

u or-

- t em u s i o u o map a o maq; ay; y? Paracetamol or ASA?
- v: u; om; u jye we; x n ay; y?
- t pmr m rsm; u 2 y w: u m rpm; & e v em u t } u j y i r m: u m; y?

nu v;Eio u qiaomjy \ emrm;

owjy\&e- Awmria t "wcl\wjci;Eiywo u lyrl tao;pwo vyj u jrermEi ie , pywi t o;ij\laom y%mr r;upapmia&mua&;pm t yu vr;ney\on?

1? t jri t m;en;ici;

(u) t cewi;wirupt jri t m;en;ici;

t jri t m;en;ici;on a&m*ja:umiaom4i; (o!) r;urev tylaom4i;jzpEion? t jri t m;en;ici;u jzpap aom t a:umi;&i; t awmrsm;rm;u r;u v; t m;(r;u:u n v m t em&wjzpci;/rup t wi;wrpci;a&m* \ a&m* y;Oia&mur oom x i&m;ici;/pojzi) t aocm* &wpupr;oyppaq;y;u awjrio&Eion?

- **Pinhole** [acaom r;urevr;vpr;oyaom u& , mu t o;ij\ici;jzi q;jzwcuc&ev , u vr;n?

Pinhole r;u n&aom t c; t jri t m&y:r;u n v i v my;u r;urewyici;jzi t u&;&Eion?

(c) te;unt jri t m;en;ici;

t ou 40 t x u&aom orsm; t m;v;e;y;on te;jri t m;en;ici; (o!) te;unt m;en;ici;u cpm;u&on? pmzwcjci;Ei tycl\yici;pon vyaqmirrsm;t wu cucvmjici; (o!) vy&erjzpEiawmy; te;unt jri q;&jici;on obm0 t& t ouay:rwn l jzpv m jci;jzpon?

- pmzwr;ureon Tow\ u t unay;Eion?

(*) pwi t armiy\ceEi n bu t cewwi t jri t m;en;ici;

n burjri jci;on Awmria t "wcl\wjci; . v u%mrsm; t eu apmapmp;paw\&aom v u%mwczpon? T o jzpci;u e , pywav m u Y:u ur;u o i jci; [ne;q:uon? T o jzpci;on uav;i , rm;wiyl t jzprsm;on? o\laom v:u;rm;wi v n jzpEion? vwi;n bu t ceYjri&z\cucy;on? o\laom n burjriaom ow\on t jcm;orrm; x upm vi n bu t ceEi armipy\ce w\Y jri&zy l yicucy;on?

- u ortwu Tpm ty. Awmria t "wcl\wjci; t ce;wi:u ny?

2/a&m*y;rm;a:umi jzpci;

(u) rupema&m* (o!) ru v; t airy;e&a&mi&r;ici; Ei a&b , qi&mrupy;Oia&m*r;rm;

wc\w&wir;u v;wv; a&mi&r;&jci;on buw;& , m;y;/Ai;&ypy;/ao;rwn l "wwejyejci;/wcca:umi c;v;cvjzpci; (o!) rnon t a:umi;a:umi [o&&erm cucy;on?

- buw;& , m;y;a:umi jzpv i aq;u or u wejyew;wuaumi;reav&on?
- Ai;&ypa&m*y;on aq;u or u wejyeavr&y\ o\laom rnon aem u q u wy \ emr;rjzpb wyw t wi;aym u u i;om;av&on? r;&m owi Ai;&ypy;a:umi jzpaom rupem u ya&m* r;umc%jzpon? T a&m*on pce;& v0;a& . 20-30 % ce\ x u xcuEion?

Ai;&ypy;a:umi jzpaom rupema&m*on TEO jzi u or u wejyeavr&y\ T t ajc t aer\;on oyl q;0;avr&wwy?

uor

e , pywav^muae&mwi; t m; v; wi &Eiaom rsv; aq; on terramycin eye ointment (TEO) vr; aq; omv; i &on?

TEO wi tetracycline wr<; omyaomjim; vn; 4i; ointment vr; aq; u uav; i , rsm; / u , 0eaqmi onrsm; Ei Ewurcirsm; w; twu o; &onrm tE&m , ui; vjc|pwc&on?

- y<Z0vr; aq; (TEO) u wae| 4:ur aq; A; 2 A; ueon t x t o; j; y; y?
- yaE; aom-uyywuay; jci; onrsm; pmaomr; upema&m* j; rsm; w; jzpaoma&m i&r; jci; u av^m en; ap&e unon?

⊕ rsv; x o; aq; u rnuo| x nonu vem t m; j; y; y? rcion uav; rsm; . rsv; x u aq; x n ay; Ei&r n? vem on aq; rxnci r; uem Ei v u rsm; u aq; &vrrn?

⊕ uorj; aemuyi; rsv; rouomy; u vemjyevm&vrrn?

a&m* y; a:umijzpaom q; &m; onrupema&m* rsm; / ru:unvmwia&m* y; 0i jci; Ei aq; uoru wejyew; wuaumi; revm jci; r&y u aq; &o; vajymi; y?

(c) rucr; pya&m*

rucr; pya&m* on Chlamydia organism y; a:umijzp&on? e , pya' owi t jzprsm; aoma&m* jzpon? t jcm; orsm; u u; puEipr; &on Ta&m* rsm; u uav; rsm; Ei 4i; uav; w; u * &puapmia&m uaom orsm; wi r:umc% aw| &&on? v t awmrsm; rsm; on owwirucr; pya&m* &on u owjylr:uy r&y?

yw0e; u; i oe&i; jci; Ei wu , a&oe&i; jci; raumi; aom t c; rucr; pya&m* t jzprsm; on?

u&e; rma&; ynmay; jci; Ei umu , jci; on T rucr; pya&m* u xe; c; yEiz&etwu t "u ta&; u; aom t y; jzpon?

b0wav^muv; xyc|xyc; a&m* y; &&y u Ta&m* a:umirupue; Eion?

a&m* i owwr wjci; u t ay; ruca t muwi t z t wav; rsm; (Follicles) rsm; &jci; Ei a&m i&r; jci; v u %m rsm; u:un jci; t m; jzi jylvyon?

a&m* i owwr wjci; u rupjypapmia&m ua&; o iwe; uwu xm; on aq; rl; rjy/vyy?

a&m* i u u or (&ww& u jzpaom)

- rup2zupv; u TEO wae| 4:ur x nay; y? A; 4 A; ueon t x x ny?
- r; uEmEi r; uprsm; u (TEO) rxnci) wae| 4:ur aq; a:umy?

⊕ wu , a&oe&i; jci; Ei yw0e; u; i oe&i; jci; u u&e; rma&; t &ynmay; y? a&m* jzpeiajc&on t ay: t jcm; aom rom; p0i rsm; uy; ppaq; y?

⊕ aq; u orj; aem u jye v no; oyppaq; &eaq; ce; o jyeom; y? wcw& 'w , t:ur aq; u or v ty Eion?

⊕ q; &m; aom vemrm; t m; y<Z0aq; wuau; o i y; on (Erythromycin, Doxycycline (o) Azithromycin)

a&m* i iaom t c; eY u or

rucr; pya&m* . aem u q; t q iwi a&m* y; onaym u u i; om; Eion? o iaom ruca t muwi (tem&w) y; upjci; Ei ruawmiar; rsm; t wi; o p; 0i jci; (Trichiasis) Ei 4i; w; r ru:un vmuyup; apon (ru:un vmu , jci; - Cornea opacity)?

- ru:un vm y; upjci; Ei t jri q; &jci; w; u umu , &e rup t wi; o i pu0iaom ruawmiar; rsm; u vp0yre t c; exm; l nyzi z , Ewjyp&r n?
- t c; iaom vemrm; wi cpwuoron taxmu t ujzpyon?

⊕ T u o i vemr; t m; r; upuoro iwe; u &&y; on aq; rl; x o i vajymi; ay; y?

3/ ruv; '%&mr;m;

ruv; '%&mr;m;(o)xcu '%&m&jci;w/on t jriq;&jci;/rupuejci;(o)rupq;&jci;ujzpapon?
ruptm;xcu '%&m&&rjzpaom t c xyqi la&m*y;0ia&muji;u umu , y?

u or

- ruv;u normal saline t &n (o) a&oe|oejzi tao t cmoe&i;y?
- ruv;wiuyaeaom rnon t &m0w|urqz , xwjyp?
- Æ ru:unvmEi tay:ruca t muzuw|u tao t cm:un&y? t b , a:umiquaom xae&mw|on
rupu jyiypn; t rm;q;uyaomae&mjzpon?
- y&Z0vr;q;rm;rm;u x nay;y?
- t u , l ru:unvmujcprji;Ei rupemyu z t m;&aomyww;p t xwji t wxm;ay;y?
- aemureuwi z; t wxm;aomyww;pxwu z , &m;jy;rupuiyev nppaq;y?
- vr;q;jzi quvu luoy/ ruv;z; tyji;u v tyj|uij|vyy?
- z;xm;aom t &mu wn tyx uau mjy; b , awmrrxm;&y?

t u , l a&m*y;0ia&mji;jzpay:vmyu ruv;z; tyji;u&y?
ruv; t z; . a&m on buw;& , m;w| twu :u; x m;ym;rm;&e t aumi;q;aomae&mjzpy|on?
a&m*y;&aomruv;u b , awmrrz; tyjEi?

- ruv; tryion q;&m;aom '%&meip;0i '%&m rm; t m; aq;&o|vaymi;&ev tyon?
t u , l vem on ruv;yion t x '%&m&& x m; l/aem u ae&mwco|ajymi;a&&r n qv|i (ruv;
t z; yww;puro;b) ruv; t um' i;wcu o;y?
t:urtawmr;m;Y Tu o|aom q;&m; on '%&mr;m;r &v 'on rupuejci;(o) ruv; q;&jci;
jzpapon?

4/ ruptwi;wrpji;Ei t jcm;cpwu o&evaoma&m*rm;

(u) ruptwi;wrpji;

ruptwi;wrpji;one , pywav m uwirupu , apaom t "u ta:umi;&i;jzpEiz , &on?
rupoi , t rrwqi tao t cm:unyu ruptwi;wrpji;u awjriEiyon?

ruptwi;wrpji;u u o&eaq;r&y/ cpwu ojci;om v:iaymu u i;a t mi unEiyon?

- o&xm;aom ruptwi;wrpji;rm;Ei t jcm;aomcpwu o&ev tyao m vemrm;u pm&i;jyp
xm;y? vemw0jci;p. trn/ tou/ vi/ tr trw/a&m*owrwc:uEi rupwvjci;p. tjri w|u a&rwy?
ruv;cpwu or pm&i;uijpxm;&jci;on rupcpwu o ay;&e vmaom t z| twu ylaumi;aom t p t p0u
jy|vyEiyon? oi twu vn; vemuv i jrep m &mazEi&etwu taxmu uay;on? pm&i;xm;&jci;jzi
vma&mucpwu oay;aom ruv;cpwq&m0e t c&uejci;u vn;o u o mapyon?

(c) ruv;2 zuapaeaom(t v , Yp) vemrm;/ :u;rm;aom ruom; wujci; (Pterygium)&on vemrm;
Ei t jcm;rupcpwu o&evaom vemrm;u rupcpwrpm&i;Y pm&i;jypxm;&r n?

5/ Awmria t "wciwji;

Awmria t "wciwji;one , pywav m u ta&;u;aomy \ emwczpon? ruv; twu omru uav;b0
emr uejzpci;rm;Ei uav;aoymuEe; twuya& t u;on? au;Z;jyl Tpm ty. t jcm;wzuwi&aom
Awmria t "wciwji; ta:umi;uzwy?pmr:uEm 117?

O;aemu t ajr;y;a&mia&m*

O;aEmu t ajr;y;a&mia&m*on O;aemu uz; tyxm;aom t ajr;y;rm; t m; a&m*y;Oia&mujci;jzpon? jzpym;aom t }ur tawmrsm; rm;on buw;&; , m; (oi) Ali;&ypa:umijzp&on? ry;a:umiv n;O;aEmu t ajr;y;a&mia&m*ijzpEion? t x;o:zi u , cpr; t m;en;orm;wijzpon?

buw;&; , m;y;a:umijzpaomO;aemu t ajr;y;a&mia&m*on vemwu t vi t jreaoapEiaoma&m*ijzp on? t u , l oion O;aemu t ajr;y;a&mia&m*u oo , &y u y SZ0aq;0;u cujci; pay;y? a&m* v u %mrsm;

1 Epa t mu uav;rm;-

- u , yci; 38.5 (oi) x x uyl r;aemuaemu jzpci;/Eaumipm;rpEijci;/ t ejci;/wujci;rm;/arajrmjci;
- t vet vejci; (oi) vy&mjci;r&bjiroupmvavmi;aejci;/
- i , xya&mi&rjci;azijci;
- yre t m;jziZucijci;r&y?

uav;u;rm;Ei v:u;rm;

- **u , yci;** (38.5 (oi) x x uyl) / **aci;uujci;/ t ejci;/**
- Zucijci;
- t vi;a&mionruv;rm;uemapci; (t vi;ua:umujci;)
- O;aEmu t ar;y;xcurjyv u %mrsm;ay: jci;/(Kernig's Ei (oi) Brudzinski v u %mrsm;jyo)
- wujci;rm;Ei arajrmjci;/

q;0;pmaqi;uujci; (oi) arajrmjci;&aomu , y:u;on vemrm;wi O;aemu t ajr;y;a&mia&m*u t rp0;pm;yZucijci;&r&ppaq;y? t u , l oo , &y u y CEZ0aq;upay;y?

owjy/&e-

- iuzm;Ei O;aEmu t ajr;y;a&mia&m*wi onwljzpEion? ao;azmu l iuzm;y;ppaq;ji;ujy/vyy?
- t u , l oi . ae&mwijzpEiyu/ c; qp&uazmu l CSF t &nuxw , jci;ujy/vyy? xaemu 4i; t &nu buw;&; , m;y;/ q vrm;/y&we;rm;Ei *v;uipwlu ppaq;&e "wccce;oiyy? ("wccce; t ajz u rapmiyEi) xlaemu yCEZ0aq;upay;y?
- t u , l oion c; qp&azmujci;urjy/vyEiyu yCEZ0aq;upay;y?

O;i&aq;rl;r c; qp&azmujci; t m; apmipm;aejci;jzi **ySZ0aq;ay;ji; t m raEmiaE;apo iy/ x oiaEmiaE;ji;jzi vem t ouq;&Eion?** vemaq;&wionEi c;&azmuppjci; t m; cujci; rjy/ vyEiaomv n;/yCEZ0aq;u orpwi y?

u or

- IPD wi xm; l u oy?
- yCEZ0aq;uay;y?

1/ t ou2v t xu uav;Eiv:u;rm; twu aq;Ee; - Chloramphenicol iv/im 25 mg/kg/ t m; 4uray;y? vemow&&r&aom t c; t zm;v n;r&y u/ Chloramphenicol u y;pyrajymi; l 12.5 mg/kg Ee;jzi ppay;i; 10 &u :umay;y?

2/ 2 vat mui , aom uav; i , r m; t wu Ampicillin iv/im 50mg/kg QID Ei

Gentamycin im 6- 7 mg/kg OD ay; y? (Gentamycin u q u l 5 -7 & u : u may; y?)

t a j c t a e w; w u a u m i; r e v m y; t z m; u a o m t c j Amoxycillin 25mg/kg po TID u p p a y; i; 10 & u : u may; y?

3/ u , 0 e a q n i t r; o r; r m; u Ampicillin iv 2 g QID ay; y?

v e m o w & r & a o m t c j t z m; v n; u : v m y; u /

Amoxycillin 500mg TID u y; p y r a j y m i; l p p a y; i; 10 & u : u may; y?

(o) **12/3 u Ceftriaxone 50-100 mg/kg/day IV/ IM u w a e; w c j 7 & u : u may; y?**

- t z m; u Paracetamol j z i u o y?
- w u j c i; r m; u Diazepam j z i u o y?
- t u , l v e m o n a r a j r m a e a o m t a j c t a e w i & y u t x; o e m j y a p m i a & m u j c i; u a y; y? (p m r; u e m 16 u : u n y)

o w j y & e -

- **w b 0; a e m u t a j r; y; a & m i a & m * w i u , y - u j c i; r & y? w c w & w i t z m; & v u r & v u j z p o n? i , & , a o m v e m r m; w i t m & a : u m q i & m v u % m r m; (a v j z w l u , w j c r; t m; e n; j c i; (H e m i p l a e g i a) a v j z w l u , a t m u y i; t m; e n; j c i; (P a r a p l e g i a) & v i i w b 0; a e m u t a j r; y; a & m i a & m * u o o , & y? y r e t m; j z i a j z; a j z; j c i; a & m * j p w i o n? r - u m c % q o v v e m w i o n o w l . u , E w t r t & m a j y m i; a v & v r r n?**
- **Cryptococcus a : u m i j z p a o m 0; a e m u t a j r; y; a & m i a & m * o n u , c p r; t m; u : q i; r & a o m v e m r m; w i y l t j z p r m; o n? T a & m * o n v n; a j z; a j z; j c i; j z p a v & o n? t z m; r - u; y w c w & w i t z m; r & y? o l a o m q; q; 0; 0; a c i; u u j c i; q u l j z p a e o n? (p m r; u E m 139 & H I V / A I D S t c e; w i - u n y?)**

wuzu tzm; (t a&m i e;zm;a&m*)

t a&m i e;zm;a&m*on Salmonella typhi [ac:aom buw;& , m;y;wrj;a:umi jzpaoma&m*jzpon?
T a&m*on a&m*y; pe;x i;Oia&m uaeaom t pm; t pm/ a& (o) npnr;aom v urm; w;rwq i u;puyj
ym;on?

a&m* v u %m

wuzi u u a t muaz: jyyj v u %m&aom vemwO;wi o o , &&rn?

- 7 & u x u a u s m a o m w m & n t z m ; & j c i ; > = 38.5 C (*i;:u m;)
- i u z m ; y ; p p & m w i t a j z r a w i j c i ; E i a t m u y j v Q % m t e n ; q ; w c & j c i ; ?
 - Or;Auemjci; • Or;ci yjci;
 - Or;avmjci; • u , yj u ; a o m v n ; E v ; c e E e ; a E j c i ; (relative bradycardia)

y x r y w w i v e m a j m j y c : u v u % m r m ; o n w w u s : r & v a o ; y ? x | a : u m i a & m * i o w r w & e c u c o n ?

aq; b u q i & m u v % m w i a t m u a z : j y y j v u % m r m ; y O i E i o n -

- yiye;Er;e , jci;/ acj; u u jci;/ rpm; ci raomuci jci;/ (vemwi pm; ci pwr&jci;)

'w , t y w w i -

- Or;AuEi & i y w r m ; a y : Y t e a & m i t z a v ; r m ; a y : v m j c i ; /
- u , yj u ; a o m v n ; E v ; c e E e ; a E j c i ; (t z m ; u ; a o m v n ; a o ; c e E e ; o n w ; l j r e v m j c i ; r &) /
- t o E i a b v ; u j c i ;

pw x W t y w w i - v e m u : u n & o n r m u o l a & m * i a y m u u i ; o n y & a o m v n ; a e m u q u w j y \ e m
r m ; j z p a y : E i a o ; o n ?

- t o r a y i u j c i ; /
- a o ; , j c i ; (o) O r ; w i ; t a j r ; y ; a & m i & r ; j c i ; /
- a o ; q y w u l a o ; v e j c i ; /
- r ; a e m u a e m u j z p j c i ; E i p w & w a x ; j c i ; (O ; a E m u t a j r ; y ; a & m i j c i ; . v u % m)

u o r -

- v e m u I P D w i w i j y ; u o r u a y ; y ?
- t & n r m ; r m ; a y ; y - O R S (o) I V t & n r m ; (R L (o) N S S)
- t z m ; u P a r a c e t a m o l j z i u o y ?
- y & Z O a q ; r m ; -

y x r t y p - Ciprofloxacin: u a v ; r m ; 7.5 mg/kg/ w a e l 2 : u r x 5 - 10 & u
v : u ; (u v 40 t a t m u) 250 mg BID x 5 - 10 days
v : u ; (u v 40 t x u) 500 mg BID x 5 - 10 days

Salmonella typhi y ; u a o ; w i y a r ; l a w & j c i ; (Positive) j z p r o m w u z u a & m * i u t a o t c m a j y m o n ?

'w , t yp- Chloramphenicol **uav;rm; 75 mg/kg/d 4ur clwuau; &e x 14 &u**
v:u; 500 mg po QID x 14 &u

u , 0eaqmi t r;or;rm;Ei uav;i , rm; twu , Ceftriaxone 50mg/kg iv/im ae;p0 7 &uay;y?

- q;0;aom t ajc t aer;rm;jzpay: jci; (ao;ve;jci;/ arajrmjci;) t wu- **Dexamethasone 3mg/kg**
iv jziaq;Ee;jri l4i; xyay;i; ay;y? x laem u 1mg/kg jzi 6 em&jcm;wc; 2 &uay;y? Tuoron
aoaymuEe;uav;men;onu jyojy;jzpon?

Ta&m*ion aq;uoru we;jyer:umon? aq;uor 5 &ujy;aemuyi;ryi vemwiqu l tzm;
&aeEion? o;aom a&b , s t ajc t ae t m;zi vemylaumi;revmvrn? pw&ny? uor. 8 &u
ajrmuae; t x tzm;quvuwuae;yu/ t jcm;a&m*jzpEion o;r [waq;rw;jci;rm; t m; p0;pm;y?

umu , r

Ta&m*ion t veu;puaom a&m*jzpon?

rom;pEi tre;em;jci;rm;u tromom;jy;aemuEi tpmrpm;ci owl. vur;rm;uaq;a:umoe;&i;&e
t|uay;y?

a&m*jzpaom vem t a& twuw;vmonu oiowjy/ryu- uya&m*jzpym;ru a&mi u:0&e q&m0eu
t a:umi;um;y?

u , wi t epur m; x uaom ie;zm;)u; (cłzwwuzw)

T a&m*! o n Orientia Tsutsugamushi , Rickettsia u o!aom buw;& , m;y;a:u m i jz p j y; a v; (mite) u u j c i; t m j z i u; p u j y e l y m; o n? a v; w! o n p p w a o m j r u c i; a j r r m; E i a w m x w i a e x i t o u & i: u o n? t m & y p z w a' o w i t j z p r m; o n?

t u , l u o j c i; r & a o m v n; v t r m; p r m j y e v n a u m i; r e v m E i o n? t c! a o m o w! o m t o u q; & v r r n? v e m a j m j y c i; u v u % m E i p r; o y a w l & & a o m r m; -

- u , y j c i;
- t j y i; t x e a c i; u u j c i;
- r s u p e j c i; (r s u a j r; y i; w i a & m * y; O i j c i;)
- j y e & n: u w r m; u j y; e m u i j c i; / y x r O; q; a v; u u a o m a e & m t e; w i j z p o n x i a e m u w u , v; w i j z p o n?
- a v; y; u u a o m a e & m w i t a & j y m; t e m j z p c i; / t e m o n a o; i , / O i; / r m j y; e a o m t z a v; r m; u; v m j c i; E i t w 4 i; w! . t v , a c i w i w p o l; w y; u p; a o j c i; / t e m u r l r m a o m r s u e m j y i w c E i z; t y x m; o n (r; a v m i j y; j z p a o m t e m & w u o l Eschar)? T t e m w! u v e m . a u m b u w i 4 i; / a y i c E i u y y , t w w! w i 4 i; & m a w! E i o n?
- t z m; & c i; & u t e n; i , : u m j y; a e m u / u , w i t e p u r m; x u a o m i e; z m;) u; a & m * . x j c m; a o m t e p u t e m t z r m; x u j c i; (maculopapular) / c E m u , r p w i j y; a j c l v u r m; o l q u l j z p o m; o n?
- w c w & w i O; a E m u t a j r; y; a & m i a & m * / O; a E m u a & m i a & m * w! . v u % m r m; u a w l & j c i;
- j z p c i y; T a & m * . x j c m; a o m v u % m r [w a o m a v j y e a & m i & r j c i; / a b: u j c i; / E v; u u o m; a & m i & r j c i; (a & m i a o m E v;) / p w t m & a: u m y i; q i & m v u % m r m; (x; q e; a o m t j y l t r r m; j y l v y j c i;) / E i a u m u u y v y i e; , , i; y u p j c i; ?

**u , wi t epur m; x uaom ie;zm;)u; a&m*! t jzpr m; o n t & ya' owiaexiaomorm; wi
T a&m*! jzpy m; y; uz m; em j c i; q; q; O; O; r j z p y? t e a & m i t z t y e l r m; E i r; a v m i z e m r m; v n; r x u y?**

a&m*! o w r w c i; u

a&m*! o w r w j c i; u a q; b u q i & m v u % m r m; j z i j y / v y o n? - a&m*! & m Z O i E i u , w i t e p u r m; x u a o m i e; z m;) u; a & m * . t : u j y l x m; a o m v u % m w l t m; & m a z j c i; e i a o; a z u l i u z m; y; u p p a q; a o m v n; r a w l & j c i; /

u o r

- t z m; E i e m u s i u u c j c i; u u o y?
- y C Z O a q; a y; y?

1/ y x r O; p m; a y; Doxycycline u a v; **Doxycycline** 4.5mg/kg w a e l w! u r - 7 & u? **

v! u; **Doxycycline** 200mg PO u 7 & u

(t c! a o m p m t y r m; r a q; u w l u r w n; c u j c i; a y; z l a x m u c c u j y l x m; o n? t j c m; a o m p m t y r m; u a q; u y l: u m f u m 14 & u a y; c i; o n?)

2/ u , O e a q m i t r l; o r; r m; t w u - **Chloramphenicol** 500mg PO QID u 7 & u a y; y?

a&m*! v u % m r m; u u o a y; z & e u r a r y E i (u , y j c i; / e m u s i j c i; / t & n r m; r m; a y; j c i; / v e m u j y p a p m i a & m u j c i;)

** u a v; r m; E i u , O e a q m i r c i r m; c l z w w u z w u t x; o o , & y! u Doxycycline a y; j c i; t m j z i q; u s; x u a u m i; u s; u j z p a p E i o n?

c l z w w u z w w i Cotrimoxazole, Erythromycin, Gentamicin E i P e n i c i l l i n s w! o n t m e o i u E i p r; r & y?

a q; u o j c i; p w i j y; a e m u t z m; o n 48 e m & t w i; r u y; u - v e m w i u , w i t e p u r m; x u a o m i e; z m;) u; a & m * r & y?

- t j c m; a o m a & m * o w r w c i; u w l u p O; p m; y? (w w a u; a & m * / c l z w w u z w r j z p a o m t o m; O a & m * t a & m i i e; z m; a & m * / p o n j z i l)

wwwau;u; t zm;a&m* (Dengue Fever)

wwwau;u; t zm;a&m* on Ai;&ypy;a:umijzpaom zm;emjci;jzpjy; jci u ujci;rwq i u;pujyeym;on?
ae|v n t cewi u uaom jci rsm;a:umijzp&y; ppwaom &m o0wwi y l t jzprsm;on?

wwwau;u;a&m* t m; 2 r;cjcm;Eion?

1/ wwwau;u; t zm; (DF) Ei

2/ ao;vewwau;a&m* (DHF) wijzpon? DHF ron ao;vewwau;a:umijzpaomao;vejci;
v u%mp (Dengue Hemorrhagic shock syndrome - DHSS) o|u;ajymi;om;Eion?

a&m*v u%om

a&m*v u%omrsm;a t muaz: jyyv u%omrsm;uaw&aom t c| **wwwau;ju; t zm;a&m*** [o ia&m* owrwEion?

- t zm; 2- 7 &u x&jci;Ei

- ao;az|u l iuzm;y; uppaq;rawjci; Ei **a t muyv uQ%omrsm;rwccaw|&jci;?**

- awmeu i; pr;oyc|u Y ao;acOrsm;awjci;/*

- cEmu , t vet ri;emusijci;

- wwwau;u;a&m*wiomaw/aom t e t zav;rsm;(t a&jym;Ei wajy;wn;aom4i;/ ten ;i , jri
laom4i; jzpaom oomxi&m;on tea&mi t zav;rsm; (o|) ao;ac|Ou uav;rsm;u ajc/
v ursm;ay: wiaw&on?)

- ao;cyEypn; t a&t wu u;q i;jci; (Thrombocytopenia)

a t muyw|u v n;oiawEion-

- t jyi; t xeaq i;u ujci;

- t a&jym;wi t z t yel x ujci;- v nyi;r|uem ei&iyway:w|wi t z rsm;e&jye|Eiaeon?

- jye|&n t:uwrsm;u;jci;

- t o:u;jy;zv|i emjci;(t om;aOjci;onao;vewwau;a&m* . t o i t jyi v u%om r [wy|?)

- t rwr;v v ab:u;jci;r&y?

***awmeau; pr;oyc|u?** ao;ay|iceu& , mji z i v uarmi;wiyw l t ay:ao;Ei a t muao; ay|ice
t v , t wi; t wmw|avjz n y; 5 repce|x m;y? x|aem u wawmi qpa t muyi; 2E5 piwrwm pw&e;
av;axmi u uwi& tepur sm;u a&wuy? tepu 20 xuyy;u ao;vewwau; [qEion/
qjcnjriao;a:umEi ao;cypn;rsm; c| , i;ra:umi jzpon? (WHO u;um;c|u t &)oma&|u;u v n;
awmeau;u o| t o;jyEion? 20Eaom Ai;&yp t zm;on ao;vewwau;r [waomv n;awmeau;
pr;oyc|u t x uy|u o|(+ Positive) jyoEion?

ao;vewwau;a&m*wi

- wwwau;ju; t wi;

t x uaz: jyyv u%omrsm; t jyi a t muyw|uyaw|&on?

- ao; , x ujci; . v u%omrsm;- Emaci;Ei om;z;rsm;r ao; , jci;/Ei wcw&p t 0rao; , jci;jzpon?

- jye|Eipmao;ajcO u ur sm;ay: jci; (t a&jym;ay: Y tea&mi (o|) t jyma&mi t pur sm;ay: jci;) ajc v u
rsm; &iywEi r|uemw|wiyl ay: on?

- ao;vejci;v n;w;l jzpv mEion? rsm;aom t mji z i 3 - 4&uaemuyi; u , yu:om;y;aemuwijzppww
on?

- t om;Ojci;r&y?

a&m*owrwc|u

a&m*v u%omrsm;ay:rwn l a&m*owrweion? x|jyi "wcp r;owc|u jzi t wnj|on?

uor

1? **wwau;u; tzm;**

Ta&m*ju uoaym uui; aomaq; r&y/ aemu quwiy \ emrm; rjzpa t miom uoon?

- tzm; u Paracetamol ay; l uoy?
- **ASA u v; 0ray; yEi?** ao; x u jci; u y l q; 0; apEion?
- t&njznay; jci; -ORS zipwiay; y? t u , l vemraomuEi yu RL (o) NSS wupwioi; ay; y?
- t "u v u %mrsm; Ei q; om; jci; u ppaq; apmi: u njy; / ao; vejci; . v u %mrsm; uapmi: u ny? t x; ojzi tzm; & u . 3 - 7 & uajrm u aewi (o) tzm; pwi u: aom t cwi jzpon?

**a&m* jzpaom t a& t wuw; v monuo iowj; ryu/
uyqua&m* wcu& mi u: 0&eq&m0eu t a: umi; um; y?**

2-ao; vewwau; a&m* Ei ao; vejci; vQ%mp

**wwau; tzm; on ao; u , apEion? ao; wi yre r [waom ao; cy\$ypn; t a& t wu u: q; jci; /
ao; 0 te, x i jci; (Hct) jri v m jci; / y; pyr t n raomuEi jci; ? Hct jri wuaomv n; 20%
xuryjci; - & y u -**

- IV Ringers/NS 3-6 mls/kg/hour upwi l ay; y?
- 2 em&: u m j; aem u jye v n ppaq; y?

w; wur& yu -
(t " u v u %mrsm; Ei q; om; jci; w n j i r v m)

- t & n u x e; l IV 1-3 m/ r ay; y?

w; wurr& yu -
(ao; v nyw jci; / ao; ce Ee/ ao; w/ t a j t a e q;)

- IV t & n ay; jci; u w; 10ml/kg/hr ay; y?
- 1 em&: u m j; y e v n ppaq; y?

quvu lw; wur& -

- 24 em&: u maom t c IV t & n u & y y?

w; wurr& yu -
Hct onat muajc t r w
x u 20% a u m j r i r m; a e j c i; ?
ao; , p; r v u %mrsm; ?
ao; & n: u n p r x u r v u %m
rsm; (t q y t a j r; y; a & 0 i j c i; /
z i 0; p j c i; ?)
ao; v e j c i; ?

w; wur& -
IV t & n ay; jci; u a v m 3 - 6 mls/kg/hr ay; y?

- IV t & n ay; u o j c i; u 10-20 mls/kg/hr (RL/NSS) ay; y?
- BP, RR, PR w; u w e m & w c i p p a q; y?
- jz p E i y u Hct u 2 e m & w c i p p a q; y?

quvu lw; wur& -
36 em&: u maom t c IV t & n u & y y?

w; wur&
(ao; v nyw jci; / ao; ce Ee/ Hct BP)

- IV t & n ay; jci; u a e m u 6 e m & : u m c e i w i a v m c y ?
10 ml/kg/hr / x a e m u 5 / x a e m u 3 mls/kg/hr a v m a y; y?

w; wurr& yu -
(ao; v nyw jci; / ao; ce Ee/ Hct)

- IV Haemocell 10 mls/kg/hr ay; y?
- 1 em&: u m j; y e v n ppaq; y?

quvu lw; wur& -

- IV t & n ay; jci; u x e; ay; y?
- 48 em&: u m j; a e m u p p a q; l IV u & y v u y?

w; wurr& yu -

- a t m u p * i l a o; o i j c i; w i v t y o n?
- t x; u y r w a p m i a & m u y; u a q; & o i y y?

w; wur& yu

- IV Hemocel 3-6 ml/kg/hr a v m l 2-4 em&: c e l a y; y?

w; wurr& yu -

- I/V quay; y 3-6 ml/kg/hr • IV t & n ay; jci; v r; a: u m i; u x e; ay; y?
- 48 em&: u m j; a e m u p p a q; l IV u & y v u y?
- q; a q; a y; j c i; u j y e v n a u m i; r e v m o n t q i a y; w i r w n l a y; o n?

pyi&cy;p t om;0ja&m* (prajr t zm;&m*)

pyi&cy;p t om;0ja&m* o nA;E , y&Auw&; , m;(pyi&c) a:umijzpy;m; o n? t qyy; o n? w&pmer;m; (:u u/ wc;w& ac;/ a:u mi ei u/ Em;). q;wiy&ww o n? xrwq iajr;u;ay:wi v ay;i;r;m;pm t o u&iaeei . ? a&m*;&aomw&pmeo i r [w t qy;w&pme . q;y;&o na&/ ajrre w/Ei ' %&m&aom t a&iym;/ c/ t ar;y;w; xaw; yu t qya&m* jzpei o n?

v , or;m;/ ri;vyom;r;m;onyr t E&m , &on?
zeyryb/ jrpl acmi;/ a&q;ajrmi;/ qna&vr;a:umi; wwiom;vmorm;? jrpr;m;/
a&uer;m;wia&u;or;m;eiom;owvyie;or;m;vn; t E&m , &on?

v u %meipr;oyaw&c;u r;m;

- &ww&ucr;wjy; t jyi;zm;jci;
- rupejci; (jynr&ay)
- :u u om;r;m;em u si u ucjci;
- acji;u ucjci;?

wc;w&/ Or;Auemjci;/ y& t ejci;/ Or;av;mjci;/ acmi;q;jci;?

t x uy u o 5 - 9&u t x:umwwon? t o i t wio i r [wq;&m;ei o n? v t r;m;pon T t qiwi &ywe i om; o n?

o i aomwc;w& t qy;v u %mr;m;q u&aejci; o i r [w&u t en;i , aym u jy;wzejyeay:vmjci;a:umi aem u q u wq;u;r;m;a t muaz: jyy t wi;ay: x u v m o n?

1? 0;a%mu t ar;a&mijci; - em;xi2zueiez;u ucjci;

2? t oEiaum u uy t vyrvyjci; (Weil's disease - a0;va&m*) t jyi;zm;jci; (40 '*&piw*&w)/ t om;0jci;/ q;en;jci;/ wc;v emwi t oei ab v;u;jci;?

3? ao; , p;y; t qya&mijci;ei t w&ww&u t ou&r0ci; (t oeiaum u y a&m* r&v;i v n jzpei o n)/ v em o na cmi;q;v i a o;y i . (ao; t ejci;)Eipr;oyv i t qwwi x;jcm; o n t or;m;r:um;&ay?

4? rueu0e;a&mijci; (Uveitis)

t o t vyrvyjci; o n o u o m v mei . ? aum u uy t vyrvyjci;ei t o u&r0ci;v u %mr;m; o n jye aumi;&ecu o n?

a&m* t r naz: xw jci:

i uz m; y; aw & jci; r & o n t a j c t a e w i t j y i; z m; jci; / : u u o m; e m u; i u u c jci; / q; e i t o m; O jci; / q; e n; jci; w & y; v i; p y i & c y; a; u m i j z p a o m t z m; a & m* [o w r w & e p 0; p m; o i o n?

"w cce; p p a q; jci:

- **q; x w i t o m; "w** (y & w i; " i u) a w jci;?
- t O a & m i j c , b v & b i (Bilirubin) r m; jci;
- a o; p p t a j z x w jci; (w u a o m v n; v y & e c u c o n)

j y p u o jci:

j r e e i o r j r e j r e u o a y; y / a e m u u; v i v n; u o a y; y?

- t z m; e i e m u; i jci; u u o a y; y?
- t a; u m r t & n r m; x n o i; a y; y?

(u) t o i t w i q; & m; v i

• y; pyr Doxycycline 200 mg OD x 7 & u a y; y?

u a v; e i u , O e a q m i r m; t w u

- y; pyr Ampicillin 500 mg TID x 7 & u a y; y?

(c) q; 0; j y i; x e v i

- I/V Ampicillin 500 mg TID x 7 & u a y; y?

u m u , jci:

(1) u | E m; e i t r a c; w & p m e r m; t m; u m u , a q; x; jci;

(2) v , o r m; e i t v y o r m; r m; t w u u m u , a & O w p r m; e i z e y r m; t o; j y / a p jci;

(3) t r u o r; p e p a u m i; v i : u u O; a & e n; j y; a & m* t j z p e n; r n?

(4) t E & m , & o r m; t m; u e; r m a & y n m a y; jci; w j z p o n?

0uoua&m*

0uoua&m*on t veu;puaoma&m*wrjzpon? Ta&m*on uav;b0wi t jzprmjy;q;0;aom
aemuquwjy \ emrsm;u quvujzpy;apon?

0uoua&m*on Ali;&ypy;a:umijzpon? 4i;a&m*uuoz&euorr&y? xla:umi 0uoua&m*uum
u , jci;Eiaemuquwjy \ emrsm;u uojci;ujyvyy? v t zpn;wi Ta&m*urjzpa t m iumu , y?

qi&mvu%mrsm;

- u , yu; jci; (38 5 5 t x u)
- ruajr;y;a&mi&r; l rupejci;/ Em&n , jci;/ acsmi;q; jci;/
- wcw&t epur sm; u y;py t wi;y;apmiwiawjci; (u v p t u u)
- 2&ur 3&u t wi;cEmu , wcv;wi t ea&mi t puaysmur sm;ay:v mji;/ t pyi;wi t et zwion
em;rsm; aemuwipwiay: on?
- Or;av mji; t jzpr sm; on?

aemuquwjy \ emrsm;

- t qwa&mia&m*/ (er;e; , m;)
- (t v ,)em;a&mia&m*/
- Or;av mji;/ t &n"lwcr;ajcmujci;?
- Awmria t c lwjci;/
- wcw&wi &u owywt en;i , :umj;aemuyi; t m [m&c lwjci;rsm;jzpeion?

0uoua&m* uor

- t zm;u uoy? (Z , m; 1) Or;av mji;/ t &n"lwcr;ajcmujci; t m;u oy?
- uav;u o;jcm;x m;y?
- TEO jzi rsupemji;u u oy?rupu aelp0oe&i;ay;y?
- Ewuau;aeaomuav;rsm;u quv u l Ewuau;ewuwey? uav;u;rsm;u yre t pm; t pmw
uay;au; y?
- t qwa&mia&m*jzpcrnqv i q;0;r t ajc t ae v u%mrsm;uppaq;y/(t qwa&mia&m*wi:u ny?)
jy;aemu jzpay:aomq;0;ray:rwn l u oay;y?
- Awmria t ay;y? (a t mu buwi:u ny?)

0uoua&m*jzpy;r vemw0;aw&y u c uci;owi;y y/ uya&m*jzpy;&e t E &m , &Eiaoma:umi
t e;uyapmi:u nru yrvaqmi&ev on?

0uoua&m*uumu , jci;

rci rsm; t m; orw l . uav;rsm;u umu , aq;x;aomXmeo lac:v m&ewuwey? &y&m&uav;rsm;wi
0uoua&m*jzpy&y u/ c u jci; t p&icy/ umu , aq;x;aomXeon umu , aq;x;&etwu p pn;vy
uiEion?0uoua&m*a:umi uav;rsm;pm t ouq;&y;/ xa&m* t m; umu , aq;w urx;&rjzi um
u , Eion?

twɔ ti A / at ti' t up

rvu , cpr; t m; u; q i; a o m a m * v u % mp AIDS on v o m; . u , cpr; t m; u; q i; a p a o m HIV y; a: u m i j z p o n?

HIV y; o n p' 4 (CD4) [a c a o m a o ; j z l o q v u o i a m u u ; p u o n ? 4 i ; a o ; j z l o o n u a e m w i . **u , cpr; t m; pep** t w u t v y v y a ; o n ? p' 4 (CD4) [a c a o m a o ; j z l o q v r s m ; p m u HIV y; w i r z u q ; j y ; a e m u v e m o n a m * (a m * y) w i u q e l u s i w u c u E i & e r p r ; a q m i E i a w m a y ? u , cpr; t m; e n ; a o m o r s m ; o m v i t c i ; a o m a m * y ; r s m ; w i u a m * & a p E i y o n ? 4 i ; a m * w i u j z p E i a j c & a o m a m * w i [a c y o n ? HIV y; P o s + & o w w i T a m * r s m ; & a o m t c w i **at ti' t up** a m * j z p o n ?

HIV y; P o s + & o r n o r q a t t i ' t u p a m * x w ; l j z p r n ? , a e t c e t c w i HIV y; u r u o E i a o ; y ? o i a o m u a e m w i o n HIV y; r & a t m i u m u , E i j c i ; E i j z p v m E i a j c & a o m a m * t c w i u u o E i y / HIV y; . t a j c t a e u y l r q ; v m E i a p & e **antiretroviral** (ARV) j z i , m , & y x m ; E i y o n ?

HIV y; u; p u i j e y m ; j c i ;

u; p u E i o n v r ; a u m i ; r s m ;	u m u , j c i ;
v i q u q r i y j c i ; /	w i ; w r a m i & j c i ; / v i t * i t p w u t o ; j y j c i ; / v i q u q j c i ; a : u m i u ; p u a o m a m * w i u a p m p ; p m a m * o w r w l / 4 i ; w i u u o y ? v i q u q a z : r s m ; j c i ; r & a t m i a m i u s O y ?
a m * y ; p e ; x i ; u s e & a e a o m a q ; x ; j y e r s m ; / t y r s m ; E i t j c m ; a o m c l e x u a o m y p n ; r s m ; - O y r m - r ; , p a q ; O ; u a o ; a u m t w i ; x ; l t o ; j y l o r s m ; (I D U) / u s e ; r m a & ; v y o m ; r s m ; / a q ; r i a : u m i x ; j c i ; r s m ; /	r ; , p a q ; O ; u a o ; a u m t w i ; x ; l t o ; j y l o r s m ; u a m i u s O y ? y ; o w j y ; a o m a q ; x ; t y E i a q ; x ; j y e r s m ; u t o ; j y j c i ; Universal precautions (u r m v ; q i & m v w i ; / a q ; O e x r w i ; t m ; v ; u w i u m u , a & ; t w u o w x m ; v u e m & r n t c u r m ;)
a o ; E i a o ; x u y p n ; r s m ; r a m * u ; p u j c i ; / O y r m - a m * y ; & a o m a o ; u o i ; r j c i ;	a o ; o i ; j c i ; t : u r u a v m e n ; a p j c i ; / a o ; o i ; j c i ; r j y v y r a o ; v l & i . a o ; u HIV y ; p p a q ; j c i ; E i o i a w m a o m a m * y ; p p a q ; j c i ; /
r c i r u a v ; o i a m * y ; u ; p u j c i ;	HIV y ; u ; p u c x m ; & a o m t r ; o r ; r s m ; u r o m ; p p r u e ; c a y j c i ; u , o e a q m i t r ; o r ; r s m ; E i a r ; u i ; u a v ; i , r s m ; t w u (ARV) u t o ; j y j c i ; / r c i E i w u a u j c i ; u a m i u s O y ?

HIV a o ; p p a q ; j c i ;

HIV r n o n t w u p p o e n ; ?

(u) a o ; o i ; & e t w u p p a q ; j c i ;

t j c c t m ; j z i p w c & a o m a o ; & & j z p o n ? a o ; o i ; j c i ; (p m r u e m 29 w i - u n) ? a o ; o i ; j c i ; r a m * & j c i ; u
a m i u s O e j z p o n ?

Tpr;oyppaq;ci;rm;u HIV y;&a:umi; ovrw&etwu t r t o;jyEivrrnr [wy?
Tpr;oyrw;u ao;vl'je;&etwu omv;i t jrepr;oyppaq;rjzpon? t ajzrm;on
rm;Eion twu vemrm;. a&m* t ajzaz:xw&mwi ro;o iay?

(c) HIV y;&a:umi;a&m*ovrw&ejzpon?

rpr;oyr at m uy t c;u r m;u jznq n;ay;o i o n?

1/ v#0u x m;&r/

ciyirr&v;i vemEiywo u o n q;a:umi;/aumi;a:umi;rm;u t jcm;owa , mu u iyerajym&?o
wion Ep ora q;aE;o t ae jz i t x;v#0uay;y;v;i yraumi;repm aq;aE;Ei o n?

2/ rpr;oyr Ep ora q;aE;jci;/

HIV y;pr;oyru jylvyo i l ro i a&c; , Eiap&etwu owion HIV Ei AIDS t a:umi;t jyi
t jcm;yy;rrm; o&&e v t y o n?

3/ oabmwncu/

rpr;oyr Ep ora q;aE;y;v;i pr;oyrc , &etwu q;jzwc u o n vem u , wiay;&r n? vem .
q;jzwc u u av;pm;&r n? vemoabmrwv;i pr;oyr rjyEiy? o . aqr#;rm;. q;jzwc u rjzpap&?

4/ pr;oyy; Ep ora q;aE;jci;/

y;&o njzpap/ r&o njzpap Ep ora q;aE;jci; jy&r n? y;raw;v;i v n; aemi t em*wwi HIV umu ,
&eq;aE;&r n? y;aw;v;i v n; v ucEi o n t ajc t ae jzpa t mi aq;aE;ay;&r n? r n u o j t u s;&pm
aeEi&ev n; aq;aE;ay;&r n?

5/ aq;&"wcc;wi pr;oyjci;/

t en;q;pr;oyr Epc jylvy&r n? rwnaom ao;erem Epc pr;oyv;i o iav m o n? t jrepr;oyr
rjzpap&? ELISA o l r [w Western Blot jz pEi o n?

6/ vra&Ei pw"wa&&m t axmu tyay;r t p t pOr m;jzpon

owjy&e-

a&m*ovrwc;uEiywo u l v n; vemurnuo j xcuEi o nEiywo u l v n;pO;pm;o i o n? r n o n
u o rEi unrw;u o i aqmi&uay;Eirnen? HIV t a:umi;uaq;aE;wi i ayjci;u o i we;wujy/ t aw;
j u l&aom o r m;om jylvyo i o n?

HIV y;u;puc&jci;. t q i r m;

1/ &ww&ujzpaom t qi/ t pyi; HIV y;u;puaom t qi

- vemona&m*y;u;pucxm;&on?
- &uowywrm;pm t wi;wwu;u;ovrwv;r&Eiaom t zm;&jci;/ t z t ye l r m;x ujci;/jye&n
t :uwr m;u;jci;p o n a&m*v u %m r m;&Ei o n? **o aom HIV y;pr;oyrwi y;raw;jz pEi o n?**
- **pr;oy&mwi HIV y; rawaom v n;** (negative) **vem o n HIV y; jze jz l;y;o jz pEi o n?**
- cEmu , rpwi l a&m*y;uwucu&eyEypn;rm;u xwrom HIV y;u ppaq;aom t c j Pos + aw;
&r n?(a&m*y;u; puc&jy; 2 y w r 3 v t wi;)

2/ aemuyi; t qi l a&m*vQ%mr m;r&aom HIV y;0ijci; c&on?

- vem o n emru e;jz pci;u v;0rcpm;&y? w c w&o o n o u HIV y;u;pucxm;&on u roEiy?
- r n o l y jz p a i ;yp y; o n cEmu , xwi ajrm u r m;pym;rm;ae o n?
- o a o m o o n t jcm; o r m;u Ai;&yp y;u u;pua pEi o n?
- T t q i o n E p a y i ;r m;p m x u e&aeEi o n?

3/ HIV y;0ijci; tapmyi;umv S HIV y;0ijci;vQ%mrsm;
vemwi aq;b uqi&m v u%mrsm; pwijy;w;wujzpxe;on?

- u , tav;ceav#mici;u owjy/rjci;/
- nbuac;x ujci;/
- ta&jym;wi tzt ye/rm;x ujci;/
- t zsm;&jci;/
- Or;av#mici;/
- jye&n t:uwrsm;a&mi&rjci;/
- yiye;Er;e , jci;Ei t m;en;jci;ponv u%mwjzpon?

tjzprsm;q;aoma&m*#w/rm-

- ⊕ y;pywi ruc&ayujci; (y;pywi& Candidiasis a&m*)
- ⊕ a& , :u;rm;uo t a&jym;a&m*rmjzpci;(Shingles-a& , eem)(o)a& , eao;/ry;a:umijzpaom t a&jym;a&m*rm;/
- ⊕ t ou&Lvr;a:umi;q i&ma&m*rm;
- ⊕ t qwwba&m*/
- ⊕ Or;av#ma&m*rm;/

Ta&m*rm;on uo l&Eijy/aq;uoruv n;wejyew;wuaumi;r&u on?o/aoma&m*#w on jyejzpu on?

4/ HIV y; 0iy;aemuyi;umv/at t i' t up

vem on r:umc%qo vyiq;0; jyi; xeaom t m [m&c#wci;a&m*# Lymphoma u o/aom u i qma&m*#
rm;jzpyrm;jci;? q;0;jyi;xey;u&cucaomu;pua&m*# Oyrsm?

- ⊕ xycwv vjzpaom t ou&Lvr;a:umi;q i&ma&m*rm;/ t qwa&mia&m*# t qw.wpo;l;rm;wi
tra&mi t wrsm;jzpaom t qwa&mia&m*# (Pneumocystis carinii pneumonia- PCP)
- ⊕ t vejyi;xeaom t qwwba&m*
- ⊕ t pmrta&rswi t jzla&miruc&emrm;jzpci;
- ⊕ q;0;jyi;xeaomemwm&n Or;av#ma&m*#
- ⊕ Cryptococcal y;a:umijzpaom O;aEmu t ajr;y;ia&mia&m*#?
- ⊕ HIV y;a:umijzpaom O;aEm u a&mia&m*#

t ou&iaom orsm;on t r#; t pm;/jzpyrm;on t :ureiq;0;ray:rwn on?

taxaxjy#puor

- vra&;tyi; t m;jzipwyi;q i&m unapmia&m uay;jci;/
- vem(Eirom;p)u u;purt E&m , rm;a&men;ap&eynmay;jci;on t vet a&;u;yion?
- vem t m;emrny;uapjci;Ei z , u:Oc&jci;wijzpr umu , ay;&vrrn?
- vem t m;u;e;rm pmaex ijci;Ei u;e;rm;aom t pm; taomuwupm;apjci;w t m;vuemaqmi&u&e
t juyj& vrrn?

ati' t upzpon tay: t ciaumi; , l jzpvmaoma&m*#w u azm xwci; Eiuojci;

1/ - Candidia y;a:umijzpaom ruc&a&m*

a&m*# v u%mrsm; y;pywijzpaom ruc&a&m*#- jzpv mici;on v#m/ t maci; y; (Palate)/y; (t wi;)
(o) om;z; rm;wijzpaom t jzlu ursm; (o) t aym ursm;jzpv mizpon? 4i;w u
v u jiz , &m;ay;Ei on? yav miaom t pm; t pmwupm;aom u aom t cjem u ir
&Ei on?

uor

aq;jym&n (Gentian Violet 1% u jzpaomae&mwi v r;ay;jci; BID (o)
Nystatin pm;aq; u 500 000 IU QID 7 &uay;y?

t u , lw;wurr&y u-

Ketoconazole: 2 Ep t x u uav;- 3-6 mg/kg/day 7 &uay;y?
v:u;- 400mg/dose OD 14 days

(o|r [w)

Fluconazole: uav;- 2-4 mg/kg/day 7 &uay;y?
v:u;- 100mg OD 7 &uay;y?

2/ t p m r s j y e w i j z p a o m r u c &

a & m * i v u % m r s m;

t p m r s j y e w i j z p o m r u c & r u c & j z p c i ; E i t w w l j z p a o m t p m ; a o m u
r i c & c u c i ; / z u c u e m r s m ; u o l t e m r s m ; j z p c i ; E i t v e e m u i E i o n ?
T t c u o n a t ' p a & m * w i t m ; e n ; j c i ; E i u , t a v ; c e q ; & j c i ; u
t " u j z p a p a o m t a : u m i ; t c u w c j z p o n ?

u o r

Fluconazole- 200mg OD 14 &uay;y?

3/ Pneumocystis Carinii t q w a & m i a & m * (Pneumocystis Carinii Pneumonia- PCP)

v u % m r s m;

u , y j c i ; / E a c i ; / E i u , t a v ; c e q ; & j c i ; w i o n t o u & l v r a : u m i ;
q i & m a & m * v u % m r s m ; r j z p c i & u o w y w r s m ; p m : u m i j z p a e o n ?
x a e m u t z m ; & j c i ; / a c m i ; a j c m u q ; j c i ; (o v y r x u j c i ;) E i t o u & l w
j c i ; w i t j z p r s m ; v m o n ? t q w 2 z u p v ; w i C r e p t s t o r s m ; & j c i ; u
a z : x w o & r n ? t q w t a j r ; y w i ; a v 0 i j c i ; j z p E i o n ?

u o r

Cotrimoxazole 100mg/kg/day QID u u a v ; E i v : u ; a & m t w u y 2 1 & u a y ; y ?

(q u v u l ' w , t q i u m u , r u t r a y ; & e = Cotrimoxazole/ v } u ; 960 mg OD E i u a v ; 25 mg/
kg/ day OD)

t u , l q ; q ; 0 ; 0 ; t o u & : u y j c i ; & y u a t m u y a q ; u a y ; y ?

Prednisolone- u a v ; - 2mg/kg/day x a e m u a j z ; a j z j c i ; a v m l a y ; o m ; y ?
v : u ; - 80mg/day a q ; E e ; 2 c p m c l 5 & u a y ; y ; x a e m u
40mg 5 & u /
x a e m u 20mg 10 & u a y ; o m ; y ?

4/ r y ; a : u m i j z p a o m a & m * (penicilium marneffeii infection)

T a & m * i o n H I V E i w z u j z p a o m a & m * j z p o n ? x i ; E i i w i t j z p r s m ; o n ?

v u % m r s m;

t z m ; & j c i ; / a o ; t m e n ; j c i ; / u , t a v ; c e q ; & j c i ; E i c E m u , w c v ; & t
a & j y m ; w i t e a & m i t z t e m a v ; r s m ; j z p c i ; / j y e & n t : u w r s m ; u ; j c i ; / t o
: u ; j c i ; o n H I V E i q u p y l j z p a o m t a & : u ; o n a & m * w c t j z p x i ; E i i
w i j z p v m o n ?

" i w c c e ;

a o ; E i t a & j y m ; r t e m r s m ; e r e m u , l " i w c c e ; w i r y ; u r i ; y m ; j c i ; y l v y o n ?

u o r

Fluconazole- u a v ; - 2-4 mg/kg day x 7 days
v } u ; - 100 mg OD x 7 days.

(r q ; & m ; a o m v e m r s m ; w i I t r a c o n z o l e 400 mg OD x 10 weeks a y ; & e E i q ; & m ; a o m v e m r s m ; u
A m p h o t e r a c i n B 0.7 mg/kg/day x 2 weeks y ; a e m u I t r a c o n z o l e 200 mg OD w o u v ; p m ; & e j z p o n ?)

5- Cryptococcus y;a;umijzpaom 0;aEmu t ajr;y;a&mia&m*

a&m* v u %m rsm;

b u w ; & , m ; y ; a ; u m i j z p a o m 0 ; a E m u t a j r ; y ; a & m i a & m * E i r w y ?

u , y j c i ; / t v i ; a & m i a ; u m u l Z u c i j c i ; / y j c i ; E i t e j c i ; p o n v u % m w i o n t j z p e n ; o n ? t j y i ; t x e a c i ; u u j c i ; / r t r o m j z p j c i ; / p w & w a x j c i ; E i w u j c i ; p o n v u % m w i o n t j z p r m ; o n ?

"w c p r ; o y j c i ;

India Ink p r ; o y p p a q j c i ; t w u C S F e r e m u y a y ; y ? Cryptococcal j i y i y p n ; (o !) y ; u C S F w i 4 i ; (o !) a o ; (o !) C S F u r y ; t w u r ; y m j c i ; j y / v y y ? a & m * o w r w & e t w u r j z p E i y u - v a j y m i ; y ?

u o r

Amphotericin B 0.7-1.0mg/kg/day IV u 2 y w : u m a y ; y ?

Fluconazole u a v ; ; 4-6 mg/kg/day u 6 y w : u m a y ; y ?

v : u ; ; 400-800mg OD u 6 y w : u m a y ; y ?

(q u v u l ' w , t q i u m u , r u t o u & i o r a y ; y i = Fluconazole 200 mg OD)

6 / w b a & m *

a&m* v u %m rsm;

HIV y ; u ; p u c & r r & a o m v e m u o i y i v u % m r m ; w n y i o n ? t q w j y i y w i j z p a o m a & m * r m ; u y l t j z p r m ; y i o n ?

t q w w b a & m * y i j z p v i u p m ; A F B p p a q j c i ; r m N e g - r : u m c % o j z p y i o n ?

u o r

a q ; O ; r m ; / a q ; u o r v r ; n e r m ; / u o o n u m v E i q ; u ; w i o n t w w y i j z p o n ? (w b t a : u m i ; E i y w o u a o m t c e ; w i : u n y i ?)

jzpv mEiac&aoma&m*rm; t wu umu , aq;ay;ji; (Prophylaxis of Opportunistic Infections)

a & m * y ; r m ; o n v e m u t m ; e n ; a p i y ; C D 4 t a & t w u u e n ; o m ; a p o n ? T o ! w c j z p j c i ; u a & m * y ; r m ; O i a & m u j c i ; u w ; v m E i b , o o , & a p o n ? x l a : u m i a & m * r m ; u : u w i u m u , j c i ; E i u o j c i ; u j z p E i y u t j r e q ; j y / v y o i o n ?

u t m ; a v : m p m y i t c l l a o m j z p v m E i a c & a o m a & m * y ; w i u o m r e & ; i ; a o m u o r r m ; j z i u m u , E i o n ? T o i j y / v y a y ; j c i ; u P R O P H Y L A X I S [a c : o n ?

T a e & m w i u m u , j c i ; t r s ; t p m ; 2 r s ; & y i o n ?

t p y i ; t q i u m u , j c i ; - u m u , c i a o m a & m * u v e m w i e * u j z p c b j c i ; r & y u -

'w , t q i u m u , j c i ; - t u , l v e m w i u m u , c i a o m a & m * j z p c b j y ; y i u a e m u w c x y l r j z p & e ?

1/ t q w . w p o ; L ; r m ; w i t r a & m i t w r m ; j z p a o m t q w a & m i a & m * (Pneumocystis Carinii Pheumonia- PCP)

t p y i ; t q i u m u , j c i ; E i ' w , y i ; u m u , j c i ;

r n o n t c e w i p r n e n ;

HIV y . e m r u e j z p a o m v u % m & (t q i 3) E i t q w a & m i a & m * v u % m r m ; r j z p a y : a o m v e m t w u E i C D 4 t a & t w u < 200 / m m 3 (o !) < 15 % & a o m u a v ; r m ; t w u

a q ; O ;

Cotrimoxazole j z i u E i o n ? v : u ; - Cotrimoxazole 960mg OD u a v ; ; Cotrimoxazole 25mg/kg/day

o w x m ; & r n t c u r m ;

Cotrimoxazole u a o ; j z i r w n l " w w e j y e j c i ; / D a p s o n e o n a e m u a & ; c s , & e w c j z p o n ?

a q ; q ; u s ; r m ;

y j c i ; / t e j c i ; / t a & j y i ; w i t z t y e r m ; x u j c i ; / a o ; t m ; e n ; j c i ; /

aq;&y&etwu t ne; vem on ARV jziura t muwi&y; CD4 ta&twu >200/mm³ t u , l
ARV u r&Eiyu aq;uoron t ou&ior:um&nrrn?

2/ Cryptococcosis

Cryptococcosis uav;rsm;wi jzpy;m;rEe;en;o jzi umu , ru t m;ray;y?
(u) t pyi; t q i umu , jci;

rn on t cewiprrnen; HIV . a&m* v u %mrrm; (t q i 3) Ei CD4 ta&twu <100/mm³ jzpy
Cryptococcosis v u&jzpaeci;r&aom t ajc t ae

aq; **Fluconazole** 400 mg / week (wyw:um&u uwwu:uay;&rn?)

aq;&y&etwu t ne; vemrrm; on ARV jziura t muwi&y; CD4 ta&twu >100&v i aomv n;
aumi; t u , l ARV aq; r&y u t x u yaq;u t ou&ior:ay;&rn?

(c)'w , yi; t q i umu , jci;

rn on t cewiprrnen; Cryptococcosis a&m* &y;aeo vemrrm; t wu

aq; **Fluconazole** 200mg ae p0 y;pyr ay;y?

aq;&y&etwu t ne; vemrrm; on ARV jziura t muwi&y; CD4 ta&twu >100&v i aomv n;
aumi; t u , l ARV aq; r&y u t x u yaq;u t ou&ior:ay;&rn?

rciruav;o u;pujci;u umu , jci;

u , Oe&p0 tawm t wi HIV y;on rcir uav;o u;pua&mu&Eion? t jrrm;q; t E&m , rm
u , Oeaqmi ce . aemuyi;umv Ei uav;ar;zm;p0 tawm t wi;wijzpon?

- u , Oeaqmi t r; or;rsm; t m; v; u HIV y; t aumi; u aq;aE;wi t :uay;jci;Ei 4i;wiqE&y u
ow . qE t & HIV uppaq;cEionw u t aumi;um;ay;jci;Ei jylvyay;jci;w u vyaqmi&rn?
- uav;o a&m* y;u;pujyeym;jci;en;apaom aq;u or t r; r; &y on? 4i;u orwion u , Oeaqmi
ce umv . aemuyi;wiay;ewy o ion? uav; t wu ar;ar;jy;jci;rciE wuau;jci;u a&mi u o
o ion?
- Aucl ar;zm;jci;on HIV y;u;puru avmen;apa:umi;o&&on?

Tuoronxi;Eiwi vu&umv axmuct:ujyay;xm;aomaq; t wjzpon?

y;&aom u , Oeaqmi t r; or;rsm; t m; v; 4i;w . u , Oe u qu v u xm;&&eq;jzwxm;&v i ow u
AZT t m;a t mu az: jyy t wi;ay;&rn?

- 300 mg PO bid u , Oe 34 ywr uav;ar;cexay;&rn?*
- 300 mg PO ar;zmrrpwicier uav;ar;zm;y;cex 3 em&jcm;wciay;y?

*AZT u u , Oe 28 ywr pwi l ay;u on v n; &on?

HIV y;&aom rcirar;aom uav;u AZT 2 mg/kg qid a t mu y t wi;u oay;y?

- t u , l rcion AZT u 4 ywau m&&cv i ar;u i;puav;on AZT u 1 yw:um&&on?
- t u , l rcion AZT u 4 yw t x uen; l&&cv i ar;u i;puav;on AZT u 6 yw:um&&rn
t jyi uav;Eireu uav; t ou 12 v t xay;y?

HIV y;&aomvemu uoon Ai;&yy;uaoapaomaq;

v u&umvwi t o;jy;aeaomaq;0; 3 r;&on? 4i;w;rm-

1/ NRTI's (Nucleoside Reverse Transcriptase Inhibitors); 3TC, D4T, ddI, AZT

2/ NNRTI's (Non - Nucleoside Reverse Transcriptase Inhibitors) : Nevirapine, Efavirenz

3/ PI's (Protease Inhibitors) : Ritonavir, Indinavir and Nelfinavir

- t aumi;q;&Eiaomaq;uoron aq;0; 3 (o) 4r;&uay;i;pyl uoamuorizpon? (t r;m; t m;ji
NRTI's Epr;&Ei NNRTI (o) PI wr;&r;&wl ay;av&on?)
- aq;uorwiaq; . q;u;l;r;m; u t e;uyquv u:un&apmia&mu&e v tyon?

T aq;0;r;m; on HIV u uol raymuui;y x;a:umiuru tou&ior;ay;&evon?
t u , laq;ay;ji; u&yvuy;Ai;&ypy;w;onpwil ym;r;m;:u;yeon?

quvu;jypapmia&muay;ji;

quvu:un&apmia&muay;aomuor-vemr aq;aomuo;ji;&r& aq;buqi&mw;wuwe;jyer
Eiaq;q;u;l;w;u apmi:unavvm&e yrequvu:un&apmi a&muay;ji;onrjzpraeuv tyon?
atmuaz: jyyZ , m;on quvu:un&apmia&mu&etwuvr;neZ , m;jzpon? 4i;vr;ner;m;on
vemw0;ji;p. aq;buqi&mtajc taerm;ay:rwnl nEi;jyiqiEiyon?


&uowWywr;m;					vr;m;																	
	1	2	3	4	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
vyie;r;m;																						
jynpaompr;oyppaq; ci;																						
u , t av;cie																						
jznpu t pm													x	x	x	x	x	x	x	x	x	
aq; t a:umi;aq;aE; ci;									x	x	x	x	x	x	x	x	x	x	x	x	x	
pwyi;qi																						
vra&;aq;aE; ci;									x	x	x	x	x	x	x	x	x	x	x	x	x	
ppaq; ci;																						
CD4																						
CBC				azt																		
AST, ALT		nvp																				
Creat/BUN																						
AFB						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
CXR						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
uo ci;																						
ARV ay; ci;													x	x		x	x		x	x		
OIs umu , r													x	x	x	x	x	x	x	x	x	

r;c&mi t uur;m; = v tyon?

x = aq;buqi&mtajc taev tyon?

nvp = Nevirapine aomuaeaom vemtwu

azt = AZT aomuaeaom vemtwu



t a&jym;eixawjci;

ao;pe;aomu& , mrm;jizixjci;o[r [wcEmu , t&nei tem&aom t&njym;aw/xjci; t wu
1? c:ujci;qyjym/ a& wjziaq;jy;cixwy?
2? y;owaq;jizowvr;y? (t en;q; t ceu t o;jy/y)

- POVIDONE IODINE 2.5 % u 5 r;ep
o[r [w
- CHLORINE SOLUTION jy; t m; 12 q , yqyu10r;ep
o[r [w
- t &uy; 70 % (3 r;ep)

nuprm;cixu tar;y;r;m;eiaw/xjci;

o b m0qm;azsm&n (ISOTONIC SALINE) jzi10 r;epaq;y? (o b m0qm;azsm&n r& v:ia&oe;o;y?)

q&m0eonatmuytcutvur;m;up0;pm; law/xjy;aemuumu , jci;uyjvyoion?

- xaw/ro b m0
- t wc:t iAy; t ajc t ae
- aw/xc&o . qE

t wc:t iAy; t ajc t ae o[r [w t &i; t jrponpp;r;r&v:i q;jzwo ionrmaw/xr t wi; t w m
ay:rwnon?

twa:t iAy&o .pt oir [wre;ru , wizi t um t u , ryviquqjci;ei t ypjci;rtwa:t iAy,u;ji;on?
(waxmi v;i 3a , mu - 0E3E)jzpon?

r'e;jy;u;iron t E&m , t rsm;q;jzpon?

- :ur;wr;pmquq l '%&m&apjci;
- r'e;usio on v i xaw;r;rsm;wwjci;

umu , rrpwi vy;u/aq;ppaq;jci;/pwei Z0qi&mppaq;ru owwrcu t wi;jy/vyo ion?

xaw;r aemuyi;umu , jci;pep

xa&mur&ap&eumu , ru 4 em& x uapmij;y/vyo ion? 72 em&t xpeiaomv n; xa&mu
ren;on?

uoron AZT, 3TC ei Indinovir wuay;i;pyu oay;on? aewi;t o;jy;l 4 yw t xaq;u
t o;jy&on?

AZT (ZIDOVUDINE) 300 mg BID x 4 yw

3TC (LAMIVUDINE) 150 mg BID x 4yw

t E&m , :u;pmu;pueiy;u Indinovir &v;iay;y;

Indinovir 400 mg TID x 4 yw

ab;xuq;u;rsm;-

a&wq;u;r;on/ t ejci;/Or;av;mjci;/:u u om;emusijci;/aci;u ujci;wion &u ten;i , omjzpon?
vem t m;&i;jy;aq;r&y&eoway;y?

ao; t m;en;jci;/ao;jzlOen;jci;/ao;ye;uejym;(Platelets) en;jci;ei 10 &u :umv;i"ucce;ppaq;r
rsm;jy&y;rn?

pwyi;q i&myy;rsm;

a t mu;y t c;ursm;u vemjzi v;0uwiyaq;aE;o ion?

- ao;ei xaw;r&umi u;pujci;on 0E3Ece&on? t qyt c;uon t um t u , r twa:t iAy;&
o;zi v i q u qjci;Ee;eiwxywn;jzpon?
- xaw;raemuyi;umu , &eq;jzwc;u t wu xaw;r t wi; t wmeia&m*;&o .y; t ae t xm; upO;
pm;&rn?
- xaw;raemuyi;umu , jci;on 100Erumu , y?
- xaw;raemuyi;umu , jci; .ab/xuq;u;r;on ten;i , om&on?
- xaw;jy;aemuaocmpm t ajzr&v;i 3v t x t um t u , rvirquqoi?
- ao;eicEmu , t &nwion t oa&mi bei py;vn;&wwon?
- t oa&mi b y;aocmpmumu , rxm;y;u/xyx;&evon?
- t oa&mi py;t wuumu , aq;r&ay?

quvuvyaqmi&e

- 8&urjynr t wa:t iAy;t wuao;ppy? raw/&y;u aemu 3 v ei 6 v wiao; xyppy?
- aemu t ywrm;wiy;a:umiao;ajymi;jci;v u %mrsm;jzpaom &ww&uzm;jci;/ t :uwa&mijci;
t &njym; t zrm;x ujci;/v nyi;emjci;/wyau;v u %mrsm;ay:jci;/v iei;y;pywi t emjzpjci;w;
u avvmy? 50-70E on 3-6 yw t wi;jzppwwon?
- 3v t x t um t u , rviquqjci;/ u , Oeaqmijci;u t m;ray;y?

t jzpr̥m;aom om;zm;r; , yEiqiaom jy \ emrm;

u) u , 0e t apmyi;umvYao; , jci;] u , 0e 28 ywra&muraom; , jci;]

1) u , 0eyu jci;] 28 ywra&muci u , 0eon t v t av;muaom4i; (o) wri wumij/vylaom4i; t q; owom;jci;

b yi;py u & , mji pr;oy jci;Ei v uEp bujzi ar;vr;a:umi;u pr;oyppaq;jci;u t p0 t rjy\vy y?

x u vmr n u , 0e tyi; t pr̥m;u&mazy? (t ci; Ei oaEom;)/ t u , l 4i;ypn;rsm;on om;t rxwi&aey u t m;v;u z , &m;ypy?

	vem&mZ0i	a&m* vQ%mm;	jy puor
t jyn t p om;avimjci;	om; t rnplemji;/ ao; , q i;jci; u , 0e tyi; t p rsm;u awjci;/	om; t r0ywjci;/ ao; ten;i , q i;jci;?	1-IPD wi t em; , ci;y? 2-emusi jci; t wu Paracetamol uay;y? 3-aem u&uwi Hb uppaq;y?
om;avim&e t py%jci;	ten;i , ao;q i;jci;Ei emusi jci;u , 0e t pw tyi;rsm;rus q i;y?	ao;ve jci;r&/ om; t r0ywaejci;/	1-ao;q i;jci;&yon t x IPD wi t em; , ci;y? 2- t u , laoi;ye q i;vmy u aq;ce;oi;ye v m&e t :u jiy?
w0uwyu om;avimjci;	ao;q i;jci; t cll aom u , 0e t pw tyi;rsm; u jci;?	ao;ve jci;jzpEi on? om; t r0rao; , jci;/ tyi; t pr̥m;u om; t r 0wiawjriaumi;aw/Ei on?om; t r0yiaejci;/	1-sponge forceps (*r;nyaomnyji) tyi; t pr̥m; t m;v;u z , xwy py? 2- t u , l t pr̥m; t m;vurz , xwEiy;u(o) ao; t ve q i;jci;Ei qu laoi;q i;aey;u) • IV x nay;jy;/ ringer/NSS/haemacel w/u oi;ay;y? (ao;ve jci; u oro:uny?) • ao;oi;&eup0pm;y?*
a&m*y;0ijy; ao;qywu aom u , 0e y u u jci;	wy i;wp u , 0ey;u jci; . v u %m rsm; t jyi- t zm;&jci;/ q;c&*iemji;/ar;vr; aumi;r om;e n q i;jci;/ om;e n t eq jci;/	wy i;wp u , 0ey;u jci; . v u %m rsm; t jyi- jyn(o) t e t ou q;aom om;e n u jci;w u jriEi on? om; t r0u x v iem usi jci;/	1/wy i;wp u e&a e aom u , 0ey;u jci;u oi;jy p on t jyi 2/ ATT x;aq; u vemu , 0e&p0 ur &cv iay;y? 3 ySZ0aq;u 7-10&uay;y? q;0;ji; x e a o m a o ; q y w u y u • Ampicillin 1g IV QID • Gentamicin 6mg/kg IV o lIM OD(t rsm;q; 240-360mg) • Metronidazole 500mg PO TID ten;i , jyi; x e a o m a o ; q y jci;- • AmoxycillinEiMetronidazole y;pyr ay;y? E t u , l STI u o o , &y;u u o upm;r u em 105 wi:u ny?

2/ yrreae&mrreaom u , 0ewnji; = oaEom;onom; t r t yi buYwnji;/ r m;aom t m; zi om;Oyiyewiwnji;

&uowyw ten;i , :umjy;aemu (t r m; t m;jzioaEwnjy; 8ywwcw&8ywrwici (o) aemuyi;)/ ao; pwi q i;jci;Ei om;Oyiyeyu jci;wijzpEion? om;Oyiyeyayuijyji;r m;on t vetE&m , &aom ao;q i;jci; u jzpon? t ouao on t xjzpaomao;vejci;jzpeion?

a&m* v u %m rsm;

- u , 0e&r≺oyji; (Pos +) jzpon (Neg - v n;jzpEion?) •
- Or;Aua t muyi;emusi jci;/wjcr;wi omjz pav&on?
- ao;t en;i , omq i;on/4i;ao;t a&mion rnpEion?
- ao;vejci;v n;&Eion?
- ar;vr;aumi;uproypaq;&mom; t rac i;emusi jci; (o) om; t rac i;wjcr;emusi jci;

t u , l t r r;or;w0;wi Or;Auwjcr;a t muzuyi;wiemusi jci;&y u yrreae&mrreaom u , 0ewnji;u oo , &y?

jy p u o r

- IV Ringer (o) NSS ay;y?
- t u , lao;veq i;yua o;o i;&ev t yeion?
- t a&ay;cpwu o&e t wuaq;&o i;vajymi;ay;y?

c)u , 0eaEni;yi;Yao;q i;jci;(om;zm;)c ierwirao;q i;jci;)= u , 0e28 ywaemuyi;ao;q i;jci;
T u o;aom vemrsm;u IPD wi x m;&&r n?

t " u jzp&aom t aumi;&i;r m;r m

- 1/ **t ci;a&a&muaejci; (Placenta Praevia)** (t ci;wcv;(o) wpwwyi;on t wi;yi;om; t r0u um x m;jci;emusi jci;r&aomao;q i;jci;u jzpaon?
- 2/ **t ci;om;on t re&r umjci; (Placenta Abruptio)**
q;O;pmemusi jci;/om; t rrmjci;Ei oaEom;Ev;rceji;wijz pav&on?

v uEp bujzipr;oyppaq;jci;urjy/vyyEi/ t ci;jyji;t E&m , &on? x o i pr;r n t pm; by;pyu& , mji z i n i ompm pr;oyy?

jy p u o r

- IPD t wi;vemwiwi x m;y i
 - cuji;yi IV Cannula:u;u;u o i;jy;aemu IV Ringers,NSS (o)-ao;veyu ao;o i;jci;w u j y/vyy)
- 1/ t u , lao;q i;jci;en;jy;oaEom; . Ev;ceji;aumi;v i i/
- IPDwi x m;&jy;vemvajymi;&eupu om;zm;q &m r (o) q &m 0eEiwi y?
 - T t a j c t a e o n t a&ay;r [wy? o laom T t r i;or; . t ci;a&a&muaejci;&r&u &maz&e t w u (Ultrasound)&u:unz i v t yon?
- 2/ t u , lao;q i;r m;jci;Ei (o) oaEom;Ev;ceji;r&y u -
- aq;&o i;vajymi;ayy?
- 3/ t u , l om; t r0on t jyn t Oyijci;Ei rcion v n;om;zm;cee;uyaeyu
- aq;ce;wi:u;pm; l ar;y?

u , 0eaqmice 28 ywei t x u&aom t r; or; w0; wia0; q i; jci; jz p y m; y i u r e; r
u , t w i; o i v u j z i p r; o y p p a q; j c i; v; 0 r i y l v y y e i / t c i; a & a & m u a e a o m
u , 0 e r s m; w i T u o i p p a q; j c i; o n t E & m , : u; r m; o n?

***)om;zm;jy;aem uao;q i;(oe)jci;**(Post Partum haemorrhage) **ao; 500 pp x uyl q;&jci;**

rsm;aom t m;jzi a t m u y w a : u m i j z p o n?

- 1/ om; t r t w i; t c i; . t p w t y i; u e a e j c i; / T o i u e j c i; u j z p E i y u t j r e q; z , x w i y p y? **t c i; u t c i; . t p w t y i; t m; v; y r y t r p p a q; y?**
- 2/ a u m i; r e p m u s i j c i; r & o n a y m a j y m i; a o m o m; t r?
- 3/ u i y j c i; / t x; o j z i o m; t r 0 (o l) a r; v r; a u m i; & a o; a u m a y u i y j c i;

jy p u o r

- c u j c i; y i IV Cannula : u; u; u o i; j y; a e m u IV Ringers, NSS (o l) - a o; v e y u H a e m a c c e l (o l) a o; o i; j c i; w i u j l v y y?
- q; c l j y e x n a y; y?
- o m; t r u & e 4 i; u (j y i y r) **y w o y e y a y; j c i; j y l v y y /** 0 r; A u a t m u b u y i; t m; w i; w i; z a y; j c i; t m; j z i o m; t r u & i; a t m i j y l v y y?
- u y (p t E i r e; r u : u m; t y i; / a r; v r; a u m i; (o l) o m; t r 0) a o m t e m u & m y? **ao; w w a p & e y w w; n y a o m n y j z i z a y; j y; a e m u c i y y?**
- t u , l x u v m a o m **t c i; o n r i y n p y u**
 ☞ **u e a o m t c i; t m; v u j z i z , & m; y?**
 ☞ t u , l z , x w l r & y u u o m; t r j c p & e a q; & o l v a j y m i; y?
- t u , l **t c i; r u; v m y u** t c i; t m; v u j z i z , & m; y?
 ☞ t u , l o i z , x w l r & y u (o l) o i : u l; p m; a o m v n; r a t m i j r i y u (t c i; u y j c i;)
 ☞ a q; & o l v a j y m i; y?
- Oxytocin (O l) ergometrine **ay; y?**

OXYTOCIN aq; Ee; 1 vial = 1cc wi 10 iu &	ERGOMETRINE / METHYL ERGOMETRINE aq; Ee; 1 vial = 1 cc wi 0.2mg &
<ul style="list-style-type: none"> • 10 iu IV (o l) IM c u j c i; a y;? • x a e m u 20 iu u 500ml D5W w i x n j y; 3cc/min e e; j z i a y; y? • a o; q i; j c i; e n; o n E i t r 1cc/min x a v m i a y; y? 	<ul style="list-style-type: none"> • 0.2mg IV (o l) IM c u j c i; a y; y? • t u , l a o; q u l q i; a e y u T a q; E e; u a e m u x y 2 : u r x y l a y; E i o n? • IV x; a y; j c i; o n t v y j r e j r e z p. o l a o m 1 r e p a u s m; u m a j z; a j z; j c i; x; a y; y? • ergometrine o n B P u w u a p o n? B P w u o r s m; (o l) u , 0 e q y w u o r s m; u r a y; y E i? 4 i; t p m; Oxytocin u o; y?

owjy&e

- om;zm;p0 t wi; ao; 500 pp x uav mlen; aoma o; q i; jci; o nyrejzpon?
- uav; ar; j; & u ten; i , ce la o; q i; ae jci; o nyrejzpon? 4i; o nyre&m oao; ay: o u o l jzpon
wyw: umce i t wi; en; om; rn?

C) t E&m , &aom&uriynrom;zm;jci;] u , 0e 36 ywrwirpwi l om; t rnpjci;

a&m*iy; 0ijci; &r& t jr&mazy? Oyrm- i uz m; a&m* / q; vr; a: umi; / au m u uy (pyo tyi;) a&mijci; /
q; c&* i t wi; yi; a&m* / t ou & l vr; a: umi; q i & ma&m* / t a&m i ie; zm; a&m* w i jzpon?

jy pu or

- aw i&aom r n o n a&m* urquoy?
- t zm; t w u Paracetamol uay; y?

1/ t u , l u , 0e on 26 ywxuen; y u-

uav; ar; v mcv i uav; i , on t ou&i oe&e t vei , aumi; i , ae 0; rn?

- rci u o u o may m a j m i; pmaeapci; t m; jz i om; t rnpjci; uav men; ap&e Diazepam 5mg TID ay; y?

2/ t u , l u , 0e 26 -34 ywEi om; t r0 4 piwrwm x uav men; pm yijci; a&m t ajr; y; rua o; y u

Æ u; pm; l om; zm; jci; u&yapy?

- om; t rnpjci; u&yap&e Salbutamol 8mg PO TID uay; y?

(u) om; t rnpjci; t i t m; ei t: ura&av men; vmyu Salbutamol 4mg PO TID u om; t rnpjci;
&y on wia t miav may; om; y?

(c) t u , l om; t rnpjci; Ei om; t r0 u s , v m jci; w; v myu - Salbutamol u&yjy; ar; zm; ay; &eiyi q i y?

Salbutamol u ay; aom t c j Ev; wejci; Ei uweu&i jzpci; pon q; u s; w; cpm; &r n u
t r l; or; t m; a j m i y y? vemwiao; w; a&m* &y u Salbutamol u r o; y Ei

- **Dexamethasone** 6mg IM BID ee; jz i uav; . t qww; u; x m; r&i u s u&e ppayi; a q; Ee; 4 cpmay; y?

Taq; t vyvyz; 48 em& umy on?

(u) om; t rnpjci; &y q i; om; y u 6 mg IM BID u t ywp0 u , 0e 34 ywwia t mi q u l ay; om; y?

(c) om; t rnpjci; ei om; t r0 u s , jci; w; v myu / om; zm; ay; &eiyi q i y?

3/ t u , l 34 ywau mu , 0e Ei om; t r0 4 piwrwm t x u yi jci; Ei a&m t ajr; y; u y u

Æ om; zm; jci; t q i &y q i; om; &e r: u; pm; y Ei?

- &urapbar; zm; v m r n uav; u ar; ay; &eiyi q i y?

PRE-ECLAMPSIA (u , 0eaqmi t qywua&m*) & ECLAMPSIA (oaEao; wujci;)

u , 0eaqmip0 . aemi; yi; t q i Y aw i&aom v u % mpr m; jz p: u on?

4i; v u % m r m; on t vep; &r&jy; / r non t cerq rci Ei uav; ao q; z&e t ci t vr; &on?

u , 0eaqmip0 t wi; ao; ayicejri jci; (HBP)
t ay: ao; 140 mmHg Ei a t muao; 90 mmHg t x u&jci; (o i r [w)
t ay: ao; 30 mmHg wujci; Ei a t muao; 15 mmHg wujci; u , 0eaqmice wujci;?

1/ **u , 0eaqmi t qywua&m*** (Pre-clampsia)

BP > 140/90 Ei

q;wi y&we;"wyjci; (o!)

azmjci;(ajcrsm;/ v ur sm;/ r s u emrsm;)

u , 0eaqmiceumv 20ywr uav;ar;jy;aem u 1 yw:um t x?

2/ **q;0;aom u , 0eaqmi t qywua&m*** (Severe Pre-clampsia)

BP > 150/110 Ei

q;wi y&we;"wyjci; 3+ (o!)

o o o m o mazmjci;

u , 0eaqmiceumv 20ywr uav;ar;jy;aem u 1 yw:um t x?

ac;i;u u jci;/ Or;Au t ay:yi;em us i jci;Ei t jri O;jci;w i o n u , 0e t qywua&m*. q;0;aom t a j c t
ae u ne jyy i o n? x i aem u v i jrepmy i **oaEao;wujci;(Eclampsia)** o i w; l jz p o m;Ei y i o n?

3/ **oaEao;wujci; = u , 0eaqmi t qywua&m* & wujci;(o!) arajrmjci;**

t E & m , & a o m t a :u mi; t c s u r sm;

- yxru , 0e jz p jci; (Primipara)
- t o u 35 Ep t x u jz p jci;
- u , 0e t :u r r sm;pma q m i b;jci;
- u s e;rma&&m Z O i w i BP
- , ci u , 0e w i u , 0eaqmi a o;q r w u jci;a&m* & c b;jci;
- p y p o ;o a E
- a & r m & n r sm;v e;jci;

t u , l u , 0eaqmi t qywuaoma&m* v u Q %m r sm;jzi op o i a&m u v myu

- j y ;c a o m a q ;b u q i & m & m Z O i E i , ci u , 0eaqm i p O H B P a o ;w ;a & m * t a j c t a e w i u p p a q ;y ?
- r a r ;z m ;c i u , 0eaqm i r c i a p m i a & m u a & X m e . v u r w w i , ci u & a o m B P a o ;w ;E e ;u z w l p p a q ;y ?
- a z m jci;/ a c i ;u u jci;/ t j r i O ;jci;Ei O r ;A u e m u s i jci ;p o n v u % m w i & r & u a r ;j r e ;y ?
- o a E o m ;v y & m ;r / a r ;v r ;a :u mi;a o ;q i ;jci;Ei o m ;t r u i jci;& r & w i u a r ;j r e ;y ?
- v e m u I P D w i x m ;& y ?

j y /p u o r

1/ u , 0eaqmi t qywuaoma&m*

- O P D w i u y

- 2 - 3 & u t e m ; , y ?

(u)? t e m ; , l B P a o ;w ;u s o m ;y i u

- a y ;q i ;j y ; q u v u l a q ;c e ;t y w w i ;u v m j y a p y ?

(c)? 2 - 3 & u t e m ; , j c i ;o n B P a o ;w ;u r x e ;E i y i u

- MethylDopa 250 mg P O T I D u p a y ;j y ; 500 mg P O T I D x w i a t m i w ; l w ; l a y ;o m ;y ?

o w y i & e - MethylDopa o n t v y v a q m i r a E o n ? a q ;0 ; . t i y n t 0 t m e o i & z & e 2 - 3 & u t e m ; , & v r r n ?

(*) t u , l t e m ; , j c i ;Ei MethylDopa a q ;a y ;j c i ;j z i B P u r x e ;c l y E i y i u

- Propanolol 40 mg P O B I D u x y a y i ; l a y ;y ? t r sm ;q ; 360 mg /day x w i a t m i w ; l w ; l a y ;o m ;y ?

q ;a q ;r sm ;u v ;0 t o ;r j y /y E i ? (Furosemide (O!) Hydrochlorothiazide)

- a o ;a y i u s o m ;y i u v e m u a y ;q i ;y / u a v ;a r ;z m ;o n t c e t x t y w p 0 j y e v n :u n & y ?

2/ q;0;aomu , 0eaqmi t qywua&m*

- vemwi t &n" w&aeap&e NS (o/r [w) Ringers Lactate w u IV pay;y? (24 em& t wi; 3-4 vwm)
- Magnesium Sulfate aq;u &Eiy u pwiay;y?
- t u , l BP > 180/110 &y;u Hydralazine IV u ay;y? (pmr;u Em 63 :u ny)
Hydralazine (25 mg/ml) 4 v;; u NSS 500 pp x wi a&mpy l t m;ay;mapy;/ BP 140/90 u; q i; o n
wi a t mi wrep 20 pu Ee; jzi t &n u pwi lay; om; y? xaemu wajz; ajz; jci; a v m c l ay; om; y?
- uav; ar; zm; &e t wu vemu jreEi or t jreq; vajymi; yaqmiy?
- vajymi; &e aq; &r &v; i a&rmazmu l uav; ar; ay; &e jyi q i y?

3/ oaEao; wujci;

oaEao; wujci; u o&erm r; zm; ay; jci; jzpon?

- vemu t E&m , u i; aom yp t aet x m; wi x m; &y? vemu b , bu t jcr; wi apmi; tyapy;
'%&mr&a t mi umu , ay;y?
- t c l r m; / t ezwr m; jzi t o u & l v r; a u mi; urywq i&a t mi &i; v i; x m; apy?
- wujci; u Diazepam ay; l &yapy?
- q; c l j y e x nay; j y; vemu t armiwi x m; &y?
- t x u w i a z: j y x m; aom q; 0; o n u , 0eaqmi t qywua&m*. u o r t wi; v u e m v y a q m i y?
- t a& ay; c u jci; uav; ar; zm; &e t wu vemu jreEi or t jreq; vajymi; yaqmiy?
- t u , l v ajymi; yaqmi &r n ae&mr&y u t x u az: j y y; t wi; v u e m j y; / a&rm t w u
az; u ay; jci; t m; jzi uav; uar; apy?

q;0;aomu , 0eaqmi t qywua&m* Ei oaEao; wujci; = t a& ay; c u jci; uav; ar; zm; y?

owjy&e-

- 25% aom vemrm; o n uav; ar; zm; y; a e m u r v Q % m m; q u v u & o n? t x u y u o y i w n a o m u o r u a y y?

pypo; oaEwnjci; (Hydatiform mole)

pypo; oaEwnjci; (Hydatiform mole) o n y r e r [waom t c i; : u; x m; r a: u mi jzpay: v m a o m y r e
r [waomu , 0eaqmi jci; u q v o n? w c w & m; y; v p m u i q m t jzpo l ajymi; v w w o n?

u , 0e 10-16 yw & o n t c e w i o w j y / r a v & o n?

a&m* v u % m E i pr; o y a w & c u r m;

- jyi; x e p m e e u a p m t e jci; Ei yiye; E r; e , jci;?
- yrer [waom a o; q i jci; Ei pypo; o & e t v; r m; q i jci;?
- o m; t r t j r i o n & o i x u a o m u , 0 e x u j r i a e jci; Ei o m; t r a y m jci;?
- oaEom; . E v; c e o r: u m; & jci;?
- u , 0 e & a: u mi; pr; o y r t a j z & jci;?

u o c u

- Ultrasound vy&e Ei o m; t r c p & e v e m t m; vajymi; ay;y?
- vem t a j c t a e r w n i r y u i v t & n a y; & e?

q; u s; r m;

- a&m* y; 0 i jci; Ei a o; o e jci;?

vem u q u v u: u n & ay; jci; /

vem o n q u v u l: u n & a p m i a & m u jci; u 1 E p t x c , & v r n? u , 0 e & r & p r; o y p p a q jci; u 2 v w: u r j y v y & r n?
r o m; p p r u e; t p p 0 u o r t m; u r; v r; & v r r n? 1 E p: u m c e l u , 0 e x y l r & & e u o r u t: u i y & r n?

**vem. t em* w u m v w i u , 0eaqmi jci; r m; u t e; u y u n & a p m i a & m u r a y; & v r r n? t b , a u m i q a o m
'w, t j u r p y p o; oaEwn & e t v m; t v m & a o m a u m i jzpon?**

rom;pprue;vr; ! ecu rm;

rrw/onatmuazmjy; oaEwm;en;vr;rm;u vyaqmiay;ei on?

1) ue'r

ue'r qonrm &mbmjziy/vyxm;aomjyeywpczpy; tpe;wpzuY ywaeon? awmiwi;aom a,mu sm;weqm Oi qe!Eion? xlyivi quqy;aemu xuvmaomow&nrm;u or;qn;xm;Ei;y; ,i;ow&nrm;u trs;or;t* twi;o! rOia&muap&eumu ,ay;on? ue'ruwpurwn; t o;jyEiy; aemuviyp&rnjzpon? ue'rutvq o!r [w qjzito;rjy!&y? t o;jy cy;u &mbmtm;q;u s;ou a&mu y;ay;u yom;apEion?

t u s;oua&mur

t u , l viquqwi;t o;jy y;u ue'ron t vexa&mu aom oaEwm;on t &mwpczpon?

ue'ron HIV ty;t0i viquqrr u;puaoma&m*rsm;u umu , ay;Eion wpcwn;aom oaEwm;en;jzpon?

2) oaEwm;aq;

aq;azmpyxm;y

aq;wpv;pY progesterone Ei oestrogen wiy!Oion? , i;on aq;Epr s;ay;i;pyxm;aom aq;jzpy;/ Ewurcirm; t o;rEyeiy?

t u s;oua&mur

t u , laq;v;uaocmpmaomu o;y;u 95E xa&mur&ayon?

aq;ray;t yaom t ajcaerm; T t ajc t aersm;&ae v;i ray;&y?

1? t ou 40 aum trs;or;rm;

2? t veOaom vemrm;

3? Ewurcirm;

4? t on;a&mitom;Ojzpaer sm;

5? "rwmrv mawm o rsm;

6? ao;ay;ice 140E90 xur sm;aeor sm;

7? &iom;uiqmEiom; t ruiqm jzpaeaom o rsm;

8? Carbamazepine, Griseofulvin, Phenobarbital, Phenytoin, Rifampicin po naq;rm;aom u o;aeorm;?

t jzprsm;aomab;xuq;u s;rm;

1? &iom;emusi jci;

2? y s; jci;

3? u , t av;cew;jci;

4? ac i;u u jci;

5? pwu jci;

6? ao;t en;i , yrer [w q i;jci;

- aomuaq;u vem t m;ay;raomur oirvem . ori;aumi; t jyn tpuar;&ev tyl pr;oyppaq;rrsm;u vn;jy/vy&ev ty;/ t xuazmjy; aq;ray;t yaom t ajc t aersm;&r&aocmpmpaq;y? u , Oe&r≺oyppaq;rjy/vyy? Or;AuY t zv;&jci; o!r [w &iom;Y t u w&jci;w;u v n; aocmpmpaq;y?
- t ou 35 Ept x u aq;vyaomuaom trs;or;rm; t m; aq;ray;r q&mOeEi wiyiaq;aE;y?
- aomuaq;u o;paom trs;or;rm; t m;v; t m; aq;vyaomu jci;r &ywe!&e t }uay;y?

- aomuaq;upwiraomuo;r o i taezi t r<;or;rsm; t m; aq; . jzpEiaom ab;xuq;u<;rsm;u&i; jy&ev tyon? ab;xuq;u<; t rsm;prmaq;&y; 1 vr 3 v twi; &ywe| om;vr rn jzpon?

aq;urnoiaomuo;&rnen;?

1? t r<;or;on wp&uv i aq;wpv;aomu&r n?

2? &mopvmaomae|wi aq;pwiaomu&r njzpon?

3? aq;uaeip0 t cere aomuo;&r n? t u , laq;aomu&e 12 em&x uylaemuu:om;y|uaq;uow &v i&jci;aomu&r njzpy;/ aq;u' x r ueaomaq;rsm;uv n; quvuaomuo;om;lue'ruv n;7 &u:umont x t o;jy&r njzpon?

4? t u , l orzm;emaeaomv n; o| r [wciye; t a0;wae&m o|a&m uaeaomv n;aq;quvuaomuo; &r n?

5? aemuq;aq;ueuejci; aq;u' t op quvuaomuo;&r njzpon?

6? **t u , lzm;em l t eci; or [wy\$Z** aq;aomuo;&jci;r m;&y u oaEwm;aq; . t meoia vsmen;om;jy; aq; u<;aumi;pmjzpawmrnr [way? x|a:umi aq;quvuaomuo;&ev y; zm;aep0/ yEZO aq; aomuo; aep0ei aemuyi; 7 &u:umont x ue'ru t o;jy&r n jzpon?

3? 'yx;aq;

aq;azmpyxm;y

'yx;aq;wi;Y 3 ml &y; Medroxyprogesterone Acetate 150 mg y0ion? 'yx;aq;YOestrogenry 0ibEwurcirm;y| t o;jyEion?uav;ar;zm;y;r-umr 'yx;aq;ay;Eiaomv n;/ Taq;x;jci;a:umi ao; t vet r i;q i jci; jzpm;Eion?uav;ar;zm;y;6ywumont xapmi l 'yx;aq;ayjci;on taumi;q;en;jzpon?

aq;Ee;

3 ml y|aomx;aq;wpv; t m; 3 vwpq; t om;aq;ay;&r n?

aq;pwirx;ru , 0e&r&ppaq;y|

t u<;oua&mur

95 % e;y; xa&mur&on?

aq;ray; t yaom t ajcaer sm; - T t ajc t aer sm;jzpaeyv i aq;ray;&y?

1? t on;a&m*&or sm;

2? Ev;a&m*jyi;xeor sm;

t ou 40 au smaom t r<;or;rsm;/ q;c</ ao;w;Ei t ve0aomor sm; twu q&m0eEiwiyy?

t jzpr sm;aom ab;xuq;u<;r sm;rm

1? yrreaomre;r t *r ao;q i jci;?

2? ao;v;0rq i jci; ('yaq;x;y; 12 v:umy;aemu t r<;or;rsm; . 50E rm&m ov;0rv may? 'yx;aq; &yom;aom t qrom &m o jye v mayr n?

3? y<jci;?

4? u , t av;cawjci;?

t a&;u:ont cu

aq;aemuwp|urx;&r n&uce; (11-12 ywtwi;) t m; t r<;or;u aocm&i;vi;pmaijmyrm-um;y|

t u , l wpywxuyl aemuuy u u , 0e&r& q;pp&r n?

(u) t u , l u , 0e&y|u 'yx;aq;ray;&y?

(c) t u , l u , 0er&y|u 'yx;aq;ay;y; ue'ru 14 &u t o;jy|&e t |uay;y?

vajmi;ay;aomaq;&r m;r &&Eiaom oaE<wm;en;vr;r m;

a , m u sm;om;aumjzwci; - VASECTOMY

re;r om;aumjzwci; - TUBAL LIGATION

v uarmi; t &njym; a t muwiaq; tyxnjci;- NORPLANT

om; t rx (IUD) u & , mxnonen;

zrqia t:ur;zur/ r'e;Syusijci;

r'e;Syusijci;on &y; qiaEi pwy; qiaEpr;pv; t m; xcu '%&apyon? uiepmjzi t x;aumi;
reaom ue;rma&apmia&mu uoruay;ji;jzi ort m; yevnaumi; revmapei on?

t r; or; rsm; on owi , :unpwc&aom or m; xrpwy; qia&maxmuyrEi em; vnay; rsm; &y uyl
v:ijrepm aumi; revmEi on?

**r'e;Syusic&aom tr; or; rsm; u t jyrwiyEi orw. t jyr [wy? r'e;Syusir
on q;0;aom jyrwpcjzpa:umi; raryEi rnori r'e;Syusircci:uy?**

v00uxm; &ru t x; * &Eyx e; or; y? o&erv tyaom rnouri trupuraq;aE; yEi?

rwC:u?

- vem on pce; twi; & tr; or; t z oir [wpce;aumrw oijzp&y u owi; y:ciaumi; y:ciaiy
vrrn? oit m; tazmvuay; &evvm; ovm; [ort m; ar; y?
- t u , l oron &pce; o owi; y:ciyu ort m; xi; aq; &wiaq; ppaq; &ev tyvmayvrrn?
xtcewi ouaocypn; rsm; t jzpor; qn; c&rnjzpaoma:umi ort m; aq; pprcciwi or .
tOwt pm; rsm; u rclywp&Ei a&rci; &et juay; y? pce; twi; r , :unpwc&aom tr; or; 0exr;
wp0; tazm t jzpv uyay; Eiyu taumi; q; jzpon?

pruoy

1? '%&m temrm; t m; uojci;?

- oroabmwyu vem t m; temrm; &mazppaq; y?
- ye; / & pwiy '%&mrm; t m; oeipiy; y/ t npa:u; rsm; oir [waoq; /yup; aeaom wp
oL; rsm; t m; z , &m; jypy?
- v tyyu temuciyay; y/ '%&m t m; oia v maom u oray; y?

2? **vi quqra:umi u; puaom a&m*rm; t m; umu , jci;?**

- a&m* v u %&m v; 0rawi&onwi Gonorrhoea a&m* ei Chlamydia a&m* u u oray; y?
(T vr; nec:u pmr:uEm 106 u :uny?)
- qpzvpa&m* ppaq; &etwu quvuijo&etceZ , m; t m; :uny?

3? **ar;cia&m* t m; Suwiumu , jci;?**

- oron jiyi '%&m y/ ar;cia&m* umu , aq; x; xm; jci; r&y u ar;cia&m* umu , aq;
x; ay; y? ort m; aq; ywv nat mi x; &et juay; y? (umu , aq; x; &rn tceZ , m;
pmr:uEm- 163 t m; :uny?)

4? **t on; a&mi t om; 0 a&m* t m; Suwiumu , jci;?**

- tr; or; on umu , aq; x; xm; jci; r&v i jzEi v i jzpei jci; t on; a&mi t om; 0 um
u , aq; t m; x; ay; y? ort m; aq; ywv nat mi x; &et juay; y? (umu , aq; x; &
rn tceZ , m; pmr:uem- 163 t m; :uny?)

5? **rvvm;aom u , 0etm; umu , jci; - t a&;ay:oaEwm;jci;?**

- tr&;or;rsm;on r'e;uic&r .&v' t jzp u , 0e&&vmeion u vepmp;&ra:umi:u :u ayvrrn?
- ow;t m; t a&;ay:oaEwm;aq;&a:umi;u aq;aE; t }uay;oion?
- **t a&;ay:oaEwm;aq;o;p&eq;jzwc:u u vem t r&;or;rsm;q;jzwoion?**
- tci;jzpy;rr&ioeue&poon t a&;ay:oaEwm;aq;o;pvy;/ u e;rma&;vyom;on aq;ne:um;ray;vyu t jcm;aom vvm;pmaq;ay;voxol vajymi;ay; ty&rn?
- pruroron tci;jzpy;ay;/aq;ce;ol tr&;or;a&muvmceay:wirwn l uijm;on?

u? t u , l tr&;or;on tci;jzpy;ay;u 72 em& twi; aq;ce;ol a&muvmv;i oion t a&;ay:oaEwm;en; 2 r&;uay;Eion?

• **[re;y - t a&;ay:oaEwm;aq; (ECP)**

(u) Combined oral contraceptive pill Oyrn – Anna ? aq;v;wi;wi Ethinyl Oestradiol 30 ruc& *&rei Levonorgestrel 150 ruc& *&rw;y0ion? aq;ay;y? ? c:uci;aomu&e aq; 4 v;ay;y/ 12 em&jcm; l aomu&e aemu xy aq; 4 v; ay;y? o!r [w

(c) Levonorgestrel 0E75rv*&r

aq;ay;y? ? c:uci;aomu&e aq; 1 v;ay;y/ 12 em&jcm; l aomu&e aemu xy aq; 1 v;ay;y? a t m t e jci; t m; umu , &e Metoclopramide 10 rv*&r t m; IM o!r [w PO u aq; r aomuci 1 em& u l w i lay;y? (aq;aomu&e 2 }urpv;)

- t a&;ay:oaEwm;aq;rsm; (ECP) u t um t u , rvi qu q r t y; 72 em& twi; aomu jci; on rvvm;on l u , 0e&&eirt ci t vr; t m; 80 &mci ee;ce!av sm u ap on?
- &uow yw 2 yw t :umwi qu v u i jo&e t wu x t r&;or; t m;jyevm&eajymqy? a t mu o l :u ny?

t a&;ay:oaEwm;aq; ray;r u , 0e&r&ppaq;y? u , 0eppaq;r t ajz (- neg) t Ew&romv;i t a&;ay:oaEwm;aq; u ay;y?

• **[re;r - oaEwm; om; t rwi;xnu& , m (IUD)**

- IUD u taw;t E u &orom x nay;oion?
- T t cewi x ny;u aemu 1 v:um;y;rom jye v n xwypEion?
- &uow yw 2 yw t :umwi qu v u i jo&e t wu x t r&;or; t m;jyevm&e ajymqy? a t mu o l :u ny?

om; t rwi;xnu& , m (IUD) rxnr u , 0e&r&ppaq;y? u , 0eppaq;r t ajz (- neg) t Ew &romv;i (IUD)u x nay;y?

c? t u , l tr&;or;on tci;jzpy;ay;u 72 em& t a u sm/ 7 &u twi; aq;ce;ol a&muvmv;i

- t a&;ay:oaEwm;aomu aq; ne:um;&e t veaemu u aeyjzpon?
- om; t rwi;xnu& , m (IUD) u om nejyay;Eion?

*? t u , l tr&;or;on tci;jzpy;ay;u 7 &u a u smr aq;ce;ol a&muvmv;i

- oaEwm;q;&e t veaemu u aeyjzpon?
- u , 0e&r&ppaq;y;/ jye v n v ma&m u i jo&eajymqy? a t mu o l :u ny?

6? at t i' t upa&m* t m; umu , jci;

- t r; or; r m; on t w c t i Aa&m* y; u; pu v m E i o n u v e p m p; & a u m i: u a y v r r n?
- o r w i p; & r e t a u m i; t c i u a o m v n; / t w c t i A y; u; p u & w u , t c i t v r; r m t v e e n; a u m i; o r u & i; j y y?
- p p a q; v u p p a q; E i a u m i; e i H I V t w u w i y i a q; a E; t j u a y; r u i j y v y y?
- t w c t i A a & m * y; t w u P o s t e x p o s u r e p r o p h y l a x i s v y j c i; (HIV/AIDS t y i; p m r u e m - 142 u : u n y) o n r' e i j y u i c & t y; / t w c t i A y; u; p u j c i; r u m u , E i a u m i; u m u , a y v r r n? (o j & m w i u m u , E i a u m i; t a x m u t x m; & i; & i; v i; v i; r & a o; a y?)
- t r; or; o n t c i; j z p y m; t y; 72 e m & t w i; v m a & m u c v i i w i y i a q; a E; t j u a y; j c i; t y; w i & & E i a o m j u l w i u m u , r r m; u n e u m; o i o n?

HIV y; u l w i u m u , r v y j c i; u t c i; j z p y m; t y; / j z p e i o r a p m a p m i j y v y o i o n?
1 e m & E i 2 e m & t : u m; o i a w m o n? o j & m w i 72 e m & x u a e m u r u; o i a y?

- t u , l t r; or; o n t c i; j z p y m; y; a e m u 72 e m & a u s m r a q; c e; o j a & m u v m v i H I V y; j u l w i u m u , r v y & t v e a e m u u a e y j z p o n?
- t r; or; t m; a q; p p v u a q; p p e i & e e i H I V w i y i a q; a E; t j u a y; j c i; j y v y & t c i; j z p y m; y; 3 v t : u m q u v u i j o & e c e; q y? (q u v u i j o r u : u n y?)

o i a v m a o m a q; O i; p r u o r y; p a o m

- t r; or; t m; o r x w i o m; & e v c i a o m a e & m & r & e i a q; c e; r t j y e w i o r p w c & a o m t a z m y r y; a r y? t u , l o r x w i o m; p & m a e & m r y u v E c p w c & a o m a e & m a z u n a y; o i o n?
- o r t m; p w y i; q i & m t m; a y; r t w u v i t o i; t O i; x r o i a v m a o m o x v t y y?

q u v u j o r

T v e m r m; t m; r e r e j y e v n p p a q; y? o w i o n p w y i; q i & m a x m u y a y; r y e v t y a y v r r n? o r w i a r; p & m r m; & v i o r [w t j c m; a o m u e; r m a & j y \ e m r m; & v i a q; c e; o i r n o n t c e w i r q j y e v m e i a u m i; o r t m; t o a y; y? ' i % & m t e m u o r e i u m u , a q; x j c i; r m; t w u v t y a o m q u v u j o r r m; t w u & i; v i; a o m n e u m; t j u a y; c u r m; a y; y?

q u v u j o r r m; o n t e n; q; a t m u y t w i; j z p o i o n?

1? 2 y w : u m v i

- u , O e & r & p p a q; y?
- v i q u q r r w q i u; p u a o m a & m * j v u % m r m; & r & p p a q; y; / v t y y u u o y? q p z v p a & m * j p p a q; & e a o; x w , y?
- p w ' i w t m; a y; r u E y y? o r o n o i . t o i; t O i; x r o i a v m a o m o x r p w y i; q i & m a x m u y r & v : u a a u m i; a o c m y a p?

2? 1 v : u m v i

- u , O e & r & p p a q; r u j y e v n E y v y y?
- v i q u q r r w q i u; p u a o m a & m * j v u % m r m; & r & p p a q; y; / v t y y u u o y? q p z v p a & m * j p p a q; & e a o; x w , y?
- p w ' i w t m; a y; r u E y y?

3? 3 v : u m v i

- v i q u q r r w q i u; p u a o m a & m * j v u % m r m; & r & p p a q; y; / v t y y u u o y? q p z v p a & m * j p p a q; & e a o; x w , y?
- H I V y; p p a q; v u p p a q; e i a u m i; e i H I V t w u w i y i a q; a E; t j u a y; r u a y; y?
- p w ' i w t m; a y; r u E y y?

t jzpr̃m;aom pwa&m*̃r̃m;

1? p;&ra:umi:ur̃q̃i&m pwa&m*̃r̃m;

p;&ra:umi:ujci; õr [wpwzp;r̃qoñrm ṽw0;oñ wppwpcu a:umu ṽeāom t̃c̃ õr [wt xww
vejzpaom t̃c̃ jzpay:vmaom̃cpm;r̃uqoñ?cpm;rr̃Ev;uzp;aom t̃c̃ t̃r̃m; t̃m̃jzĩEv;cẽjci;upw̃ijre ṽm
apoñ? Ēyraq̃mi&ur̃r̃m;jreṽmapum̃yle;um;ow&apoñ? Toñrm ṽic̃Em̃u , . yre w̃jyer̃jzpoñ?
õ&m̃wi z̃p;r̃ t̃q̃i t̃vejriaom t̃c̃ õr [waymũu i;a t̃mir̃Ēyṽyeioñ t̃c̃ j̃y \ em̃ayaỹu ṽmeioñ?

- ṽwi;oñ p̃wyi;q̃i&m̃zp;r̃u w̃jye:uoñ? ac̃i;u ũjci;r̃m;/ p̃wwi;uyy; p̃ww̃jci;ei p̃wṽy
&m̃jci;r̃m;oñ z̃p;r̃. ṽu%mr̃m;jz̃peioñ? p;&ra:umi:ujci;u aym̃u u i;a t̃mi r̃Ēyṽyeira:umi
jz̃pay:vmaom̃yr̃l̃j̃y;xeoñ ṽu%mr̃m;wi t̃yr̃aym̃jci;/ev;wẽjci;/p̃wũjci;/ t̃:ur;z̃ujci;/
ṽra&ui;um̃ṽm̃jci;/p̃wa:umi&ỹyi;q̃i&m̃ x̃cura&m*̃r̃m;ỹ0̃ioñ?
- Psychosomatic disorders: ṽwp0;oñ j̃riw̃u ṽm̃ṽs̃u&aom̃ p̃wzp;rei w̃i;uỹrr̃m;ur̃
u ĩw , ei ṽmaom̃ t̃c̃ jz̃pay:vmoñ? t̃b , a:umĩqaom̃ ṽemoñ j̃r̃irm;vaom̃ p̃wzp;r̃.
p̃wyi;q̃i&m̃ aem̃u q̃u w̃jzp&ỹr̃m;u r̃uiw , eiaoma:um̃ijz̃p;y;/ em̃usi/r̃ x̃jci;/ õr [w t̃c̃
aom̃ijz̃p&ỹr̃m;wi aṽjz̃wa&m*̃p̃oñw̃iuỹ u , c̃Em̃q̃i&ma&m*̃ṽu%mt̃jz̃p̃c̃Em̃u , r̃j̃yooñ?
a , b , s̃ t̃m̃jzi ṽemoñ ow̃l̃. z̃;u , ṽs̃u&aom̃ p̃wyi;q̃i&m̃ z̃p;r̃r̃m;ei Ē̃i;w̃iujz̃pay:apaom̃
t̃c̃ ur̃m;x̃u u , c̃Em̃. u ucr̃ em̃usi r̃r̃m;u yr̃x̃waz̃maj̃m:um;uoñ?

2? Post Traumatic Stress Disorder

- Post Traumatic Stress Disorder (PTSD) q̃oñrm̃ ṽeri;pm̃ x̃ẽi ṽẽjz , aumi;aom̃um̃ṽ
&ñ:um̃ijz̃poñ a:umũ&j̃ci;r̃m;u w̃jye&m̃r̃jz̃pay:vmaom̃ t̃aj̃c̃ t̃aẽjz̃poñ? Ē̃i;rm̃ t̃vej̃r̃irm;
vaom̃ p;&ra:umi:ur̃. t̃rw̃ṽu%mjz̃p;y;/ ow̃l̃. b0u0;q̃mĩEi&e u , w̃ipr̃;q̃mĩEipr̃;
&rũ t̃aem̃u t̃ , uay;oñ?
- t̃r̃m; t̃m̃jzi t̃:ur;z̃urr̃ṽwaj̃rm̃u ṽmaom̃ õr [waw̃Ē̃uc̃pm;c&aom̃ ṽr̃m;/ õr [w t̃oũ
t̃E&m̃ , jz̃p&ỹr̃ ṽwaj̃rm̃u ṽmaom̃ ṽr̃m;wiaw̃&oñ? 'uoñrm; t̃wũ x̃ t̃aj̃c̃ t̃aẽ t̃m;ṽ;w̃irm̃
a , b , s̃ t̃m̃jzi aw̃j̃ũf̃:u&oñ?

jz̃p&aom̃ t̃a:umi;t̃c̃ur̃m;

- t̃oũu&e&maom̃ t̃:ur;z̃ur̃ t̃m;wp̃j̃ur̃w̃pc̃ õr [w t̃c̃ẽ t̃wi;t̃wm̃w̃pc̃ t̃ay:w̃i r̃:um̃c̃%
cpm;c&j̃ci;?
- t̃:ur;z̃ujz̃p&ỹu w̃u&uc̃pm;c&j̃ci; õr [w/ t̃j̃cm;ow̃p0;jz̃pay:cpm;j̃ci;u j̃riaw̃/c&j̃ci;?
- jz̃peiaom̃ t̃:ur;z̃urr̃ ṽwaj̃rm̃ũjci;/z̃r;q̃;c&r̃ua:umũ&j̃ci;/

ṽu%mr̃m;Eĩ pr̃;oyaw̃&c̃ur̃m;

- ṽwp0; . t̃j̃cm;or̃m;eĩ t̃j̃ỹet̃ ṽeq̃ũq̃eipr̃;&ñ/ b0eĩ b0 t̃m;aỹm&ĩrũ t̃aem̃u t̃ , uay;oñ?
- t̃j̃cm;ow̃̃eĩ eñ;eñ;om̃q̃ũq̃jci; õr [w ṽ;0̃rq̃ũq̃jci;?
- ac̃i;u ũjci;/ t̃yr̃aym̃jci;/ t̃q̃pr̃m;em̃jci;/arm̃yr̃jci;/p̃ww̃ṽ , jci;/ t̃aj̃c̃ t̃jr̃pr̃&aom̃ a:umũ&
cpm;c̃s̃u u i;r̃r̃poñroũoñṽu%mr̃m;r̃:um̃c̃%j̃yooñ?
- u , &ñu , aõ;aj̃ym̃i;ṽrr̃m;/:ur;wr̃;aom̃ aỹu ur̃/p̃w0̃ipm;r̃eñ;ỹj̃ci;?
- t̃ t̃ỹt̃aerr̃rẽjci;?
- em̃ṽm&ñ u , c̃Ema&m*̃ṽ%mr̃m;/ p̃wa:umi&ỹyi;q̃i&m̃ x̃cura&m*̃r̃m;- ṽu%mf̃:u naq̃; u õ
j̃ci;j̃zi raỹmũu i;ỹ/ aq̃;&/ aq̃;ce;r̃m;õl̃ r̃:um̃c̃%om̃;a&m̃ũjci;r̃m;?

u oen:

- aq;aE;wiyi t }u^m%ay;ji; (quvulaq;aE;wiyi t }u^m%ay;ji;wi:uny?)
- t em; , en;jiu oji;?
- t:ur;zurr vwajrmuvmor;m; on owi. t oi; t Oi;wi pwc&y;/ vEcr&a:umi; pwcpm;&r &e v tyon?
- em;vnray;ji; - xo . ajymqaer t m; em;axmi l vucay;um/ owi. t jzp tyu t ay: cpm;r t m; ay;y? TuolaomawEurt m;rno&rnu oirro&Ei avmuaomvn;/ owipwvy&m;pmajymjy aeru em;rvnaomvn;b/ oixraxmuct m;ay;ru azmjyy?
- ajymvn;ajymem;vn;axmiy/ vem t m; owijy \ emrsm; . &mZOiuar;y/ b , w;u yxrq;ac;i; uuov/ tyraymov/ t ' t cew0uw;u owib0rm bmawjzpcov ponwuar;y? owi. a&m* v u%mrsm;u jzpapaom t a:umi; t cursm;u }ul;pm;&mazy?
- vem . jy \ emrsm;u }ul;pm;l em;axmiy/ owajymjyc:u t ay:rm q;jzwc:urcyei/ owajymjyc:ursm;u pw0ipm;r&a:umi; jyoy? owzmomow;azmxwajym:um;a t mi }ul;pm;y? t xuyEyvyc:u t m;v; on vem t m; owi w0wn;r [wa:umi; oapy/ oi t m;vn;owi. zp;r t a:umi;&i;c t m;em;vn ap on?

3? pwvwa&m* (&oyji;)

- jyi;xeon pwa&m*ypwpcjzpon? vem on wu , t rew&m;ei Ei; . t m&a , mirm;ji;/ t re w&m;u aoz , um , :u naeji;w;rm; t :um;wi cjm;ojrieipr;r&jzpaen?

1? Hallucinations: t rewu , r&ybv;uem;wi:um;ji;/ ruapwijriji;/ t e&ji; - Oyrmr t em;wi rnor;r&bviu rr t m;ajymaeom t orsm;u vem u:um;aeji;/ r&on t &mrsm;ujriaeji; t a&ji;u; on t curm vem onpwu; , Oji;r [w/ t rewu , jriji;:um;ji;cpm;&ji;jzpy;xw vejz , aumi;on?

2? Delusions: rr . , Oau;r/ vr t aqmu t t ura0cpm;ji;r&on yao , :unc:urm;rm;/ wy; orsm;ryiqion pr;t iwec;rm;pwwi&on [toia;yuon t , tqqe;rm;/ Oyrmt m;ji wy;owi. twi;pwu ojripr;&ji; o;wn;r [w t jcm;*vrrw;a&mu&vm:uon [xijri ww:uon? Delusions rsm;ona , sb , s t m;ji qe;jym;axvmve;aoma:umi v trsm;on ue0;wi & , or;ao;ypww:uaomvn; vem t aeEirwu , jzp&yrm; [, :un:uon?

- Hallucinations / delusions w. veuaomoabmobm0a:umi vemrm;onrrw;u , rrw;xe;or;Ei;ji; r&b/ t oi; t Oi; t ay: t aEmu t , ujpvmEi;y;re t m;jiay:x iwwon? uraumi; t a:umi; rvpm Ei;w; t m; t rsm;u t & t ay [xirw:u;y;aq;0; t uay;&erv [, q:uon? olaomre ueaom aq;0;uorc , &y;u pwa0'em&irm;on jyevn ue;rmvmy; t "y , &on aumi;reaom b0u &&Eion?
- &www&upwazmujyeaoma&m*&irm;on Ei;w. Oe;usi&jzp&yrm;u em;vnEipr;r&aoma:umi Ei; w;u pum;ajymq&e cucv on? olaom aq;vyom;rm; t aeEi Ei;w; t m;rnon t &ya'ooi a&muaeon / bmawjzpy:uaeonw;u o&ap&eul;y;r;&i;jyoion? qv&i;rm Ei;w;onaq;& wia&mu&aey;aq;0;uor &&uawmrn ponw;jzpon?
- aq;uor- &www&upwazmujyeaom pwa&m*&irm; t m; Phernergan 25mg + Haloperidol 5mg u wuau;Eion / oir [wIM x;aq;ay;Eion? (aq;Epr;p;v;u t wwuaq;x;jye wpcwn;jzi ay;Eion?)

vemu t e;uy:un&&ev tyon t a:umi;rm Taq;rm;a:umi jyi;xeon pwu;q;i;r jzpapwwl jzpon? vemwp0;ci;pavm ueon a&&naq;0;uoray;&e v tyov , i;u obm&iaq;ynm&iuom aqmi&uoion?

q;u\$;rm;

- we , i;ci;?
- :u u o m;awmiwi;jci;?
- yui qeqia&m*(Parkinsonism)
- Occulogyric (r;u v;wvrvrvy&m;r)/ t x;o;zi t r\$;o m;i , r;m;wijzpwwon?
- Torticolis (vnyi;vronvy&m;r)/ t x;o;zi t r\$;o m;i , r;m;wijzpwwon?

aq;aE;wiyi t}u0m%ay;jci;

- Counselling o n pwt a:umi; t &i;ca:umijzpy;m;aompw' %&mu u oen;wpo , jzpy;/ , i;u &ze&c;pum;ajymu x; [v n;ac:qwwon?
- t o;jy|onen;rm vemrsm; Æi;w|. jy \ emrsm;u aq;aE;ajymqap;y; em;axmiay;jci;jzpon?
- a0'em&iw|u , wi rrw|. jy \ emurrwizmom t ajz&maz&e t}uay;y*lv on t u t nay;Eion? x|yi Æi;w|. pw' %&mu uiw , &mw|yaumi;aomen;vr;rsm;u &mazay;Eion?
- xa&mur&&e t}u0m%ay;ru :um&npmvy&r njzpo v jynjyn00xa&mur &&&ev n; t aw| t}ul&z|v tyon?

pn;ur;curm;

v\$0u x m;&jci; - qv onrm um , u&i .ciy|cur&b t}uay;aq;aE;yr o&x m;ori:urno| t m;r;azu onrc&el ajymqEion wpcwn;aom ci;j;curm a0'em&iu rru , u aomv n; aumi;/ t jcm;ouaomv n;aumi; t EÆ &m , jylrn [qaom t cjzpon? v\$0ujci;jziom Ep0;Epzu , :unru wnaqmuEion?

,:unr- t}uay;oEi t u t nawmi;o t:um; , :unrwnaqmu&ev tyon? o|rom xa&mu aom t}u0m%ay;r jzpxe;Eion?

pmem;v nay;jci; - a0'em&i . t ajc t aeu t}u0m%ay;o t aejzi t wwEiq;em;vnr&&e v tyon? qv onrm urnavmu t m;wy; o . r;uapEi:u njriji; / rrr [wrb wy;ojzpaen [pwre; :u nji; / x|yi wpy;oa0'emurno|cpm;ae&on u pwu;jzire;qcpm;u nji; [t "y , x u on? **t ujzwrri;jci;** -y*lvwp0;wpa , mu . jy \ emEi b0Zmwvr;uem;axmion t c|t}uay;oon t vepr; t m;u;on t aet x m;o|a&mu&om;on? xoono i t ay: , :unru ytyxm;y;oiuv n; Æi; . t a:umi; t &mw|uvuc&e oiut m;u; t m;xm;jy|aeon? t}u0m%v ty o . pwt ajc t aeon t xrcEion t qi o|a&mu aey;vucrEiyy;ruv tyon? vy*lv . t jyl t ruoi t aejzioabmrwviupm; t ujzwrri;jci;on t}u0m%ay;jci; . t a&|u;v on t pw t yi;wp&yjzpon?

em;axmijci; - t}uay;oon em;axmiaumi;ojzp&ev on? em;axmiaep0 Æi; t m;acw&yem;ci ay;y| Æi; t m;zicajymq&ewuwe;r rylEi/ , i;umvwi Æi;w|vvcici ajymvaom t &mw|uom ajymqapci;jyi?

u , trt , mbmompum; -vy*lv xiaeono Æeaomv n;aumi;/vy&m;ronaomv n;aumi; &ze&c| Æi; . t wi;cpm;cuuazmjywwon? t}u0m%ay;p0umv t wi;rr t aeEipw0ipm;a:umi; aumi;aumi;em;axmi v:u&a:umi; x o t m;oapa t mi vy&erm t a&|u;on? x o jyl&erma t muy; pn;ur;curm;u v uem&ejzpon?

av;uuu: t aet x m; Square: x oEir;uEnci;qixiy? ab;wurxiyEi? Æi;uwnwn:u nEion t aet x m;jzpy|ap?

zixm;jci; Open: yp t aet x m;zixm;y? vuryuyEi? acj;rilyEi?

a&|o|u , u ui;jci; Leaning forward: xy*lv x o| u , ua&|oten;i , ui;jci;jzi oion o| t m; pw0ipm;aea:umi;jyv:u&on?

t m&purAttentive: oajymori:u* &wpuem;axmiy?em;v na:umi; t rw t om; t jzpacj;unway;y? o uawmio u omaejci; Relaxed: t}u0m%ay;p0umv t wi;o uawmio u omaey? pwwi;uyr/ pwvy&m;r jyyEi? t}u0m%awmi;coon Tjzpp0ucpm;ry; Æi;u , Euuv n;pwv u ou o u o m o m jzpv mayvrrn?

Epóraq;áEjci;

Epóraq;áEjci; wpc rno!Eyvyeion [aom vr; ! ec;u t c! t m; az: jy t yy;on?

pwi&e

rr taeji t u t nay;vá:umi;&i;jy? rru , urwquay;y; &m x; t q i (aq;0exr;/ vra&;vyom; pon) u&i;jy? Eei;w. jy \ em/yw0e;u; i t ajc taeu xa&mupm uiw , aqmi&uEi&Eei;wEiyuouor; t v;pu o&vá:umi;&i;jy? rruar;jre;p&m&r&ar;y/ &om;yiv i;r&y? wwqwaumi;reaom o;oe!ae&m wpcu pum;ajymq&ea&y?

\$ rom;pori;

b0Zmwa:umi;/ pce;urn o!a&m u vmoen;/jrermjynwi&p0bmawjzpy;ucoen;/ rnon t a:umi; a:umi vmcoen;/ aq;uorori;Ei , Oau;raem ucr;m;/

\$ rnonjy \ emjzpa:umi;azmxwy?

x o t m;rnon jy \ em&aea:umi;ar;jre;y/ x o t m;pum;ajymc;eay;y/ ajymp0 t wi;&ywe;ruci;jy/ pw&ny?

Tar;ce;r;m;ar;Ei on?

- bmjzpc on uajymjyon t c! rno!cpm;&oen;?
- t jzp t y;ur;m; u typuru aEmu , u jci;&r&/ tyruq;r;m;rurru?
- jy \ emu oib0 tay: rnonoua&mur&oen;?
- oi u e;rma&;u xcur &ov m;?
- aq; i;u u ov m;/ cEu , emu; i u ucr&ov m;/ &y u jy \ emjzpy;rpwico v m;?
- Tjy \ emjzpc;erpl , cxrnr;um;yen;?
- Tjy \ emu ajz&i;&erno!vyaqmio ion [oixijrioen;?
- Eei;wEijzpa;c&on en;vr; t o , o , uaq;áE;y? Eei;w. jy \ emu rruajz&i;ay;uay;&r n [rrw , yEi?

\$ aq;áE;p0 t wi; x o .pw t ajc taeu t q; t jzway;y?

- Eei;w!pwq;aeo v m;/ Or;en;aeo v m;/ cpm;r;raeo v m;/pw"wu;aeo v m;?
- Eei;w!ajymjyon t "y , &r&?
- Eei;w!on pwazm u jye&;oyjci;&r&?
- Eei;w. cpm;c;ur;m; on t "y , &r&? qv onrm t jzp q;/ o!r [wa:u uz , Zmwvr;uajymjaep0 & , or;ao;aeo v m;? aym&i on t o iay;u o v m;? xijy iaym&ip&m t jzp t y u uajymqp0 Or;en; ae o v m;/ iau!;ae o v m;?
- Eei;w!u , wi Eei;w!taumi;jrio v m;/ t q;jrio v m;/ av;pm;r&ov m;/ ro v m;/ pr;&nrae on [cpm;ae o v m;/ u!;pm;vyaqmion t &m&mwi; q;&r ra t mijrirEi om;ulae on [cpm;ae o v m; (T v u %mr;m; on pw"wu;a&m*!v u %mr;m;jzpon)
- t :ur;zuaomori;a:umi;&r&/ t :ur;zu vpw o!r [wrru , u t q;p&i vpw&r&? aw!qar;jre;rwp!urwn;r [wb quwv yon t c! xoonu , pwouawmio u om;jzpv m rn t jyi o i t m;v n;yr , :un v mayrn? x!a:umi t xuyar;ce;r;m; . t ajzrm;u &maz aw!&r njzpon?

yxr t}ur aq;aE;rjy!&mwi r;m;r;m;pm;pm;rjy!vyyEi/ yxr t}ur on aemijyrn awi;qaq;aE;yr;m; t m; t pyi;vr;ci;ji;jzpon? t}uay;rat mijri&e vayi;r;m;pm;um&nEion? t x uy ar;ce;r;m;u wu&uar;p&mr v tyvay? x o . wejyec u /&ywnc u oabmxm;wrae l t ajzreu t}uay; y*lv on aumuc u qEion?

S vajymi;tyEji; ? pce;& t jcm;OeaqmirXmewpco! x o t m;y!oiry!oiEi ywou l t}uay; y*lv taeji q;jzw&ev tyon? x o onaq;0;t u t n oir [w t Ei u siquqc&rr vw ajrmuap&e umu , ray;&evaumi;vayrn? x o . em;vnr/ciij/cu&rom t jcm;wae&m o!tyE&ejzpon?

t a&;u;onrar tyao m t c:urm;

- o i uEi; . jzp&y t m; ajmijyji;on peipm;rwp&yjzpa:umi;em;v ny? u , a&;u , wmwow i; t cu t v u jzpaoma:umi o i taeji av;av;pm;pm;&y?
- x o on t wwemu;n;z , r;m;Ei&iqiae&y; t ajymi; t vvyae&cwei t}uay;y*lv on omv i x o t m; ce t m;Ei v clru ay;Eion?
- Or;en;a u uz , &mpw t aEmu t , ujzpz , &m t a:umi; t &mr;m;u em;axmi&aoma:umi x uay; vmaom &v'r;m;u t}uay;y*lv on o&em;v n;y;jzp&rn? b0 . cucaom t ajc t aer;m;u em; axmirjy!&e / t}u Om%ay;&e prxm;y;jzp&rn?
- t}uay;y*lv on }u;r;m;aom wmOe , rjy!aea:umi;oabmayu&rn? x o . b0 t ay:wi t}uay; y*lv on t}u; t us , :oZmvr;r;xm;on? T onuo&y; &xm;onwec; t m%mu rm; , i;pm t o; rjy!r&evon? T quqruro&y u t}uay;y*lv on owrrrb jy \ em . t pw tyi;wp&y jzpon;Eion?

e*;

vwp0; . jy \ emr;m;u t ajz&maz&mwi t u t nay;&el x o t m; t i t m;jznwi;&e / Ei; . b0 vwvy aym&i use;rmap&eon t}uay;ji; . &n& , c;ujzpon? T taumi;q;aomar;mre;c;u u t rvr&&Ei o;wap Ei; t ay;av;pm;o / pw0ipm;o /jy \ emr;m;u v n;pw0ipm;o u Ei; . jyoaom oabmu ra0 , jci; a:umi x o on t}uOm%ay;rr jyeom;aom t c;rru , urr , :u nr /v clr yr&&om;rn omjzpon?

r; , paq;0;Ei t&ua:umi t qyo i jci;

&ww&u t qyo i jci;? vem onem&y; t wi; t ver;m;jym;aomyrm% (t&u/r; , paq;0;) u aomu o;y;/Ei;w;u cEmu , r vavmu v;i jrep m z , &m;rypEiyu jzpay:vmon?
a&m*yoEeEi v u%mrsm;wiararmjci;/ t vepwvy&m;wu:ujci;/ uO;ajrmijci; (u&uO;aeaomoi , tr)/
t r t usiajymi;vjci;ponwyjOion?
a&m*iv u%mrsm;onem&t en;i , :um(oir [w) cEmu , rEi;aq;0;rm;aymuu , on t x:um&nwn&Eion?

t&u (oir [w) aq;0;o;pr&yypci;a:umijzpaom cEmu , rwijyec:u? t&mwpc(t&u/r; , paq;0;) uprpmaomu o;o(r; , paq;0;ur:umc%aomu o;o) twu cEmu , on yrev nyw&er; , paq;0;u pwi v tyvmon? cEmu , wi;r; , paq;0;r&aom t ci(o;pr&yvuaom) cEmu , on yrev nyw&erwwpr;awmy?
pr;oyc:uei v u%mrsm;? vemwi aq;0;. t meo iEi qe;usizujzpaom a&m*iv u%om yoEe rm;&on?
a&m*yoEerm;on&u t en;i , :um&Eion?

wppwpO;on t&u (oi) aq;0;o;p&mr &yypci:vi? o;pr&yypci;a:umijzpay:aom cEmu , r &wc:n; wijyec:ur;m;jzpt y;wi/ t ci&aomaq;aE;wiyi t|uay;orm;/ vemEio . aqr;l;rm;yOiaoma&nqu l apmi:unr ujy|vy&n? riy|vyy;u vemonr; , paq;0;u jye vno;payvrrn?

t&u (oi) r; , paq;0;o;pr&yvujci;a:umi jzpay:vmaom T&wc:n;wijyec:u (2)&yrm t aysmpm; (oi) tjyi;pm;jzpeiayon? t ou&e&mon t xyijzpeion? Twijyec:ur;m;Ei tw xcu '%&m&ci;rm; vn;jzpeion [pwxwi t rrw , x;m;y? t qywuorm;wirawmwqxcuryrl tjzprsm;on?

1? t&u

&wc:n; t qywujci;

a&m*yoEerm; / v u%mrsm;

- t&uei ejci;?
- a t m t Ei jci;/ t r t usiajymi;vjci;/ t vepwvy&m;wu:ujci;/ euphoria (vem on t ve t ri;& , ae jci;)/ disinhibition - pwxe;cyrvwu i;om;jci;/ ppn;vyaqmiEirnz:i;jci;/ t&uyrm% rm;vmav xoon tycir;w;jzpci;Ei ararmjci;rm;jzpv mEion?

u or

- ararmae;y u -
owvpaey;u iv saline oi;y; a&"iwjznay;y? t E&m , u i;pmaomu (r;ci)Eiyu y;pyrwuy?
t&ur;m; t m; z , &m;yp&e q;om;ap&ejzpon? ao;xYo:um;"iwe jci;&r& &maz;y;u oay;y?
q; t x uEi vital signs uem&wi;wiO;pmpaq;y?
owjy|&e vema t m t Ei&Ei t ou&oi;Ei&e vem t m;ab;wu t ae t x m;&yap?
- vy&m;wu:uaev i (oi):ur;ae v i -
Diazepam 10mg IV ay;y? v ty yu rep 30 :um v i aem u wpc;xyay;y?
ow&y u y;pyrwqia&"iwjznay;y? t E&m , u i;pmrr;ci;Eiyu iv r ay;y?
ao;xYo:um;"iwe jci;&r& &maz;y;u oay;y?

&wcn; t &u t qywujci;wi ao;x&o:um;"wen;jci;jzp&e t civr;rm;on?

o;pr&ywe;v u&mr cEm u , rjzpay:v maomw;ijec:u

v u%meipr;oyaw&c:u r;m;

Ev;cejrejci;?

t z;m; t en;i , &Eijci;? (ji;xer . v u%m)

ac;x ujci;?

r;jci;/ a t m t ejci;?

t m&a:umqi&m v u%mrsm; - a:umu&wevyjci;/wejci;(v uau mu0wau;jci;qejci;)(o|r [w)

wujci;u oylji;xeaomv%mrsm;?

t oEi t jri t m&ajcmujcm;jci;?

pw&yax;jci;/ vepmwu:ujci;/ pwyia:umu&wevyr/ t yraymr;?

u o r

- Diazepam 10mg IV :irom;on t x em&wi;q uay;Ei on?
- t m&ajcmujcm;r&y;u/ Chlorpromazine 100-300 mg PO QID
- wu v;i Diazepam u o;y?
- Vitamins – Thiamine 100 mg/ day, Vitamin B12 1 mg/ day, Folic Acid 1 mg/ day

2? be;/ be;jz/ armze;

T r; , paq;rm;u aq;vyvyaomuEi on/(o|r [w) Emaci;jzi&o i;Ei on/(o|r [w) ao;a:um x
x;o i;Ei on?

&wcn; t qywujci;

v u%meipr;oyaw&c:u r;m;

t aymveur(vem t:r& , aejci;)?

r;uEmejci;(r;uEmay:yae o vcpm;jci;)?

t a;jym; , m; , jci;? (t x;o jz i morphine)

oi , t ru0;ajrmi;jci;?

aci;r; tyiujci;?

t o u&raE;aE;Eijyi;jyi;&jci;?

u , yceavsmujci; ? (Hypothermia)

Ev;ceaE;jci; (Bradycardia) / ao;ay;iceuujci;? (Hypotension)

u o y

armze; t o;vejci; t wu t qya;zaq;rm rrw;. v uvr;rr ry&o jz i a&m* v u%mf:un l uoen;om
vy&r n? emu;i ro u omap&e aq;Ei pw;i raq;ay;jci;? (sedation)

o:pr&ywe:v u&mr cEm u , rjzpay:vmaomwijyec u

a&m*owrwjci:

p;&ra:u mu&jci;?

jri rm; vmaom t o u&Ee;?

jri rm; vmaom cEm u , r t &n x ujci; rsm; - ac; x u/ Em&n , / r s u&n u?

Mydriasis (u s , vmaom o i , t r rsm;)?

Piloerection (:u u o;ar; ! i; xjci;)?

Tremors – v u a u m u o w a u ;jci; qeijci;?

:u u o m; rsm; t e n; i , u s / :u u o m; rsm; e m u s i jci;?

r s u e m & y o v a t ; o v c p m ;&jci;?

c w i ; y u jci;?

Or; A u a t m i / Or; A u : u u o m ; p e m u s i jci;?

u o y

Diazepam 10mg IV a y ; y i ? p w i r o m ; o n t x e m & w i ; a q ; u q u a y ; y i ?

Methadone Ei Clonidine w i u w j c m ; a e & m t j c m ; a e & m r s m ; w i t o i j y l o n ? o i & m w i u l E y w Y o ; p & e r j z p E i y ?

3? t r z u w r i ;

t r z u w r i ; t c l t m ; a q ; j y m ; w p i j y m ; x w i t w w u a & m p y E i o i r [w t j c m ; a o m t & m r s m ; E i a & m p y E i o n ?

t r z u w r i ; u E m a q i ; E i & E i o n ? a q ; v y v y a o m u E i o n ? r i c E i o n o i r [w a o ; a u m x x ; o i ; E i o n ?

t r z u w r i ; u w p c i x o m o j c i ; y i v i i & w c n ; p w a & m * q i & m j y \ e m r s m ; u j z p a p E i o n ?

a&m*yoEersm; / v u % m r s m ;

t v e a r m y e ; j c i ; ?

r t y j c i ; ?

a : u m u & w e v y a o m w e i j y e c u ?

r r u , u a o a : u m i ; } u p n r j z p E i a j c & o n j y i ; x e a o m p w u j c i ; ?

t o E i t j r i t m & a j c m u j c m ; j c i ; r s m ;

- Paranoia = t j c m ; o r s m ; r r t a : u m i ; r n u o i a w ; a e o n [a o m r m ; , i ; o n t x i ?

- Persecution = E y p u ! i ; y e ; c & r n [a : u m u & j c i ; ?

- Omnipotence = t & m & m E i v w i ; t a y : w i : o Z m t m % m & o n [c p m ; c u ?

t c l a o m t r z u w r i ; r s m ; r m y l q ; 0 ; a o m a & m * y o E e r s m ; u a y ; o n ?

- c E m u , t y c e t v e j r i r m ; r ?

- a o ; a : u m w i ; j y e l u p m a o ; c j c i ; (a o ; , x u r a & m *)

- : u u o m ; r s m ; y : u p j c i ;

- & w w & u w u j c i ; / & w c n ; a u s m u u y c l l , i ; j c i ; / t o n ; t q y a w m u j c i ; E i E v ; j y \ e m r s m ;

u o r

Chlorpromazine 25-50 mg IM o n & w c n ; p w v y & m ; w u : u a e r u v i i j r e p m a j y m i ; v a p o n ?

4 e m & j c m ; A m m o n i u m c h l o r i d e 500 m g P O a y ; y i (q ; / t u p p y r s m ; a p y ; / t u z w r i ; r s m ; u c E m u , r

z , x w & e v , u a t m i j y l v y a y ; o n ?)

umu , aq;x;ici;/ aomujci;Ei ou qiaom tceZ , m;

umu , aq;x;ici;jzi tci;aoma&m*;rm;u umu , Eion? Ta'o twi; a t muy; umu , aq;rm;u
&&Eion?

a&m* wb 0uou oi , em t a:uma o q qiem :u u ! macmi;q; ar;ci t on;a&mi t om;Oib	umu , aq; bp*; 0uou OPV DPT DPT DPT oir [w T wprd;wn; t on;a&mi t om;Oib
---	--

1? urmue;rma& t zciy WHO r t uiy axmucay;xm;aom umu , aq;x;&r n t ce Z , m;-
*TZ , m;wpcwn;om twnjyxm;on r [wy?

ar;ui;p t ou 6yw t ou 10yw t ou 14yw t ou 9 v DPT 3 x;y;aemu 1 Ep t :um	BCG + polio 0+HepB1 DPT 1 + polio 1 +Hep B2 DPT 2 + polio 2 DPT 3 + polio 3 +Hep B3* 0uou DPT + polio u xyr l x;ici;
--	---

Hep B3* u Hep B2 ay;y; 6 v t :umwi v n; ay;Eion?

- t u , l0uoua&m* t p v t yvuijzpyu t ou 6 vr 10 Ep t :um;uav;i , rm; t m;v;u
umu , aq;x;ay;y? t ou 6 v Ei 9v t & , Y umu , aq;x;y;om; uav;i , rm;u 12 vaum
aom t ci umu , aq;xyrx;ay;y?

2? u , 0eaqmirms;Eircirms;

yxr0;q;Au vm t yp0 T1;y;aemu 1-2 v t :um T2;y;aemu 6 v t :um T3;y;aemu 1 Ep t :um T4;y;aemu 1 Ep t :um oir [w (15 r 45 Ep t wi;) r n o n t c i e r q T1;y;aemu 1 v t :um aemu u , 0eaqmip0 r n o n t c i e r q aemu u , 0eaqmip0 r n o n t c i e r q aemu u , 0eaqmip0 r n o n t c i e r q	T1 T2 T3 T4 T5 T1 T2 T3 T4 T5
---	--

vAbe;en;vr;ji a [r*vAiwiwmjci;Ei ao; t cl; t pm;nrrjyjici;(a [rwc&p nrjici;)

Disc wi:un&jci;	g/100ml	jyi;xer	ao;qvy0ir&mEe;
20	3.3	+++	10
24	4.0		12
28	4.7		14
32	5.3	++	16
36	6.0		18
40	6.7		20
46	7.3	+	22
52	8.7		26
58	9.7		29
64	10.7		32
70	11.7		35
76	12.7		38
84	14.0		42
92	15.3	0	46
100	16.7		50
110	18.3		55
120	20.0		60
130	21.7		65

y(c)zv; yrewez;Z , m;

t ou&lxwr t jri q; t &eyrewez;rsm;

a , m u sm;rsm;

t &y t jri cm	157	160	162	165	167	170	172	175	177	180	182	185	187
t ou Ep													
15	525	525	525	525	530	535	535	540	545	545	550	555	560
20	565	570	575	580	580	585	585	590	595	595	600	605	610
25	590	600	605	605	610	615	615	620	625	630	630	635	640
30	605	610	615	620	620	625	630	635	640	640	645	650	650
35	610	615	620	620	625	625	630	635	640	640	645	650	650
40	600	605	615	615	615	620	625	630	630	635	635	640	645
45	585	595	600	600	605	610	610	615	615	620	625	630	635
50	570	575	585	585	590	590	595	600	600	605	610	610	615
55	560	565	570	575	575	580	585	590	590	595	600	605	605
60	550	555	560	560	565	570	570	575	580	585	590	600	600
65	540	545	550	550	555	560	560	565	570	575	580	590	590
70	530	535	540	540	545	550	550	555	560	565	570	575	580

t o u&l xwr t jri q; t &eyrewez;r m;

re;r r m;

t &y t jri cm	147	150	152	155	157	160	162	165	167	170	172	175	177
t o u Ep													
15	435	440	450	455	455	460	465	465	470	475	475	480	485
20	450	450	455	460	460	465	470	475	480	480	485	490	490
25	450	455	460	460	465	470	475	480	480	485	490	490	495
30	455	455	460	465	470	475	480	480	485	490	490	495	500
35	455	455	460	465	470	475	480	480	485	490	490	495	500
40	450	450	455	460	465	470	475	480	480	485	490	490	495
45	445	450	450	460	460	465	470	475	475	480	485	485	490
50	440	440	445	450	455	460	460	460	470	470	475	480	480
55	430	430	435	440	445	450	450	455	460	460	465	470	470
60	415	420	425	430	430	435	440	445	450	455	455	460	460
65	400	405	410	415	415	420	435	430	435	440	445	445	450
70	390	390	395	400	400	405	410	410	415	420	425	430	440

u , t av;ce / t&y t jri t v u t rway;Z , m;

t&y t v u &&rnu , t av;ceZ , m;

t&y (cm)	t m [m&ejyn / Or&	ten;i , t m [m&ejyn / wr	to i t wi	q; & n; pm	t jri (cm)	t m [m&ejyn / Or&	ten;i , t m [m&ejyn / wr	to i t wi	q; & n; pm
	median(kg)	90%	80%	70%		median(kg)	90%	80%	70%
49	3.2	2.9	2.6	2.2	67	7.6	6.8	6.1	5.3
49.5	3.3	3.0	2.6	2.3	67.5	7.8	7.0	6.2	5.5
50	3.4	3.1	2.7	2.4	68	7.9	7.1	6.3	5.5
50.5	3.4	3.1	2.7	2.4	68.5	8.0	7.2	6.4	5.6
51	3.5	3.2	2.8	2.5	69	8.2	7.4	6.6	5.7
51.5	3.6	3.2	2.9	2.5	69.5	8.3	7.5	6.6	5.8
52	3.7	3.3	3.0	2.6	70	8.5	7.7	6.8	6.0
52.5	3.8	3.4	3.0	2.7	70.5	8.6	7.7	6.9	6.0
53	3.9	3.5	3.1	2.7	71	8.7	7.8	7.0	6.1
53.5	4.0	3.6	3.2	2.8	71.5	8.9	8.0	7.1	6.2
54	4.1	3.7	3.3	2.9	72	9.0	8.1	7.2	6.3
54.5	4.2	3.8	3.4	2.9	72.5	9.1	8.2	7.3	6.4
55	4.3	3.9	3.4	3.0	73	9.2	8.3	7.4	6.4
55.5	4.4	4.0	3.5	3.1	73.5	9.4	8.5	7.5	6.6
56	4.6	4.1	3.7	3.2	74	9.5	8.6	7.6	6.7
56.5	4.7	4.2	3.8	3.3	74.5	9.6	8.6	7.7	6.7
57	4.8	4.3	3.8	3.4	75	9.7	8.7	7.8	6.8
57.5	4.9	4.4	3.9	3.4	75.5	9.8	8.8	7.8	6.9
58	5.1	4.6	4.1	3.6	76	9.9	8.9	7.9	6.9
58.5	5.2	4.7	4.2	3.6	76.5	10.0	9.0	8.0	7.0
59	5.3	4.8	4.2	3.7	77	10.1	9.1	8.1	7.1
59.5	5.5	5.0	4.4	3.9	77.5	10.2	9.2	8.2	7.1
60	5.6	5.0	4.5	3.9	78	10.4	9.4	8.3	7.3
60.5	5.7	5.1	4.6	4.0	78.5	10.5	9.5	8.4	7.4
61	5.9	5.3	4.7	4.1	79	10.6	9.5	8.5	7.4
61.5	6.0	5.4	4.8	4.2	79.5	10.7	9.6	8.6	7.5
62	6.2	5.6	5.0	4.3	80	10.8	9.7	8.6	7.6
62.5	6.3	5.7	5.0	4.4	80.5	10.9	9.8	8.7	7.6
63	6.5	5.9	5.2	4.6	81	11.0	9.9	8.8	7.7
63.5	6.6	5.9	5.3	4.6	81.5	11.1	10.0	8.9	7.8
64	6.7	6.0	5.4	4.7	82	11.2	10.1	9.0	7.8
64.5	6.9	6.2	5.5	4.8	82.5	11.3	10.2	9.0	7.9
65	7.0	6.3	5.6	4.9	83	11.4	10.3	9.1	8.0
65.5	7.2	6.5	5.8	5.0	83.5	11.5	10.4	9.2	8.1
66	7.3	6.6	5.8	5.1	84	11.5	10.4	9.2	8.1
66.5	7.5	6.8	6.0	5.3	84.5	11.6	10.4	9.3	8.1

t r; t pm;
t pm&jyn Or&
ten;i , t [m&ejyn / wr
to i t wi
q; & n; pm

t&y t v u &&rnu t av;ce
t v , wez; . 90 % t x u
t v , wez; . 80-89 %
t v , wez; . 70-79 %
t v , wez; . 70 % a t m u

t & y (cm)	<i>t m [m&yn / Or&</i>	<i>ten;i, t [m&cn / wr</i>	<i>to i t wi</i>	<i>q; & n; p m</i>	t j r i (cm)	<i>t [m&yn / Or&</i>	<i>ten;i, t [m&cn / wr</i>	<i>to i t wi</i>	<i>q; & n; p m</i>
	median(kg)	90%	80%	70%		median(kg)	90%	80%	70%
85	12.0	10.8	9.6	8.4	108	17.8	16.0	14.2	12.5
85.5	12.1	10.9	9.7	8.5	108.5	18.0	16.2	14.4	12.6
86	12.2	11.0	9.8	8.5	109	18.1	16.3	14.5	12.7
86.5	12.3	11.1	9.8	8.6	109.5	18.3	16.5	14.6	12.8
87	12.4	11.2	9.9	8.7	110	18.4	16.6	14.7	12.9
87.5	12.5	11.3	10.0	8.8	110.5	18.6	16.7	14.9	13.0
88	12.6	11.3	10.1	8.8	111	18.8	16.9	15.0	13.2
88.5	12.8	11.5	10.2	9.0	111.5	18.9	17.0	15.1	13.2
89	12.9	11.6	10.3	9.0	112	19.1	17.2	15.3	13.4
89.5	13.0	11.7	10.4	9.1	112.5	19.3	17.4	15.4	13.5
90	13.1	11.8	10.5	9.2	113	19.4	17.5	15.5	13.6
90.5	13.2	11.9	10.6	9.2	113.5	19.6	17.6	15.7	13.7
91	13.3	12.0	10.6	9.3	114	19.8	17.8	15.8	13.9
91.5	13.4	12.1	10.7	9.4	114.5	19.9	17.9	15.9	13.9
92	13.6	12.2	10.9	9.5	115	20.1	18.1	16.1	14.1
92.5	13.7	12.3	11.0	9.6	115.5	20.3	18.3	16.2	14.2
93	13.8	12.4	11.0	9.7	116	20.5	18.5	16.4	14.4
93.5	13.9	12.5	11.1	9.7	116.5	20.7	18.6	16.6	14.5
94	14.0	12.6	11.2	9.8	117	20.8	18.7	16.6	14.6
94.5	14.2	12.8	11.4	9.9	117.5	21.0	18.9	16.8	14.7
95	14.3	12.9	11.4	10.0	118	21.2	19.1	17.0	14.8
95.5	14.4	13.0	11.5	10.1	118.5	21.4	19.3	17.1	15.0
96	14.5	13.1	11.6	10.2	119	21.6	19.4	17.3	15.1
96.5	14.7	13.2	11.8	10.3	119.5	21.8	19.6	17.4	15.3
97	14.8	13.3	11.8	10.4	120	22.0	19.8	17.6	15.4
97.5	14.9	13.4	11.9	10.4	120.5	22.2	20.0	17.8	15.5
98	15.0	13.5	12.0	10.5	121	22.4	20.2	17.9	15.7
98.5	15.2	13.7	12.2	10.6	121.5	22.6	20.3	18.1	15.8
99	15.3	13.8	12.2	10.7	122	22.8	20.5	18.2	16.0
99.5	15.4	13.9	12.3	10.8	122.5	23.1	20.8	18.5	16.2
100	15.6	14.0	12.5	10.9	123	23.3	21.0	18.6	16.3
100.5	15.7	14.1	12.6	11.0	123.5	23.5	21.2	18.8	16.5
101	15.8	14.2	12.6	11.1	124	23.7	21.3	19.0	16.6
101.5	16.0	14.4	12.8	11.2	124.5	24.0	21.6	19.2	16.8
102	16.1	14.5	12.9	11.3	125	24.2	21.8	19.4	16.9
102.5	16.2	14.6	13.0	11.3	125.5	24.4	22.0	19.5	17.1
103	16.4	14.8	13.1	11.5	126	24.7	22.2	19.8	17.3
103.5	16.5	14.9	13.2	11.6	126.5	24.9	22.4	19.9	17.4
104	16.7	15.0	13.4	11.7	127	25.2	22.7	20.2	17.6
104.5	16.8	15.1	13.4	11.8	127.5	25.4	22.9	20.3	17.8
105	16.9	15.2	13.5	11.8	128	25.7	23.1	20.6	18.0
105.5	17.1	15.4	13.7	12.0	128.5	26.0	23.4	20.8	18.2
106	17.2	15.5	13.8	12.0	129	26.2	23.6	21.0	18.3
106.5	17.4	15.7	13.9	12.2	129.5	26.5	23.9	21.2	18.6
107	17.5	15.8	14.0	12.3	130	26.8	24.1	21.4	18.8
107.5	17.7	15.9	14.2	12.4					

t r; t p m;
t p m & j y n Or&

ten;i, t [m&cn / wr

to i t wi

q; O; j y i; x e p m

t & y t v u & n t a v; c e

t v , wez; . 90 % t x u

t v , wez; . 80-89 %

t v , wez; . 70-79 %

t v , wez; . 70 % a t m u

u , 0eaqmip0 t wi; aq;0;rsm; t a:umi;

t r\$;or;wp0; t m;aq;ru or u , 0e&/ r& t :rar;y?

aq;ay;ci;u u , 0eaqmip0 t wi; t veowxm;y?

t c\$laq;0;rsm;u pwc:pmay;Eion? (Z , m; u)

t c\$laq;0;rsm;on u , 0eaqmip0 t wu ay;&ero iawmaomvn; aumi;u\$;rsm;on q;u\$;rsm;xu
yrsm;ojzi q&m0eEiaq;aE;wiyi;y;aemu vemrsm;uaq;ay;Eion? t c\$laq;0;rsm;rm u , 0eaqmip0
umv t yi; t jcm;wpcYom a&mi&evon? (Z , m; c)

t c\$laq;0;rsm;rm u , 0eaqmip0umvwpavsmuv; ray;o iy? (Z , m; *)

Z, m;- u

u , 0eaqmip0umvY pwc:pmo;pEiaomaq;0;rsm;

ALUMINIUM HYDROXIDE
METHYLDOPA
AMPI/AMOXICILLIN
METOCLOPRAMIDE
CEFTRIAZONE/CEPHALOSPORINS
MULTIVITAMINS
CHLOROQUINE
NICLOSAMIDE
CLOXACILLIN
NYSTATIN
DEXAMETHASONE
ORS
ERYTHROMYCIN
PARACETAMOL
FERROUS SULFATE
PENICILLINS
FOLIC ACID
QUININE
HYDRALAZINE
SALBUTAMOL
VITAMIN B1

Z, m;- c

owxm; l ay;&rn aq;0;r;m; / t u , l v t yyu q&m0eEiwiyy?

ADRENALINE
DIAZEPAM
AMINOPHYLLINE
FUROSEMIDE
ARTESUNATE
GENTAMICIN
ATROPINE/HYOSCINE
INDOMETHACIN
ASA (ASPIRIN)
METRONIDAZOLE
CIPROFLOXACIN
PHENOBARBITAL
CHLORPHENIRAMINE
PREDNISOLONE
PRAZIQUANTE

Z, m;- *

a&mi&rn aq;0;r;m;

CHLORAMPHENICOL
COTRIMOXAZOLE
CIMETIDINE
ERGOMETRINE
HYDROCHLOROTHIAZIDE
GRISEOFULVIN
MEBENDAZOLE
MEFLOQUINE
PRIMAQUINE
TETRACYCLINES (t y t 0 i
DOXYCYCLINE)
VITAMINA
STREPTOMYCIN

iuzm;a&m* uorZ , m;rm;

aq;u or twu aq;Ee;Ei umv u iuzm;a&m* tce; -pmr;uem 34 wi:uny?

aomuaq; Artesunate H po

TZ , m; t m; 1 tablet = 50 mg **ji wucuxm;on?**

200 mg aq;jym;rsm;vn;&on? xol&yju aq; t m;u:un l wucuy?

u , tav;ce kg	4 mg/kg mg-tablets	2 mg/kg mg-tablets	u , tav;ce kg	4 mg/kg mg-tablets	2 mg/kg mg-tablets
5-7	20-28mg = $\cdot$ t	10-14mg = $\cdot$ t	37-39	148-156mg =3t	74-76mg =1 $\cdot$ t
8-9	32-36mg = $\cdot$ t	16-18mg = $\cdot$ t	40	160mg = 3 $\cdot$ t	80mg = 1 $\cdot$ t
10	40mg = $\cdot$ t	20mg = $\cdot$ t	41-42	164-168mg =3 $\cdot$ t	82-84mg = 1 $\cdot$ t
11-14	44-56mg =1t	22-28mg = $\cdot$ t	43-45	172-180mg =3 $\cdot$ t	86-90mg = 1 $\cdot$ t
15	60mg =1 $\cdot$ t	30mg = $\cdot$ t	46	184mg =3 $\cdot$ t	92mg = 1 $\cdot$ t
16-17	64-68mg =1 $\cdot$ t	32-34mg = $\cdot$ t	47-48	188-192mg =3 $\cdot$ t	94-96mg =2 t
18-20	72-80mg =1 $\cdot$ t	36-40mg = $\cdot$ t	49-51	196-204mg = 4t	98-102mg = 2t
21	84mg = 1 $\cdot$ t	42mg = $\cdot$ t	52-53	208-212mg = 4 $\cdot$ t	104-106mg = 2t
22-23	88-92mg = 1 $\cdot$ t	44-46mg =1t	54	216mg = 4 $\cdot$ t	108mg = 2 $\cdot$ t
24-26	96-104mg = 2 t	48-52mg =1 t	55-57	220-228mg =4 $\cdot$ t	110-114mg = 2 $\cdot$ t
27-28	108-112mg =2 $\cdot$ t	54-56mg =1 t	58-59	232-236mg = 4 $\cdot$ t	116-118mg =2 $\cdot$ t
29	116mg = 2 $\cdot$ t	58mg = 1 $\cdot$ t	60	240mg = 4 $\cdot$ t	120mg = 2 $\cdot$ t
30-32	120-128mg =2 $\cdot$ t	60mg = 1 $\cdot$ t	61-64	244-256mg = 5 t	122-128mg =2 $\cdot$ t
33-34	132-136mg =2 $\cdot$ t	66-68mg =1 $\cdot$ t	65	260mg = 5 $\cdot$ t	130mg =2 $\cdot$ t
35	140mg =2 $\cdot$ t	70mg = 1 $\cdot$ t	66-67	264-268mg = 5 $\cdot$ t	132-134mg = 2 $\cdot$ t
36	144mg = 3 t	72mg =1 $\cdot$ t	68-70	272-280mg =5 $\cdot$ t	136-140mg =2 $\cdot$ t

Chloroquine $\mathfrak{U}$ *po*

TZ , m; t m; $\mathfrak{U}$ 1 tablet = 150 mg of Chloroquine base |zi wucuxm;on?

weight kg	total dose (25 mg/kg) tablets	dose1 10mg/kg tablets	dose 2 10mg/kg tablets	dose3 5 mg/kg	weight kg mg	total dose (25 mg/kg) tablets	dose 1 10mg/kg tablets	dose 2 10mg/kg tablets	dose 3 5 mg/kg
5	125mg	1/4 t	1/4 t	1/4 t	38	950 mg	2 + 1/2 t	2 + 1/2 t	1 + 1/4 t
6-7	150- 175 mg	1/2 t	1/4 t	1/4 t	39-40	975-1000mg	2 + 1/2 t	2 + 1/2 t	1 + 1/2 t
8	200 mg	1/2 t	1/2 t	1/4 t	41	1025 mg	2 + 3/4 t	2 + 3/4 t	1 + 1/4 t
9-10	225-250 mg	1/2 t	1/2 t	1/2 t	42-43	1050-1075 mg	2 + 3/4 t	2 + 3/4 t	1 + 1/2 t
11	275 mg	3/4 t	3/4 t	1/4 t	44	1100 mg	3 t	3 t	1 + 1/4 t
12-13	300-325 mg	3/4 t	3/4 t	1/2 t	45-46	1125-1150 mg	3 t	3 t	1 + 1/2 t
14	350 mg	1 t	1 t	1/4 t	47	1175 mg	3 t	3 t	1 + 3/4 t
15-16	375-400 mg	1 t	1 t	1/2 t	48-49	1200-1225 mg	3 + 1/4 t	3 + 1/4 t	1 + 1/2 t
17	425 mg	1 t	1 t	3/4 t	50	1250 mg	3 + 1/4 t	3 + 1/4 t	1 + 3/4 t
18-19	450-475 mg	1 + 1/4 t	1 + 1/4 t	1/2 t	51-52	1275-1300 mg	3 + 1/4 t	3 + 1/4 t	2 t
20	500 mg	1 + 1/4 t	1 + 1/4 t	3/4 t	53	1325 mg	3 + 1/2 t	3 + 1/2 t	1 + 3/4 t
21-22	525-550 mg	1 + 1/2 t	1 + 1/2 t	1/2 t	54-55	1350-1375 mg	3 + 1/2 t	3 + 1/2 t	2 t
23	575 mg	1 + 1/2 t	1 + 1/2 t	3/4 t	56	1400 mg	3 + 3/4 t	3 + 3/4 t	1 + 3/4 t
24-25	600-625 mg	1 + 1/2 t	1 + 1/2 t	1 t	57-58	1425-1450 mg	3 + 3/4 t	3 + 3/4 t	2 t
26	650 mg	1 + 3/4 t	1 + 3/4 t	3/4 t	59	1475 mg	4 t	4 t	1 + 3/4 t
27-28	675-700 mg	1 + 3/4 t	1 + 3/4 t	1 t	60-61	1500-1525 mg	4 t	4 t	2 t
29	725 mg	2 t	2 t	3/4 t	62	1550 mg	4 t	4 t	2 + 1/4 t
30-31	750-775 mg	2 t	2 t	1 t	63-64	1575-1600 mg	4 + 1/4 t	4 + 1/4 t	2 t
32	800 mg	2 t	2 t	1 + 1/4 t	65	1625 mg	4 + 1/4 t	4 + 1/4 t	2 + 1/4 t
33-34	825-850 mg	2 + 1/4 t	2 + 1/4 t	1 t	66-67	1650-1675 mg	4 + 1/4 t	4 + 1/4 t	2 t
35	875 mg	2 + 1/4 t	2 + 1/4 t	1 + 1/4 t	68	1700 mg	4 + 1/4 t	4 + 1/4 t	2 + 1/4 t
36-37	900-925 mg	2 + 1/2 t	2 + 1/2 t	1 t	69-70	1725-1750 mg	4 + 1/4 t	4 + 1/4 t	2 + 1/2 t

Mefloquine HCl po

TZ, m; t m; HCl 1 tablet = 250 mg jzi wuc:u x m; on?

2 v a t m u u a v; r m; t m; Mefloquine xray; yei t qywueion?

u, t a v; ce kg	aq; Ee; ppay; i; 25mg/kg mg-tablets	y x ray; & 'w, ay; & r naq; Ee; r naq; Ee; 15mg/kg tablets	10mg/kg tablets	u, t a v; ce kg	aq; Ee; ppay; i; 25mg/kg mg-tablets	y x ray; & r naq; Ee; r naq; Ee; 15mg/kg tablets	'w, ay; & r naq; Ee; r naq; Ee; 10mg/kg tablets
5-6	125-150 mg = $\cdot$ t	$\cdot$	$\cdot$	39-41	975-1025mg = 4 t	2 $\cdot$ t	1 $\cdot$ t
7-8	175-200 mg = $\cdot$	1/2	$\cdot$	42-43	1050-1075mg = 4 $\cdot$ t	2 $\cdot$ t	1 $\cdot$ t
9-11	225-275 mg = 1 t	1/2	$\cdot$	44-46	1100-1150mg = 4 $\cdot$ t	2 $\cdot$ t	1 $\cdot$ t
12-13	300-325 mg = 1 $\cdot$	3/4	$\cdot$	47-48	1175-1200mg = 4 $\cdot$ t	2 $\cdot$ t	2 t
14-16	350-400 mg = 1 $\cdot$ t	1 t	$\cdot$ t	49-51	1225-1275mg = 5 t	3 t	2 t
17-18	425-450 mg = 1 $\cdot$ t	1 t	$\cdot$ t	52-53	1300-1325mg = 5 $\cdot$ t	3 $\cdot$ t	2 t
19-21	475-525 mg = 2 t	1 $\cdot$ t	$\cdot$ t	54-56	1350-1400mg = 5 $\cdot$ t	3 $\cdot$ t	2 $\cdot$ t
22	550mg = 2 $\cdot$ t	1 $\cdot$ t	1 t	57-58	1425-1450mg = 5 $\cdot$ t	3 $\cdot$ t	2 $\cdot$ t
23	575mg = 2 $\cdot$	1 1/2	$\cdot$	59-60	1475-1500mg = 6 t	3 $\cdot$ t	2 $\cdot$ t
24-26	600-650 mg = 2 $\cdot$ t	1 $\cdot$ t	1 t	61	1525mg = 6 t	3 $\cdot$ t	2 $\cdot$ t
27-28	675-700 mg = 2 $\cdot$ t	1 $\cdot$ t	1 t	62-63	1550-1575mg = 6 $\cdot$ t	3 $\cdot$ t	2 $\cdot$ t
29-31	725-775 mg = 3 t	1 $\cdot$ t	1 $\cdot$ t	64	1600mg = 6 $\cdot$ t	3 $\cdot$ t	2 $\cdot$ t
32-33	800-825 mg = 3 $\cdot$ t	2 t	1 $\cdot$ t	65-66	1625-1650mg = 6 $\cdot$ t	4 t	2 $\cdot$ t
34-36	850-900 mg = 3 $\cdot$ t	2 t	1 $\cdot$ t	67-68	1675-1700mg = 6 $\cdot$ t	4 t	2 $\cdot$ t
37-38	925-950 mg = 3 $\cdot$ t	2 $\cdot$ t	1 $\cdot$ t	69-70	1725-1750mg = 7 t	4 $\cdot$ t	2 $\cdot$ t

aq; ray; & ? u, 0eaqmi/ pwa&m*; &mZ0i&o/ Ou&; yea&m*; &mZ0i&o/ vecaom 63 &u twi;
Mefloquine aomucz; o/

aomuaq; 𐌵 Quinine

TZ , m; t m; 𐌵 1 tablet = 300 mg jzi wucuxm;on?

u , tav;ce kg	aq;Ee; = 10mg/kg TID	
	mg	Tab
< 5	75 mg BID	· BID
6-9	75 mg TID	· TID
10-16	150 mg TID	· TID
17-23	225 mg TID	· TID
24-33	300 mg TID	1 TID
34-50	450 mg TID	1 · TID
> 50	600 mg TID	2 TID

t om;aq; 𐌵 Artemether

TZ , m; u 𐌵 x;aq; 1 yvi; = 80mg in 1 cc jziwucu lji/vyxm;on?

u , tav;ce kg	pay;&rn aq;Ee; 3.2mg/kg cc	quay;&rn aq;Ee; 1.6mg/kg cc	u , tav;ce kg	pay;&rn aq;Ee; 3.2mg/kg cc	quay;&rn aq;Ee; 1.6mg/kg cc
2-3	0.1	0.05	43	1.7	0.9
4-6	0.2	0.1	44-46	1.8	0.9
7	0.3	0.1	47	1.9	0.9
8	0.3	0.2	48	1.9	1.0
9-11	0.4	0.2	49-51	2.0	1.0
12	0.5	0.2	52	2.1	1.0
13	0.5	0.2	53	2.1	1.1
14-16	0.6	0.3	54-56	2.2	1.1
17	0.7	0.3	57	2.3	1.1
18	0.7	0.4	58	2.3	1.2
19-21	0.8	0.4	59-61	2.4	1.2
22	0.9	0.4	62	2.5	1.2
23	0.9	0.5	63	2.5	1.3
24-26	1.0	0.5	64-66	2.6	1.3
27	1.1	0.5	67	2.7	1.3
28	1.1	0.6	68	2.7	1.4
29-31	1.2	0.6	69-71	2.8	1.4
32	1.3	0.6	72	2.9	1.4
33	1.3	0.7	73	2.9	1.5
34-36	1.4	0.7	74-76	3.0	1.5
37	1.5	0.7	77	3.1	1.5
38	1.5	0.8	78	3.1	1.6
39-41	1.6	0.8	79-80	3.2	1.6
42	1.7	0.8			

t a:umaq; 𐌸 Quinine 𐌸 pay;&rnaq;Ee; LOADING DOSE = 20mg/kg

TZ , m;u x;aq;wv;= 600mg in 2cc/ t a:umaq;oi;&rñEe; 1cc=20 drops jziwuc;u l;v;vym;on?

20 mg/kg Quinine t m; 4 em&ay;y;? q u l t a:um t m;aq;&n ou out m; 4 em& ay;y;?

Quinine t m; D5w/ D10W/ D5S Ei NSS w;jziaz;mpyEi on?

u , 0eaqmirm; twu D10W u o;y;?

	H 0		H 4	
u , t a:v;ce kg	cc of Quinine in IV fluids	drop/mn	t a:um t m;aq;&n wcwn;	drop/mn
4-6	0.4 cc in 100 cc	8d/min	100cc	8d/mn
7-9	0.6 cc in 150 cc	13d/min	150cc	13d/mn
10-12	0.8 cc in 200 cc	17d/min	200cc	17d/mn
13-15	1 cc in 250 cc			
16-18	1.2 cc in 250 cc			
19-21	1.4 cc in 250 cc			
22-24	1.6 cc in 250 cc			
25-27	1.8 cc in 250 cc			
28-31	2 cc in 250 cc			
32-34	2.2 cc in 250 cc			
35-37	2.4 cc in 250 cc	21d/min	250cc	21d/mn
38-40	2.6 cc in 250 cc			
41-43	2.8 cc in 250 cc			
44-46	3 cc in 250 cc			
47-49	3.2 cc in 250 cc			
50-52	3.4 cc in 250 cc			
53-55	3.6 cc in 250 cc			
56-59	3.8 cc in 250 cc			
>59	4 cc in 250 cc			

Quinine sulfate; Quinine sulfate; Quinine sulfate; MAINTENANCE DOSE = 10mg/kg TID

TZ, m; u xaq;1 v; = 600 mg = 2 cc of Quinine sulfate; 1 pp = 20 jiwuc u l j/vyxm; o n?

Quinine aq; t m; D5W/ D10W/D5S E i NSS w j i a z m p y E i o n?

10 mg/kg DOSE:

u , t a v ; c e kg	cc of Quinine in IV fluids	drop/mn
4-6	0.2 cc in 100 cc	8d/mn
7-9	0.3 cc in 150 cc	13d/mn
10-12	0.4 cc in 200 cc	17d/mn
13-15	0.5 cc in 250 cc	
16-18	0.6 cc in 250 cc	
19-21	0.7 cc in 250 cc	
22-24	0.8 cc in 250 cc	
25-27	0.9 cc in 250 cc	
28-31	1 cc in 250 cc	
32-34	1.1 cc in 250 cc	
35-37	1.2 cc in 250 cc	
38-40	1.3 cc in 250 cc	21d/mn
41-43	1.4 cc in 250 cc	
44-46	1.5 cc in 250 cc	
47-49	1.6 cc in 250 cc	
50-52	1.7 cc in 250 cc	
53-55	1.8 cc in 250 cc	
56-59	1.9 cc in 250 cc	
>59	2 cc in 250 cc	

uei; t om;aq; ʘ IM ʘ LOADING DOSE = 20mg/kg

T Z , m; u x;aq; 1 v; = 600 mg in 2cc jziwuc;u l jy\vyxm;on?

1? uei;aq;wpyvi; (2 cc) ur;a& 3 cc Eia&mpyl 5 cc aym&njzpa t mipyi?

2? vem . u , tav;ceay: rwn l v tyao myrm%u py , y? x|aem uwi y;wpzupY wp0upx;y?

3? aq;x;&mY t veoe&i;&ev on? (oi . v u uaq;y/ aq;x;rnwiy; t m; Savlon jzi oe&i;y/ eu&i;pmx;y?) oir [wyujynwnemjzpwwon?

4? uei;aq;x;ci;on emu;irnjzpa:umi;vem t m;i;jyy?

u , tav;ce kg	azmpyxm;aomuei; ay;&e	u , tav;ce kg	azmpyxm;aomuei; ay;&e
4-6	1 cc	35-37	6 cc
7-9	1.5 cc	38-40	6.5 cc
10-12	2 cc	41-43	7 cc
13-15	2.5 cc	44-46	7.5 cc
16-18	3 cc	47-49	8 cc
19-21	3.5 cc	50-52	8.5 cc
22-24	4 cc	53-55	9 cc
25-27	4.5 cc	56-59	9.5 cc
28-31	5 cc	>59	10 cc
32-34	5.5 cc		

uei; t om;aq; ʘ IM ʘ (quay;&rn) yreaq;Ee; = 10mg/kg TID

T Z , m; u x;aq; 1 v; = 600 mg in 2cc jziwuc;u l jy\vyxm;on?

t xuyt qi 4 qi twi;yi jy\vyi?

aq;Ee; 10 mg/kg

u , tav;ce kg	azmpyxm;aomuei; ay;&e	u , tav;ce kg	azmpyxm;aomuei; ay;&e
4 - 6 kg	0.5 cc	35 - 37 kg	3 cc
7 - 9 kg	0.7 cc	38 - 40 kg	3.2 cc
10 - 12 kg	1 cc	41 - 43 kg	3.5 cc
13 - 15 kg	1.2 cc	44 - 46 kg	3.7 cc
16 - 18 kg	1.5 cc	47 - 49 kg	4 cc
19 - 21 kg	1.7 cc	50 - 52 kg	4.2 cc
22 - 24 kg	2 cc	53 - 55 kg	4.5 cc
25 - 27 kg	2.2 cc	56 - 59 kg	4.7 cc
28 - 31 kg	2.5 cc	> 59 kg	5 cc
32 - 34 kg	2.7 cc		

aq;0;Z , m;rm;

po	] y;pyrwqi(pm;aq;)	BID	] wpae v;iEp ur] 12 em&pjcm; l
mcg	] ruc&*&r	IU	] t jynjynqi&m , ep
im	] }u u om;rwqi(t om;aq;)	TID	] wpae v;i o; ur] 8em&pjcm; l
mg	] rv*&r	S-E	] aq;a umijzpaomab;x u q;u\$;rsm;
iv	] ao;jyea umrwqi(t a umaq;)	QID	] wpae v;iav; ur] 6 em&pjcm; l
g	] gram *&r	Max	] t rsm;q;
sc	] t a&jym;a t muwi;o	stat	] aq;uw urwn;ay;jci;
kg	] u v*&r	Start	] pwiwuau jci;
pr	] p t rwqi	pv	] re;ru , t *(ar;vr;a:umi;)rwqi

- uorumvon ouqi&ma&m*rsm;ay:wirwnon? ouqi&ma&m*uor u\$ wi|un&e?
- t rsm;q;|u awEiaomaq;0;rsm; . ab;0y'oua&murrsm;u omaz: jyxm;yon? aq;0; t rsm;prm omrmet m; jzi 0r;avsmjci;y|jci;/ t e|ci;rsm;u|zpapEi|yon?
- aq;0; t rsm;prmaq;rw nra|umijzppwaomv u Q% m t i|yixjci;/ t epursm;xu|ci;Eir;arvu;jci;rsm; jzppwy|on?
- u , 0eaqmircirsm; t m;aq;0;rsm;ne|um;&mwi t :rwapaq;0;Eiwn rwnppaq;y;rom owzi ne|um; &r n?
- aq;0; t rsm;p . aq;ym%uau sm uya&m*Ei t on;a&m*a0'em&irsm; t wune|um;&mwi t x; owxm; l ne|um;&y|rn?

ACETYL SALICYLIC ACID = ASPIRIN = ASA

uav;(t ou12Ep Eia t mu)	PO	jzpEi u ro;p&e (y &mpwarm t pm;x;o;&e)
uav;(t ou12Ep Ei t xu)	PO	10.15 mg/kg QID
v u;	PO	300 -900mg QID

ow\$ye-&i|uya&m*/ G6PD c|wr&aoma&m*/ t pm t r a|umiA uemwworm;
aq;ray;o i on vemrsm; - t ou(12)Epa t muav; rsm;/ t pm t r t em&orm;ao;vewyau;a&m*|&iEia*|u (c) av;b uema&m*|orm;
aq; . ab;oua&murr m t jcm;aomzsm;em uap on aq;rsm;Eiwl o;py| uyrq;&m; apy|on?
spironolactone aq; . t meoiuav|men;apy|on?

t rsm;q;4*&rEwpae|

ADRENALINE 1:1000

x;aq;yvi;ao;wpyvi;] 1cc] (1)rv*&ry&y|on?] (1)rv*&r

Taq;u"wrwn l(aq;rw n l) jzppwaomao;ve|ci;/jyi;xeom"wrwnr vemrsm;wio;py|on?

uav; ar;ui;pEiajcmu v a t mu t ou(6)vr (6) Ept x t ou (6) Epr (12)Ept x	im	0.05cc
	im	0.12cc
	im	0.25cc
v u;Ei t ou(12) Ept x uav;rsm;	im	0.5cc

- t om;aq;on t a&jym;a t mu o|x;o i;on xuyr l cEmu , wi;o| t jrea&muapon// x| aumi , ct cwi t om;aq;tae|ziyrl o;pvmy|on/
- ao;ay|iceEiao;ceEe;u wi;xm;&y|rn// ao; ay|iceEi ao;ceEe;yrea&mu v monwiat mi/ t ce(5)repjcm; l quwu x;o i;ay;&y|rn//

ALBENDAZOLE

• t o u 2EpEia t m u uav; rsm;	po	for Roundworms	200 mg stat
• 2Ep t x u uav; rsm; Ei v}u; rsm;	po	oc:waumi	400 mg stat
• t o u 2EpEia t m u uav; rsm;	po	for Strongyloides	200 mg OD x 3 days
• v}u; rsm; Ei 2Ep t x u uav; rsm;	po	oc:waumi	400 mg OD x 3 days

• q; & m; p m o e a u m i
yrm% rsm; jym; aom vem
rsm; wi / 3 yw: u m; y;
aem u aq; xywuy?
aq; . ab; x u q; u!
aci; u u jci;

ALUMINIUM HYDROXIDE

uav;	po	25mg/kg TID or QID
v}u;	po	500mg-1g TID or QID

aq; u t p m p m; wce Ei wce t : u m; t y & m 0 i c e r m; w i p m; o i y o n /
Ciprofloxacin, Enalapril, Chloroquine. Digoxin. Rifampicin. Tet-
racycline aq; rsm; Ei w p m; y}u x aq; rsm; . **tmeoiu avsm**
en; apyion!

AMINOPHYLLINE

v}u;	po	100mg-300mg TID or QID
------	----	------------------------

• t p m p m; y; r o m T a q; t m; p m; o i y o n /
• & i u y a & m * } o n Aminophylline **pm; aq; Eixa&murr&y!**
jzpei y; u y pyr & l o i; a o m (STEROID INHALERS) u
(SALBUTAMOL INHALER) Eiwo; y o n ?

		aq; p w i o n y r m %	q u v u a y; o n y r m %
uav;	infusion	5mg/kg y x r r e p (30) t w i;	1mg/kg/hour
v}u;	infusion	250mg/kg y x r r e p (30) t w i;	0.5mg/kg/hour

• Aminophylline aq; t m;
D5W(o)NSS y v i; w i a & m l
o i; e i y o n /
• Aminophyllin pm; aq; o ;
aq m i x m; y; a o m v e m r s m; t m; y
x r (30) r e p w i a y; & r n a q; y r m %
u r a y; & y /

owjy!e Ev; a&m*/ ao; w; a&m*/ 0 u & ; j y e a & m * / t p m t r a & m * / v n y i; } u; a & m * ; i r m; w i
} u y r w l a q; o i; & y i r n ?
ao; x u q; u! = a o c e E e; j r e j c i; / & i w e j c i; / a c i; u u j c i; / t y r a y m j c i; / w u j c i; j z p E i y o n ?

Amoxicillin

uav;	po	10-25 mg/kg TID
v}u;	po	250mg 1g TID

owSy!e t } u w x u t z m; a & m * ; a o m v e m r s m; w i t i y O r s m;
q; & m; p m x u v m E i y o n ?
t m o; a & m i a & m * w i T a q; u a y; a v r & y ?

AMPICILLIN

uav;	po	10-25mg /kg QID
v}u;	po	500mg-1g QID

• t p m r p m; r (30) r e p t v w i T a q; u p m; & y i r n ? a o m u v u
a o m a q; . t c l; t q w 0 u u t p m t r r p y , y o n ? t p m E i t w
p m; y}u t p m t r r p y , r r m y l e n; y o n ? **jzpei y}u/Amoxycillin**
pm; aq; u y a y; o i y o n ?
owSy!e t c u m Amoxycillin aq; Ei t w w j z p y o n ?

uav;	ar; u i; p u a v; (7) & u t x / t o u (7) & u E i t x u	im/iv im/iv	25mg/kg BID 25mg/kg QID	a&m* t a j c t a e q; & m a o m t c j	50mg/kg BID 50mg/kg QID
v}u;		im/iv	500mg QID	im/iv ay; y o n ?	1- 2g QID

BENZATHINE PENICILLIN

uav;	im	Streptococcal y;a:umi t mo;a&mijci; &wc:n;av;zuem t zm;a&m*	25,000 - 50,000 IU/kg stat (Max 1.2 million IU)
	im	av;zuem t zm;a&m* qurjzpap&eumu , jci;	25,000 - 50,000 IU/kg 4 yww}uw (max 1.2 million IU/dose)
v}u;	im	Streptococcal y;a:umi t mo;a&mijci; &wc:n;av;zuem t zm;&m*	1.2 million IU STAT
	im	av;zuem t zm;a&m* qurjzp&eumu , jci;	1.2 million I.U (wpv v:iwp}ur)
	im	syphilis pwijzpp t cie	2.4 million I- U STAT (wiy;Epzuwicl x;on?)
	im	syphilis jzpon [o&y; wpEx uy}umaom t c	2.4 million I.U (t ywp0) (3)ywq uww x; &y}rn?)(wiy;Epzuwicx;on?)

owSy&e au sm u ya&m*}i rsm;wi owEiay;&y}rn?

S.E aq;Eirwnjci;/aq;a}umi t iy0/ tezEir;ar v u}ci;/ao;Ei ywou
aoma&m*}&apEion?

BENZYL PENICILLIN

Uav; ar;ui;p(7)&u t x wpywrwpv t x t ouwpvEi t x u	im/iv im/iv im/iv	25mg/kg BID 25mg/kg TID 25mg/kg QID	a&m*} t ajc t aeq;&m; aom t ce(0;aEm u t ajr;y;a&mijci;)	50mg/kg BID 50mg/kg TID 50-75mg/kg QID
v}u;	im/iv	600mg-1.2g QID	im/iv ay;y}on/	2.4 G QID

- owjy}eEi ab;xuq;u}rsm;on Benzathine
Penicillin Ei twijzpon?
- 30mg=50,000 IU.

BUSCOPAN (HYOSCINE BUTYL BROMIDE)

uav; (6)Epa t mu	ray;oiy?		owSy&e uav;i , rsm; Ei t out & , }u; aom v}u;rsm;ao;w;a&m*}&i EiOr;y;u/Or;av sma&m*} &or sm;wi owEi ne }um;oiy} on/
(6)EpEi t x u	PO	ray;oiy?	
v}u;	im/iv	0.5mg/kg /dose	
	PO	20mg QID	
	im/iv	20mg/dose	wpaeEvi t rsm;q;(40)mg t xay;Eion?

S.E Or;c}y}ci;/q;om; vpwjzpjci;/q;u}ejci;/y;pyajcm u}ci;rsm; jzpEi y}on?

CARBAMAZEPINE

		pwilay;Eion aq;yrm%	t rsm;q;ay;Eion aq;yrm%	• aq;ucuci;r&yo iy? aq;uw}zn;jzn;ci; av smom; &y}rn?(0u&jyea&m*}u 3/4w iav vmy)(p m r:u Em75) Ev;a&m*}&or sm;wi owEiay;&y}rn? S.E=r;a0}ci;/xi;r i}ci;/pw&yax;jci;/ t jriEp xyjzpjci; q' , r qm;"w av smen;jci;Ei ao;jzLO/ao;e0/ao;0 rsm;uav smen;apy}on? Doxycycline,steroids Ei u , oewm;aq; t meoiu av smen;apon? chloroquine, mefloquine a}umi T aq;t meoi uav smen;apon?
uav;	PO	2mg/ kg TID	10mg / kg TID	
v}u;	PO	100mg BID	2g	

CEPHALEXIN

uav;	PO	10mg/kg TID	a&m*jyi;xepmizpcæ	12.5 - 25mg/kg QID	S.E Eiaq;ray; Eiaom t ajc tae Ceftriaxone wiav vm&e?
v}u;	PO	500mg TID		1g QID	

CEFTRIAZONE

uav;	im/iv	25mg/kg O.D	a&m*jyi;xepm	50mg/kg O.D or BID	&yax;rr&aom v i qu qra}umi u;puaom a&m*}rm;aq;yrm% u ten;q;20mg/kg}zi t a}u maq; t jzp omay; &yr n?
v}u;	im/iv im	1g O.D <i>uncomplicated STIs</i>	cEmu , wi y\$Eaep0	1 - 2g OD or BID 250mg stat	

t a}u maq;(o) t a}um x o}aq;&n oi; lay; on t c/ t cæ (2) repr(4)
rep t x ajz;ni;pmx; oi;&yr n?
t om;0;a&m*}a&omar;ui;p uav;rm; t m; **Taq;uray;&y?**
S.E acj;i;u ujci;

CHLORAMPHENICOL

uav;	PO	12.5mg/kg QID	<ul style="list-style-type: none"> jyi;xepmcpm;ae&aom vemrm; u om v i aq; ne;oi y on? (O yrm Q;aEmu t ajr;y;a&mia&m*jyi;xepmcpm;ae&aom t qwa&mia&m*}irm;) x&Ea:umivemou om v i aq; yrm% uav;mc om; &yr n?
v}u;	PO	500mg QID	

owj&e=ar;ui;puav;rm;EiG6PDc&Ewa&m*}rm;wiowEineum;&y on?
u , 0eaqmiEie&Ewuau;aeaomrcirm; t m; **Taq;ray;&y?**
Taq;a:umiao; t m;en;jci;}&wi;c0q uz:u q jci;w&Eujzpapon?

uav;	ar;ui;p(wyw t x) wp ywrwpv t x t ouwvEi t x u	iv/im	a&m*jyi;xepm cEmu , wi y\$Eæ	25mg/kg OD 25mg/kg BID 25mg/kg QID	vemou om v i aq; yrm% uwp0u t xav;mc&rn
v}u;		iv/im		25mg/kg QID(t rm;q;1gQID)	

CHLORPHENIRAMINE

uav;(wpEpa t mu)	ray;oiy			
uav;(t ou)wpEpr EpEp t x/ o;Epri;Ep t x/ (6)Epr(12)Ep	PO	1mg BID	t rm;q; 3mg/day	<ul style="list-style-type: none"> aq;Ei t pmrwjci;a:umi jzp wwaom t iz0xjci;/tezEi , m; , jci;rm;wiay;ei y on? t at;r Emap;a&m*}rm; twu ro;&y? "}wrw}ci;a:umiao; ve}jci;wi aem u xyrjzpym;ap&e Ep&u qu wu Taq;u wuau;}&y; rn? q ;}u wa&m i &r;a o ma&m*} /q ; u:ea&m*}0u&jye&aom vem rm;wi owjziaq;ay;&yr n?
	PO	1mg 4-6 em&jcm;wcj	t rm;q; 6mg/day	
	PO	2mg 4-6 em&jcm;wcj	t rm;q; 12mg/day	S.E x i ;r i jci;acj;i;u ujci;/q; u:ejci;/y;pyajcm uao&Ejci;}&iwe jci;/pw&yax;jci;Eiem; t jci;w&Ejzp wwon?
v}u;	PO iv	4mg 4-6 em&jcm;wcj 10-20mg dose	t rm;q; 24mg/day t rm;q; 40mg/day	

CHLORPROMAZINE

pwazmujyera&m*/ t ve t ri;p; &rveujci;/&e&i;qecw t j/ t r		pwi lay;&rnaq;yrn%	
V}U;	PO	25mg TID (OE) 75mg(n t yce;)	
	IM	25-50mg TID (OE) QID	

Ev;a&m*/ t qwa&m*/ t on;a&m i t om;Ojzpb;orm;/ t ou t & , }u;&i or;m;Ei u;pua&m*/&i r;m;wi owEiaq;ay;&r n? u , Oeaqmirci/au mu uya&m*/Ei t on;a&m*/jyi;xepmcpm;ae&orm;/Ou& jyea&m&i r;m; t m; **Taq;urne;o i y?**

S.E wejci;/rrreaomvy&m;r/*%mr-i rjzpci;/xiri;jci;/ t yruq;r;m;rujci;/pw"wu jci;/ t om;Oa&m*/ t jyi; t xe wujci;/ t jrir:un v i jci;/q;om;&ecujci;/ao;ay;i u jci;/Ev;wejci;/ t ou &Ee;aEjci;/ao; t m;en;jci;/ t &u/a&mi&r;ruapaomaq;r;m; Pentazocine aq;r;m;on **Taq; . t &euyrr;m;apon?**

- t ou t & , }u;orm;wi=omrev }u;r;m; t m;ay;aomaq;yrn% . wp0uu omay;&yrr n?yre t m;jzi10=25rv*&r t m; pw&i;x:uaom t ajc t aewiay;v;i v avmuyon?
- ac;xm;aomaq;r;m;/vr;aq;&n v u r;m;jziaq;urx&y?aq;rwra:umi v u wi , m; , jci;/ t iyO r;m;jzpei yon?
- aq;ucuci;r&yo i y? wjzn;jzn;ci; av mci;om;&yrr n?
- t om;aq;x;aom t c/vem t m;uwi ay:wiem&Oucei vav m i;xm;o i yon?

CHLORPROPAMIDE

		pwi lay;rn aq;yrn%	t r;m;q;ay;ei on aq;yrn%
V}U;	PO	250mg O.D	500mg O.D
t ou t & , }u;orm;	PO	125mg O.D	500mg O.D

S.E ao;wi t cl"pwvpmav men;jci;/ t &uEiwl aq;uaomuy;uwu , v;e&jci;?

t &u/ Cimetidine,Chloramphenicol,Lotrimoxazole,Propranolol aq;r;m;Ei Taq;uwo;y;uaow;wi t cl"wu yr l av men;apyon?

Steroids; Hydrochlorothiazide; Furosemide; u , Oewm;aq;r;m;Ei Taq;uwo;y;u aq; . **t meoiuav men;apyon?**

- t ypwpcwn;jzpaOmGlibenclamide aq; Eiwl ray;&y?
- Metformin aq;Eiway;Ei yon?(q;cl/ ao;cl&m*/u S wi:un)(pmr;uEm 70)
- t ou t & , }u;&iorm;wi Taq;on ao;x&t cl"wu v , upmav men;ape i yon? Eiwurcir;m;wiray;&y?

CIMETIDINE

V}U;	PO	400mg BID wpvrwpvc t x
------	----	------------------------

u , Oeaqmirci;r;m; t m; **Taq;u ray;&y?**

Phenytoin, Aminophylline aq;r;m;Eiwl ray;&y?

t on;a&m*/ au smu uya&m*/&orm;wi owjziay;&yrr n? S.E Or;av m jci;/ y/Ejci;/ aci;u u jci;/ r;aOjci;/ t iyO x u jci;/ armye;jci;wEjzpwwo n?

CIPROFLOXACIN

(u) t a&m i ie;z m;a&m*/Ei buw;& , m;a)um i jzpaom jyi;xepm0r;u u jci;] 7. 5mg/kgBIDjzi (5) &ur(10)&u t xa q;ay;&yrr n?

uav;		PO	125 mg BID
V}U;	u , t av;ce (40)kg a t m u	PO	250 mg BID
	(40)kg t x u	PO	500 mg BID

Ou&jyea&m*/&i/ G6PD cl(Ewaoma&m*/&i r;m;wi owxm;l aq;u ne)um;o ion?

S.E Or;Auemjci;/ r;aOjci;/ t ya&rrejci;/wujci;/ t om;Oa&m*/ au smu uyy;up;Ei yon?

Aluminium, Ferrous Sulplate Ei Taq;uwl pm;y;uaq;u t pm t rrp y , rav men;apyon?

(c) viquqjci;a)um i jzpaoma&m*/r;m; (umv om;a&m*) t wu pmr;uEm (104)

V}U;	PO	*Ea&m*	500 mg stat
	PO	&ec&u a&m*	500 mg BID (3)&u q u w u ay;&r n?

CLOXACILLIN

uav;	PO iv im	15mg/kg QID	a&m*jyi;xe pmcpm;ae&ce iv	y, ryw (2)ywr(4)yw wpv t x u	25-50mg/kg BID 25-50mg/kg TID 25-50mg/kg QID
v}u;		500mg QID		v}u;	1-2g QID

• tpm trrTaq; t m;py, r t m;en;aoma}umijzpEi v/i t p m r p m; r(1)em& (oE r [w) t p m p m; y; E p e m& t } u m w i a q; u p m; o i y; o n?

S.E t o m; O; a&m*/ ao; eOy; up; r a; u m i a o; t m; e n; a&m*

Taq; o n u , O e w m; a q; . t m e o i u a v; m e n; a p y; o n/

CODEINE

uav;	PO	0.5mg/kg (4em&jcm;wc)	
v}u;	PO	30.60mg/kg (4em&jcm;wc)	t r m; q; w p&u] 240r v * & r

em u; i j c i; a&m* } u E (p m r; u E m=10) w i } u n y?

ray; o i a o m v e m/ o w E y&e

aq; ab; O y; ' r m; u Pentazocine w i } u n y?

COTRIMOXALOLE

uav;	• t o u (5) v t x • (5) v r (6) E p t x • (6) E p r (12) E p t x	PO PO PO	120mg BID 240mg BID 480mg BID	a&m*jyi;xe pmcpm;&aom t c e w i E p q w; l a y; & r n?
v}u;		PO	960mg BID	

HIV v e m r m; t w u A I D S a&m* } u E p m r; u E m = 135 w i . u n y?

& i u y a&m* & i r m; / G 6 P D d E w r a&m* & i r m; w i o w x m; l a q; a y; & y r n?

u , O e a q m i r c i r m; / a o; E i y w o u a o m a&m* } r m; / a u s m u u y a&m* } E i t

o n; a&m* } j y i; x e p m c p m; a e& o r m; w i T a q; u r a y; o i y?

S.E a o; E i y w o u a o m a&m* } r m; (a o; c y E y p n; r m; a o; j z l O r m; a v s m e n; y i u) a q; u& y v u& y r n?

Taq; o n C h l o r p r o p a m i d e E i G l i b e n c l a m i d e a q; r m; . t m e o i u y l r m; a p y; o n?

DEXAMETHASONE

x; a q; y v i; a q; w p y v i;] 1 c c] (4) r v * & r y 0 i o n?

t o m; a q; (o E) t a } u m a q; t j z p o i; o n t c j z n; n i; p m o i; & y r n?

a t m u y Z , m; o n " w r w n j c i; a } u m i j z p w w a o m a o; v e r q; & m; p m " w r w n r r m; w i t o; E y y; o n?

uav;	(8) u v * & r a t m u (8) u v r (15) u v * & r t x (15) u v * & r E i t x u	iv/im iv/im iv/im	0.25 cc 0.5 cc 1 cc
v}u;		iv/im	1-2 cc

DEXTROSE 50%

uav; E i v } u;	iv j z n; n i; p m o i; y i o n?	1ml/kg
-----------------	----------------------------------	--------

a q; t & n u a o; j y e a } u m t } u; r m; r w q i c a n n u l a t } u; u o; l o i; & y r n?

DIAZEPAM

uav;	po	0.04-0.2mg/kg BID or TID
iv/pr		0.2-0.3 mg/kg stat(Max 3mg/kg/day)
v}u;	po	2-10mg BID or TID
iv/pr		10- 20mg stat

t qw t m;en; o/r:umc%&i u;ya e o rsm;/ t o n;a&m* t o n; t o e v e m rsm;/p w u;a&m* t o rsm;/p w a z m u j y e r a&m* t o u n c p m; a e& o rsm; **Taq;uro;&y//**

Chlorpheniramine, Phenyton aq; rsm; Ei w l r a y; &y/?

- t c e u m v: u m& n p m r a y; o i y//
- wujci;a&m* u S** (p m r: u e m-15) w i: u n y/?
- t & u j z w a o m t c w i o; y i o n (p m r: u e m-161) w i: u n y/?
- t o u& l v r; a: u m i; q i& m a&m* t i r s m;/ t & u E i a q; p a e o r s m; w i **owxm; l ay;&y r n//**

DICLOFENAC

Uav;	po	1mg/kg BID or TID	t rsm; q; w p a e; v i i (50) r v* & r t x a y; e i o n?
v}u;	po	25-50mg TID	t rsm; q; w a e; v i i (150) r v* & r t x a y; e i o n?
	im	75mg OD	

- Ibuprofen aq; w i: u n& e/

DIGOXIN

uav;	po	0.005mg/kg BD
v}u;	po	0.125-0.250mg 0.D
t o u t & , } u; & i o r s m;	po	0.0625-0.125mg 0D

- p w i w u a u; & r n y r m% u E v; v y i e; c// , i; t m; e n; r u E w i: u n y// (p m r: u E m 66)
- o l i& u (v n y i; } u;) a&m* t i r s m;/ t o u t & , } u; & i o r s m;/ a o; x w i y w u q , r" w a v s m e n; a e o r s m; w i q; a q; E i w l o; y u/ s p i r o n o l a c t o n e q; a q; E i w o; p m; o i o n//

a q; y r m% v e u y; u y s i j c i; / t e j c i; / t j r i r: u n v i j c i; / a c i; u u j c i; / t y i u x i; r i j c i; / p w& y a x; j c i; / p w" i w u s j c i; w i j z p w w y i o n/ E r y t h r o m y c i n. Q u i n i n e, a q; w o; p a e y i u **Taq; . t & e u w; a p y i o n?**

a t m u y; a q; r s m; E i w a y; v i i a q; a: u m i j z p E i a o m a b; 0 y; ' u w; a p y i o n/?

Furosemide. Hydrochlorthiazide, Steroids, Propranolol aq; rsm; o n a o; w i y w u p , r u a v s m e n; a p y i o n/

DOXYCYCLINE

uav; t o u (8) E p a t m u	r a y; & y//***	
uav; t o u (8) E p t x u E i v}u; rsm;	po	2mg/kg BID or 4mg/kg OD

S.E-aq; r w n j c i; a: u m i j z p w w a o m t i y; 0 x j c i; / a c i; u u j c i; w i j z p w w y i o n// u , 0 e a q m i r c i r s m; E i t o u (8) E p a t m u u a v; r s m; w i r a y; &y/?

Aluminium Iron w e i w a y; y u t p m t r r **Taq; u p y , r a v s m e n; a p y i o n?**

Carbamazapine. Phenobarbital. Phenytoinaq; rsm; E i w l o; y u T a q; . t m e o i u a v s m e n; a p y i o n//

***r w c: u/ c i z w w u z i u a&m* w i c i; c i u t a e j z i T a q; u o; y r n? (p m r: u E m-129)

ENALAPRIL

		p w i l a y; e i o n a q; y r m%	t r s m; q; a y; e i o n a q; y r m%
v}u;	po	5mg OD	40mg OD
t o u t & , } u; & i o r s m;	po	2.5mg OD	40mg OD

a o; w; a&m* u E w i: u n y/? (p m r: u E m-61) t j c m; a o m q; a q; r s m; E i w o; o n t c/ a u s m u u y y r e t v y r v y a o m v e m r s m; w i **owxm; l a q; u n e; & r n?** u , 0 e a q m i r c i r s m; t m; **Taq; u r a y; y/?**

S.E t v e t r i; a o; a y i c e u a p j c i; / a u s m u u y y r e t v y r v y j c i; / a c m i; a j c m u q; j c i; w i j z p E i o n?

Aluminium aq; E i w l o; y u T a q; u t p m t r r p y , r e n; a p y i o n?

t & u/ N i t r a t e s / a o; w; u a p a o m a q; r s m; E i w l o; y u **Taq; . t & e u i r i w u a p y i o n?**

ERGOMETRINE

w0uwy;uom;avmjci;Eir;zm;y;ao;oejci;rm;wi Taq;u t o;ijyon?

v}u;	im (o) iv (jzn;ni;pm)	0.2mg stat
------	-----------------------------	------------

- uav;r;zm;y; ao;r&yont c/ Taq;u aemu xyEplurxyay;eiyo n?
- t a:umaq;ay;ji;u yr l xa&mu yon? ojaom t a:umaq;ujzn;ni; pm wprepaum x;oi;ay;&yir n?
- t jzpr m;aomom;zm;r; , yjy \ emrsm;uE(pmr;uEm-146)wi :u ny?

ao;w;a&m*/u , Oea:umiao;qywujci;a&m*/r;rm;rAuemp0Eir;zm;aeciewi Taq;uray;&y? Taq; t pm; oxy- tocin uay; eiyo n?

S.E ao;ay;iciejriwujci;/yslEjci;/ t ejci;/aci;u u jci;/r;a0jci;/em; t jci;/A uemjci;/&i bwa t mi jci;/&iwe jci;/ Ev;we jci;w;jzpei on?

ERYTHROMYCIN

uav;	10mg/kg QID	a&m*ji;xepm cpm;ae&ce	15-25mg/kg QID
V:U;	250-500mg QID		750mg-1g QID

Penicillin aq;Eirwnaom vemrsm;
wi Taq;u o;yion//
S.E Or;avmjci;/ t iyo xjci;/

jzpEiyu Aminophylline,Carbamazepine,Cimetidine, Digoxin aq;rm;Eiwl ray;o iyl

ETHAMBUTOL

T.B(wba&m*)wi o;aomaq;jzpyion? T.B(wba&m*)wi Taq;wr;l;wn;uay;avr&y// t jcm;aom aq;rm;Eiay;i; l o;yion/*

uav;Eiv}u;	PO	15-20mg/kg OD
------------	----	---------------

*aq;ray;rEi vemvmjywi; t jri:unv iruppaq;&yion//
(wba&m*)u \$pmr;uEm-50)

- aq;ym%uau sm uya&m*;&irsm;/ t out & , }u;&i orsm;
wi av sm lay;om;&yion//

t jri t m;en;aeor sm;/em;r:um;or sm;wi Taq;uray;o iyl

S.E t jri t m&u xcu jci;/u , vu t *i&emAa:umrsm;a&mi
 , r;jci;/ t a&jym;wi t iyo xjci;

FERROUS SULPHATE

uav; t av;ce(5)u v*&r t x	PO	50mg OD E qv
uav; t av;ce(5-9)u v*&r t x	PO	100mg OD E qv
uav; t av;ce(10)u vEi t x u v:u;rsm;	PO	200mg OD E qv

- Taq;pm;ont c/ rpipe;ont a&mirm
t ra&mijzpyr n?

S.E t pm t ru' uay;ji;/ Or;cllyji;jzpEi
on?

Taq;on CiprofloxacinEiDoxycycline
aq;w/. t pm t rrp y , ru av men;apy
on?Taq;on Methylropa . t meoi
u av men;apyon?

- ao;x&[r*vAi t a&t wuyre t wi;jyejzpvmaom t c/ Taq;uaemu xy(3)v u , cEmwioavmixm;Ei on
t qi t xuorc , oiyo n?

- uav;wiao; t m;en;aom t c/ uav;Eiwuau;aeaomrci t m;Taq;Eiwl Folic acid aq;jym;uay;&yir n?

FLUCONAZOLE

HIV Ai;&yyp; o , aqmi x m;aom vemrsm; t wuaemu xy0ia&muEiaom u;pua&m*rsm;r umu , &Ei
u o&et wu Taq;u ne;oiyo n? (AIDS a&m*ju \$pmr;uEm 138-140)

FOLIC ACID

uav;	PO	aq;jym; . av; ywpywpael wp:ur/ o;vau;&rn?
v:u;	PO	aq;jym;wpael;v;iwpijym;jzi o;vau;&rn?

FUROSEMIDE

uav;	PO	au sm u uya&m*ia&m* v u %mp	1mg/kg OD	wpael;v;i t rsm;q; (20)rv&ray;Ei on
v:u;	iv (jzn;n i;pm)	Ev;c , i; t m;en;r	1mg/kg	
	PO	ao; t v e t r i;w;jci;	20-80mg ael;po	
	PO	az;a&mijci;	1mg/kg OD 40-80mg Dose	

- au sm u uya&m*Eiao;w;a&m* u Ew i a v v m&e(pmr;u Em(103)Ei(61)

- cEmu , ra&"wce;ajcm u jci;aj u mi q;en;wwy on ||

vemona&"wce;ajcm uae on [, qy v;i Normal Saline ay;y;r Taq;uay;&y on ||

S.Eq' , rEiywuq , r"wrsm;ao;xwien;y;jci;/ao;ay;iceu;jci;/ao;xwi t c||"wrsm;apjci;wijzpwwy on ||

Indomethacin aq;Eiwl ray;&y|| Indomethacin aq;onau sm u yu 0y;'ay;eiou o i q;om;ruavsmen;apy on ?

jzpei y u/ Gentamycin Ei Streptomycin aq;rsm;Eiwl ray;&||

u , Oewm;aq;rsm;on Taq; . t meoiuavsmen;apy on ||

Taq;on q;c||ao;c||u;apaomaq;rsm; . t meoiuavsmen;apy on ||

Taq;Ei steroids aq;u w v;i ao;xwiywup , r"wuylavsmen;apy on ||

GENTAMYCIN

uav; ar;u i;p (yx ryw) wpywr(10)Ep t x	iv/im iv/im	5mg/kg OD 7.5mg/kg OD
v}u;Ei t ou(10)Ep t x u uav;rsm;	iv/im	5.6mg/kg OD(MAX360mg)

- aq;w}urwn;ay;jci;onaq;a u miab;0y;'jzpjci;uavsmen;apy on ||

owiy&e- t ou t & , }u;&iorm;au sm u uyvy t m;avsmen;r(aq;yrm%uavsm lay;&y r n?)

S.E Eia sm u uyuxcuiy on ||

jzpei y u furosemide aq;Eiwl ray;&y|| ay;v;i aq;wprd;ureuwiay;l aemuwprd;u naewiay;&y r n||

GLIBENCLAMIDE

		pwi lay;&rn aq;yrm%	t rsm;q;ay;ei on aq;yrm%
v}u;	po	5mg OD	15mg OD
t ou}u;or sm;	po	2.5mg OD	15mg OD

- t y pwpwn;jzpaom chloropramide
aq;Eiway;l r&y||

- Metformin aq;Eiwl ray;ei y on ||

- S.E Chlorpropamide Wi:u ny||

GRISEOFULVIN

uav;	po	10-20mg/kg OD
v}u;	po	500mg

- Taq;Ei uoaece t wi;(o l) u o t y; wv:um on t x u , Oeaqmi
jci;rjy&y?

- t r d;om;rsm; t wur aq;pm;aep0Ei aq;pm;y; 6 v:um on t x u av;
r , oiy?

- t pmpm;y;rom Taq;upm;&y r n||

S.E aci;u ujci;r;a0jci;/ao;Eiywo uaoma&m*rsm;?

u , Oeaqmi rci rsm;Ei t on;a&m*t on;t oejzpaer sm;wi v;Oray;&y?

u , Oewm;aq; . t meoiuavsmen;apy on?(Taq;Ei wpm;y;u)

HALOPERIDOL

pwazjuyjera&m/pwa:umijzpaom t jyl t r:ur;wr;r/pw:ua&m*/*

V:U;	PO	1.5-3mg BID or TID
	IM	2-10mg dose

p;&rpwjyi;x&aoma&m/t wu u m v u u o r*

V:U;	PO	0.5mg BID
------	----	-----------

r&yrem;:u||x;jci; t wu

V:U;	PO	1.5mg TID
------	----	-----------

HYDRALAZINE

		pwiay;Eion aq;yrn%	t r;m;q;ay;Eion aq;yrn%
V:U;	PO	25mg BID	50mg BID

ao;ayice t vejriwua&aom t c&e

V}U;	iv	5gm rep(20)r(30)jcm; laq;u quwuay;eiyo n//a t muao; (100)r v r w m a&mu o n t x	t r;m;q; (20)r v * & r t x ay;Eiyo n//
------	----	--	--

HYDROCHLOROTHIAZIDE

		pwi lay;eion aq;yrn%	t r;m;q;ay;eion aq;yrn%
V}U;	po	12.5mgOD	50mgOD

IBUPROFEN

uav;	PO	2.5-10mg/kg TID or QID
V}U;	PO	150-600mg TID or QID

*S.E t p m t r w i t e m j z p a j c i ; E i a o ; x u a p c i ; / & i u y a p c i ; / a c i ; u u j c i ; / r ; a O j c i ; / q ; o m ; o n t c a o ; y j c i ; /
u , a z a & m i j c i ; / a u m u u y v y t m ; e n j c i ; w S j z p w w y o n ?*

ao;ayice u a p o n a q ; r m ; E i w l a o m u y u a o ; a y i c e u a q ; . t & e u a v m e n ; a p y o n ?

q;aq;Ei Taq;u w l a o m u y u a u m u y t m ; a b ; 0 y ; ' y l j z p a p y o n ?

Steroid aq;Ei Taq;u w l a o m u y u t p m t r t e m t m ; y r q ; & m ; a p y o n ?

INDOMETHACIN

uav;	PO	0.5-1mg/kg TID or QID
V}U;	PO	25-50mg TID or QID

• t o u t & , : u ; & i a o m o r m ; w i a q ; y r m % w p 0 u t x a v m c a y ; & r n ?

owjy&eray; o i a o m v e m r m ; E i a q ; a u m i j z p a o m a q ; 0 y i ' r m ; u
Chlorpromazine w i : u n y ?

jz p E i y ; u **Indomethacin aq;Ei w l r a y ; & y i ?** t v e t r i ; x i ; r i ;
j c i ; u j z p a p o n ?

• **ao;w;a&m*/u** E w i : u n y / (p m r s u E m 61)

*a v j z w j c i ; / a u s m u u y a & m * i r m ; a o ; c e E e ; w p r e p v i i (1 4 0) c e E e ; / x u r m ; a e y i u r a y ; & y i /*

*S.E E v ; c e E e ; j r e j c i ; / y s l j c i ; / t e j c i ; / & i w e j c i ; /
w u , v ; e j c i ; / a o ; a y i c e u j c i ; / a c i ; u u j c i ; /
r ; a O j c i ; w i j z p E i y o n //*

t a : u a q ; t j z p o ; a o m t c i / a o ; a y i c e u
v : i j r e p m c a y ; y o n //

t & u / t j c m ; a o m a o ; a y i c e u s a q ; r m ; E i w

*o ; y i u **Taq; . t & e w r r m ; a p y o n //***

*t a & m i u a p a o m a q ; / p w & u u , 0 e w m ;
a q ; r m ; E i w o ; o n t c i / **Taq; . t & e u**
e n ; a p y o n //*

• **ao;w;a&m*/u** E w i : u n y / (p m r s u E m = 61)

S.E a o ; x w i y w u p , r " w a v s m e n ; a p y o n ?

a o ; x w i t c i " w u v n j r i w u a p y o n ?

*a u m u u y a & m * E i t o n a & m * y i ; x e p m q ; a e a o m v e m r m ;
a * u e m (& ; q p a , m i , r) a & m * /*

u , 0 e a q m i r c i r m ; w i r a y ; & y i ?

Furosemide aq;w i j u n y ?

*t o u t & , } u ; & i a o m o r m ; / a u s m u u y y r e t t v y r v y
a o m v e m r m ; / & i u y a & m * ; i r m ; w i **owxm; I Taq;u** p m ;
& y r n ?*

u , 0 e a q m i r c i E i E E w u a u ; a e a o m r c i r m ; / A s p i r i n a q ;

*E i r w n o r m ; / t p m t r t e m j z p a e o r m ; t m ; **Taq;u r a y ; & y i ?***

• **Ibuprofen** w i j u n y ?

Haloperidol Ei Furosemide aq;r m ; Ei w l r a y ; & y i ?

ISONIAZID

Taq; t m; wba&m* uorwi t jcm; aq; rsm; Eiwo; yon? Taq; wr; wn; zi wba&m* uo&ero; y/*

uav;	PO	5-10mg/kg OD
v}u;	PO	300mg OD

* wba&m* u S wi}u ny? p m r: u Em- 50

t on; a&m*/ au sm u uya&m* & i rsm; / Ou& jyea&m* & i pw uia&m* Ei t & upae orsm; wi Taq; uray; & y?

S.E u , v u t * & t m&a}u m rsm; t m; xcuap Ei yon? (x a}u mi Aw m ri (b6) aq; jym; t m; (10) r v * & r wae E w p jym; ay; & y r n ?) rupei t on; u xcuap Ei on? w u jci; p w u jci; w E jz p Ei on?

Taq; on Carbamazapine Ei Phenytoin aq; w E . t meo i u yrrm; apy; on?

ISOSORBIDE MONONITRATE

		pwi lay; Ei on aq; yrm%	t rsm; q; ay; Ei on aq; yrm%
v}u;	PO	10mg BID	30mg QID

o i; & l u a [m re; av smen; ae orsm; wi t x; ow x m; l ay; & y r n ?

ao; ay ice u ae orsm; Ev; . t q E i raumi; on v em rsm; ao; t m; t v e t ri en; ae orsm; t m; Taq; uray; & y? S.E aq; i; t v eu u jci; / w u , v; e jci; / ao; ay ice u jci; Ei Ev; ce jre jci; w E jz p Ei yon?

MEBENDAZOLE

uav; (t ou Ep Ep t x u) v}u;	PO	100mg BID (3) & u q u w u ay; & y r n ?
------------------------------	----	---

u , Oeaq mirci rsm; Ei t ou Ep Epa t mu uav; i , rsm; t m; ray; & y?

METFORMIN

		pwi ay; Ei on aq; yrm%	t rsm; q; ay; Ei on aq; yrm%
v}u;	PO	500mg TID	1g TID

- q; / ao; cla&m* u E wi}u ny/ (p m r: u Em-70)
- Glibenclamide (o E) Chlopropamide aq; rsm; Ei w l ay; Ei yon?

u , Oeaq mirci rsm; / E E w u au; ae a o mrci rsm; / au sm u u yom rme t v y r v ya o m v em rsm; / Ev; v yie; c l l , i ; t m; en; orsm; / t & u p orsm; wi ray; & y?

t & u/ Cimetidine / Propranolol w E Ei Taq; u w l a o m u y u a o; x & t c l " w u y re apy on l

Steroids, Hydrochlorothiazide, Furosemide

Ei u , Oewm; aq; rsm; Ei Taq; u w l a o m u y u a o; x & t c l " w u y r a v m en; ru u s q i; apy on?

METHYLDOPA

		y x ray; Ei on aq; yrm%	t rsm; q; ay; Ei on aq; yrm%
v}u;	PO	250mg BID	3G ae p 0
t ou}u; orsm;	PO	125mg BID	2G ae p 0

- ao; w; a&m* u E wi}u ny/ (p m r: u Em -61)

pw uia&m* & orsm; / t on; a&m* & orsm; wi ray; & y l l

S.E y jci; / y; pyce; a jcm u jci; / u , azja , mi jci; / aq; i; u u jci; / t yru q; rsm; / t o m; O i a&m* / ao; t m; en; jci; / & ; w i ; c o q t m; xcu Ei yon l l

t & u/ Propranolol Ei t jcm; a o m a o; ay ice u a p o n aq; rsm; Ei w p m; y u Taq; . t & e u yrrm; apy on l l

a , mi , r; u a p o n aq; rsm; steroids u , Oewm; aq; Ei o " jw t m; aq; rsm; Ei w p m; y u Taq; . t & e u av m en; apy on l l

METOCLOPRAMIDE

uav;	PO/IM/IV	0.12mg/kg w c p m (TID or QID)
v}u;	PO/IM/IV	10-15mg w c p m (TID or QID)

uav; rsm; Ei t ou t & , } u ; & i orsm; wi ow x m; l aq; ay; & y r n l l

S.E we jci; / om rre r [waom v y & m; rrm; * % m r i r jci; / t y i u x i; r i jci; w jz p Ei on l l

METRONIDAZOLE

uav; t ouwpv t x t ouwpv t x u	po/iv po/iv	7.5mg/kg BID 7.5mg/kg TID
v}u; Amoeba uyy; y; t wu	po/iv po/iv	500mg TID 750mg TID

t&ujiwlpm; on t c/ Taq; onrv tyao
ab; 0y; ' rsm; ujpapy; on// t&uaomu; y; Taq;
rpm; rap&e **t x; owjy&y;rn**//
S.E Ep;rllz , t&omr&ici; / tpm tr t m; ' u
ay; ci; / ac; i; u u; ci; / t om; 0; a&m* wjz pEi on/
Taq; on Phenytoin aq; . **t&euyrjriwu**
apon//

NICLOSAMIDE

uav; Ei v}u;	PO	30mg/kg stat
--------------	----	--------------

- Metoclopramide (10) r v * &raq; jym; u pm; aq; t jzp
Niclosamide aq; ray; r/ v emE; x vmaom t cewiay; x m; &y; r n?
- aq; u 0; pm; y; r omr; c&y; r n//

NORFLOXACIN

v}u;	PO	400mg BID
------	----	-----------

- q; t rEi q; om; vr; a; umi; wjz paoma&m* rsm; t wu o; y; on//
Cotrimoxazole Ei Cephalexin aq; rsm; jzi u o l r&on t c/ Taq; u t o;
jy; y; on//
- **t x; owjy&e/ aq; a; umi jz pEi onab; 0y; ' rsm; u** Ciprofloxacin wi: u ny//

NYSTATIN

uav;	iaq;	100,000 I.U QID
v}u;	iaq;	100,000 I.U QID
	PV (re; ru , t wi;)	100,000 I.U (nwi;) (7) &u quwu

OXYTOCINE

v}u;	w0uwy; u om; av; m; ci;	iv	10-20. IU stat
	r; z; y; aem uao; oe aom t ajc t aewi	iv/ im	10 IU stat, X aem u 20 IU t m; 500 pp D5W wi x l wrepv; i 3ppEe; jzi ay; y? ao; oerav; men; v my; uaq; av; may; y?

- uav; r; z; &e t wuyx r t q i t aejio; y; on//
 - **u , 0eaqm i rsm; jz pav&ona&m* rsm; u** Ewi: u ny// (pmr; u Em-145)
- S-E: om; t r: u u om; rsm; quwu wec; ap; ci; / y; ll; ci; / t e; ci; EiEv; cerrer; sm; jz pvm Ei on//

PARACETAMOL (ACETAMINOPHEN)

uav;	PO PO IM	15mg/kg QID 5mg/kg QID if Jaundice 10mg/kg QID	t rsm; q; wpaev; i Ep* &r t xay; Ei on//
v}u;	PO IM	500mg-1g QID 300mg QID	t rsm; q; wpaev; i av; * &r t x ay; Ei on//

- Taq; u (4) em&jcm; l v n; ay;
Ei y; on// o| aom t rsm; q; ay; Ei
onaq; yrm% x uryap&y; ll
t&upa eorm; Ei t on; vy t m;
av; men; ra&m* &orm; wi **ow**
xm; l Taq; uay; &y; r n//
S.Eaq; a; umi jz pEi onab; 0y; '
t veen; y; on// aq; yrm% ve
uy; u t on; t m; xcu Ei y; on//

PENICILLIN V (PHENOXYMETHYL PENICILLIN)

uav;	PO	7.5-15mg/kg QID
v}u;	PO	250-500mg QID

owjy&e t c;ur m;u Benzathine Penicillin Wi:u ny//

- Streptococcus buw&; , m;y;a:umi t mo;(y;o;)a&m i o n [, q&y;u Taq;u (10)&u w u ay;&y;rn // av;z u e m t z m; a&m *r}u l w i u m u , &e t w u j z p y o n //

PENTAZOCINE

uav;	SC/IM slow I.V	0.5-1mg/kg/dose
v}u;	SC/IM	30-60mg/dose slow I.V

- (3)em&(o)av;em&jcm; l wp}u ray;Ei y o n //o i a o m t r m;q; ay;Ei o n a q; y r m % u r a u s m a p & y // &i: u y a e c e / t & u p o r m; a c i ; w i ' % & m & x m; o r m; / O; a E m u t a j r; y ; a & m i a & m * c p m; a e & o r m; / O; a % m u w i ; a o ; , p ; r c p m; a e & o r m; t m; Taq; u ray;&y // t o n ; v y t m; v y i e ; , , i ; a e a o m a 0 ' e m & i r m; E i w u w w a o m v e m r m; w i o w x m; l a y ; & y r n //

t r m; q; w p a e v : i (360) r v * & r t x a y ; E i o n //

S.E y l j c i ; / t e j c i ; / O r ; c y j c i ; / x i ; r i j c i ; / t o u & L e e ; a E ; a u ; j c i ; / a o ; a y i c e u j c i ; w i j z p E i y o n //

PHENOBARBITAL (PHENOBARBITONE)

0 u ; j y e a & m * t w u

0 u ; j y e		p w i a y ; E i o n a q ; y r m %	t r m ; q ; a y ; E i o n a q ; y r m %
uav;	po	5mg/kg at night	8mg/kg
v}u;	po	60mg at night	180mg

wu , v ; w u j c i ; (Diazepam j z i w u j c i ; u r x e ; E i v i o ; y o n //)

- Taq; u c u c i ; r & y o i y / w j z n j z n ; a q ; y r m % u o m a v m c ; & y r n // u a v ; E i t o u t & , } u ; & i o r m ; w i o w x m ; l a q ; a y ; & r n // Taq; o n t y i u a p o n // p u & v y o m ; r m ; / , m O a r m i ; o r m ; j z p y u Taq; u & i ; j y ; r o m a y ; o i y o n // q ; & m ; p m t o u & l p e p y r e r [w a o m v e m r m ; w i r a y ; & y ?

		0 ; p m a y ; & r n a q ; t j r i E e ; y r m % -
uav;	aq; o i ; j c i ;	10-20mg/kg over 30 minute
v}u;	t a : u m a q ;	10mg/kg over 30 minute

S.E x i ; r i j c i ; / i u r ; O ; j c i ; / t i y ; O x j c i ; / a o ; q v r m ; r r r e j c i ; / t o u & L e e ; a E ; a u ; j c i ; / u a v ; r m ; w i p w v y & m ; j c i ; E i t o u t & , } u ; & i o r m ; w i p w & y a x ; j c i ; w i j z p w w o n // t a : u m a q ; t a e j z i o i ; a o m t c j a o ; a y i c e u j c i ; E i j r e j r e o i ; a o m t c j t o u & l r y w e l o m ; j c i ; w i j z p E i o n / a q ; y r m % r m ; v e ; y u v r ; a v # u & m w i r r r e j c i ; E i p u m ; a j m q r : u n v i j y w o m ; r r & j c i ; w i j z p w w y o n //

Malaria y; O; a % m u w i ; o / a & m u o m ; a o m t c w u j c i ; r u m u , & e

Taq; o n c h l o r a m p h e n i c o l , D o x y c y c l i n e , M e t r o r n i d a z o l e , s t e r o i d s , A m i n o p h y l l i n e E i u , O e w m ; a q ; r m ; . t m e o i u a v m e n ; a p y o n //

uav;	aq; r n e ; & y	
v}u;	im	7.5mg/kg stat

PHENYTOIN

<i>0u&;jye</i>		pwiay;Ei o naq;yrn%	t r m; q; ay;Ei o naq;yrn%
uav;	po	2.5mg/kg BID	
		yreaq;yrn%	
ar;u i;p(wp v t x)	po	5-8mg/kg/24hour (2 }ur-3}u rcay;y)	300mg/24hour
6vro;Ep t x	po	8-10mg/kg/24hour 2-3 }urcl ay;&e	
av;EprajcmuEp t x	po	7.5-9mg/kg/24hour 2-3 }urcl au ;&e	
(&)Epr(9)Ep t x	po	7-8mg/kg/24hour 2-3 }urcl au ;&e	
(10)Epr(16)Ep t x	po	6-7mg/kg/24hour 2-3 }urcl au ;&e	
v}u;	po	150-300mg/24hour 1 }ur-2 }urcl au ;&e	
		yreaq;yrn%	
		200-500mg/24hour 1-2 }urcl au ;&e	500mg/24hour 1-2 }urcl au ;&e

• aq;u &ww&urjzw&y/ ajz;ajz;ici;av:my?

• t p mEi t w (o!) t p m p m; y; aq;aom u&e?

owjyly- ao;ay;i u;ici;/ Ev; t vyrvyjci;/ t o t vyrvyjci;(aq;yrn%av:may;y)

Ev;ceEe;en;aom v em r m;w i ray;&y//

ab;x u q;u;-pw&ya x ;ici;/r;a0jci;/ac;i;u u jci;/ajcv u wejci; t yray;mjci;/pw"lw u jci;/om;z;a&m i jci;/ao; t m;en;ici;w;jzpw w y;on//

aq;yrn%veuyupum;y;oo rajyme i jci;/vr;av:m u &mw i r r rejci;/r;u v;a:um q jci;/t j r i t m&r:u n v i jci;/t j y i t r r m;ajymi;v v m jci;w;jzpe i on//

Aspirin.Chloramphenicol,Cotrimoxazole,Metronidazole,Isoniazide.Cimetidine aq;wEi w l aom u y;u **Taq;**
. t &e t m;yr r m;apy on//Doxycycline, steroids,Aminophylline Ei u , 0ewm;aq;r m;on **Taq;** **. t &e u av men;**
 apy;on/

cEmu , wu , v;wujci;(DIAZEPAM Eir xe;eiaom t q;o;y;on//)

	0;p may;&rn aq;yrn%	yre xe;or;&e ay;&rn aq;yrn%	t r m; q; aq;yrn%
uav; Ei v}u; t a:umaq;o i;ici;	1.5mg/kg 1em& t :um	pm;aq; t jzpay;om;y rn	1.5g

PRAZIQUANTEL

uav; Ei v}u;	po	<i>Taenia oeaumi t wu</i>	20mg/kg w}urwn;
		<i>Paragonimus oeaumi t wu</i>	25mg/kg TID o;&u q u w u ay;&e

PREDNISOLONE

&i u;y;ye;ema&m*Eiaum u u ya&m i&r;ici;a:um i jzpa oma&m* v u %mp u Cewi:u ny?(pm r;u Em(54Ei104)

PRIMAQUINE

uav;	po	0.25mg/kg OD 14&u ay;y 0.75mg/kg wywv;iw ur x 8 y w
v}u;	po	15mg OD 14&u ay;y 30mg wywv;iw ur x 8 y w 45mg wywv;iw ur x 6 y w

G₆PD αEwra&m*Ei Rheumatoid arthritis ac:
t qp tjrpa&mia&m*ja0'em&irm; t m; **Taq;u
owxm; lay;&y|rn?**
SE Or;Auemjci; / G₆PD αEwaomorm;wi ao;
e0u l ao; t m;en;a&m*jzpwwyon?
u , Oeaqmircirm;wi **ro;p&y?**
rwci;u/ t ywp0w uau;on u oron
G₆PD αSaoma&m* **onrm;wixa&mur&on**
tjipwc& yon?

PROCAINE PENICILLIN (PENICILLIN G PROCAINE)

(1) **rv*&r] 1000 , ep (IU)y&y|on?**

uav;	deep im	25-50mg/kg OD or BID
v}u;	deep im	600 mg-2.4g OD or BID

• t a:umaq; t aejziro;&y?
Benzathine penicillin wi:u ny?

PROPRANOLOL

			pwiay;Ei on aq;ym%	t rsm;q;ay;Ei on aq;ym%
v}u;	po	ao;w;a&m*	40mg BID	160mg BID
		&ibwa t mijci;	40mg BID or TID	120mg BID
	po	Ev;ce rreji; oi;&u t qywujci;	10-40mg TID or QID	
	po	p;&rpwEi&iweji; u , v uweji;	40mg OD	40mg TID

&i u;y|ye;ema&m*& o rsm;/
t ou&L vr;a:umi;wp
avsmuwi ywq|r&aoma&m*
rsm;/Ev;ceEe;yre xuen;
aomvemrsm;/ ao;ayicieus
aeorm; t m; **ray;&y|**
u , Oeaqmirci/Eiwuau;
aeaomrci/ t on;Eiaum u
uya&m*ja0'em&irm;/ao;q;c|
a&m*&orm; t m;; **owxm;l**
aq;ym%u avsm lay;&y|rn/

S.E Ev;ceaEjci;Ev;&ywe|r/ao;ayiceujci;/ avijyeuyjci;/ t yraymji;/ ajc/v uat;pujci;wjzpeion/

Aminophylline **aq;Eiwl ray;&y|**

t a&mi u:apaomaq;rsm;/u , Oewm;aq;/ Rifampicin, Steroids aq;rsm;Eiwl aomuy|u **Taq; . tmeoiu avmen;**
apy|on//

q;c|u:apaomaq;rsm; . t &eyrjriwuapy|on//

PYRANTEL PAMOATE

uav;Ei v}u;	po	oeaum i v;rsm; t wu	10 mg/kg stat
-------------	----	---------------------	---------------

t ouEpEpat mu uav;rsm;u vn; ay;Eiy|on?

u , Oeaqmircirm; t m; **Taq;ray;&y?**

PYRAZINAMIDE

Taq;uwba&m*u or t wu t jcm;aomaq;rsm;Eiwl o;&y|on// Taq;wpr;wn;uro;y|/*

uav;	po	35mg/kg PD
v}u;		
(50)u vat mu	po	1500mg OD
(50)u v t x u	po	2000mg OD

***wba&m*u S** wi:u ny|(pmr;uEm-50)

t on;a&m*&irm;/q;ao;c|Eiav;buema&m*&irm; t m; **t x; owxm;**
l Taq;une&y|rn//

S.E t on;u xcuEijci;/ t qpemjci;y|jci;/ t ejci;Ei t iyOrsm;xEiy|on/

RIFAMPICIN

Taq;uwb&m* u o r t w u t j c m ; a o m a q ; r m ; E i w l o ; y o n // T a q ; w r ; w n ; u r o ; y // *

uav;	po	10mg/kg OD
v}u; (50)u v a t m u	po	450mg OD
(50)u v t x u	po	600mg OD

* wba&m* u S wi : u n y // (p m r ; u E m - 50)

Taq; o n q ; a c j ; E i r : u & n r m ; u t e a & m i o e ; a p y o n // q ; t e a & m i o m ; w w y o n //

t o n ; a & m * a 0 ' e m & i r m ; t m ; t x ; o w x m ; l a q ; u n e & y o n / t o n ; a & m i t o m ; O ; & a e v ; i T a q ; u v ; 0 r a y ; y //

S.E t o n ; u x c u a p j c i ; y l j c i ; / t e j c i ; / O r ; a v m j c i ; E i t i y : 0 r m ; j z p E i y o n //

Aluminium aq ; E i w l p m ; y i u T a q ; u t p m t r r p y , r e n ; a p y o n //

Taq; o n Chlorpropamide, Phenytoin, Propranolol

Steroids u , 0 e w m ; a q ; / Aminophylline, Cimetidine

w j . a q ; t m e o i u a v m e n ; a p y o n //

SALBUTAMOL

uav;	po	0.1 mg/kg QID
	resp solution 5mg/ml 0.5%	2.5-5mg/dose*
	inhaler 1 puff=100mcg	1-2 puff / dose*
	IM/SC	0.01-0.02mg/kg every 4-6 hrs

• (24)em& t w i ; a q ; u t } u r r n r : E i a q ; y r m % r n r i a y ; E i o n u & i u y a & m * u S w i a v v m y // (p m r ; u E m - 54)

• p m ; a q ; o n x a & m u r t e n ; q ; E i a q ; . a b ; 0 y i ' u t r m ; q ; j z p a p o n // j z p E i y u a q ; u & o i j c i ; (o) n e b u l i s e r a y j c i ; u t a u m i ; q ; j z p y o n //

v}u;	po	2 - 4 mg QID
	resp solution 5mg/ml, 0.5%	2.5 – 5 mg / dose*
	inhaler 1 puff=100 mcg	1 - 2 puffs / dose*
	im / sc	0.5 mg every 4-6 em&jcm; w c j
	very slow iv	0.250 mg v t y y i u x y l a y ; y i

& w w & u & i u ; y y e ; e m x a o m v e m r m ; w i & o i j c i ; (o) n e b u l i s e r a y j c i ; u t a u m a q ; x u y l a u m i ; y o n ?

o i ; & l u a [m r e ; r m ; a o m v n y i } u ; a & m * & i / E v ; c e E e ; r r r e a o m a & m * & i r m ; / a o ; a y i c i e w u a e a o m v e m r m ; / E i q ; c i v e m & i r m ; w i o w x m ; l a q ; u a y ; & y r n ?

S.E u , v u w e j c i ; / p w w i ; r m j c i ; / a c i ; u u j c i ; / E v c e r r e j c i ; / & i w e j c i ; / E v ; w e j c i ; / u a v ; r m ; w i t y a & r 0 j c i ; E i t j y i t r r m ; a j y m i ; v j c i ; w i j z p E i y o n ?

• j z p E i y u t o n ; . t a j c t a e u p p a q ; y ?

• a q ; u c u c i ; r & y & y / w j z n ; j z n ; c i ; a q ; y r m % u a v m o m ; & y i r n //

u a v ; (3) E p a t m u r m ; w i T a q ; u n e ; o n t c j o w x m ; l a y ; & r n //

v w w a v m t o n ; a & m * a 0 ' e m & i r m ; t m ; T a q ; r a y ; & y //

S.E t p m t r ' u a y ; j c i ; y l j c i ; / u , v u w e j c i ; / t a v ; c e w ; v m j c i ; / u , a z m a , m i j c i ; / t y i u j c i ; / p w & y a x ; j c i ; w j z p E i o n // t o u (3) E p a t m u u a v ; w i t o n ; u x c u E i y o n //

Aspirin o n T a q ; . t m e o i u j r i r m ; a p o n ?

Chloroquine E i M e f l o q u i n e a q ; r m ; o n a q ; . t m e o i u a v m e n ; a p o n ?

SODIUM VALPROATE

O u & L j y e a & m *		p w i a y ; E i o n a q ; y r m %	t r m ; q ; a y ; E i ; o n a q ; y r m %
uav;	po	5mg/kg BID or TID	1g
v}u;	po	200mg TID	3g daily

SPIRONOLACTONE

uav;	po	au:mu uya&mi&mi&mi*	3 mg/kg OD Frusemide Eiwl
v}u;	po	au:mu uya&mi&mi&mi*	3 mg/kg OD Frusemide Eiwl
	po	a&z0;pjci;	100-200 mg OD 400 mg t x
	po	Ev;vyie;c t m;en;r	25 mg OD Furosemide Enalapril Eiwl

• au:mu uya&mi v u %mpEiEv;
vyie;c t m;en;r uEwi :uny/
(pm:uEm 103 Ei 67)

u , Oeaqmircirm;Ei wuau; aeaom
rcirm;ao;xwiywup , r"wjri aeo
rsm; t m; **Taq;uray;&y**

t ou t & , }u ;&iaom orsm; / t on;
a&m*/au:mu uya&mi* a0'em&irsm; t m;
ow xm; laq;uay;&rn

S.E yjci;ye;n;aojci;a , mu m;Ei t }u;
jci;/"rwmao;rreji;/ t yi u jci;/ac;i;
u u jci;wjzpei on

Taq;Ei Indomethacin aq;u w l
pm;y} uao;xwiywup , r"wjrim;ru
jpapy on

Aspirin Ei u , Oewm;aq;rsm; on T
aq; . **q;om;rsm;apaom t meo i uav:m**
en;apy on

Digoxin on **Taq; . q;om;rsm;apaom**
t meo i uyrrm;apy on

STREPTOMYCIN

wba&m* u orwi Taq; t m; t jcm;aomaq;rsm;Eiwl aq;ne;ay;av&y on/*

Taq;wpr;wn;uro;&y?

uav;			im	15mg/kg OD
v}u;	(45)Epa t mu	(50)u v t x u	im	1g OD
	(45)Epr(60)Ep	(37)u v t x u	im	750mg OD
	t o u (60)Ep t x u	(37)u v t x u	im	750mg OD
		(37)u v a t mu	im	500mg OD
		(37)u v a t mu	im	500mg OD

wba&m u }swi:uny/
(pm:uEm-50)

• jzpei y u Furosemide aq;
Ei w l ray;&y/(Gentamicin
wi:uny/)

uav;i , rsm;/ t ou t & , }u;
&i orsm;/au:mu uya&mi&mi rsm;/
em;yi;/em;av;or sm;/rjri t m&
t m;en;or sm; **Taq;u ow**
xm; lay;&y;rn

S.E em; . t :um; t m&u xcuap
ei y on//au:mu uyu xcu
ei on// t iy;Orsm;jzpei on//
oaEom; . em;Ei au:mu uyu
vn;xcuei y on

TETRACYCLINE***

uav; t o u (8)EpEia t mu		Taq;urne;oiy
uav; (8)Ep t x u Ei v}u;	po	250-500mg QID

Taq;onpn;ur;wuror;qn;xm;yu
y;uq;v , on x}aumi Doxycycline
uyl ne;oiy on

S.Eaq;rwnjci;aumi jzppwaom t iy;Oxjci;/ac;i;u u jci;wjzpei on

u , Oeaqmircirm;Ei t o u (8)Ep***a t mu uav;rsm;wi ray;&y

Aluminium Ei Iron wEi wpm;y u t pm t rr **Taq;upy , r t m;en;apy on**

TRAMADOL

uav;	po	aq;r !e;oiy	
v}u;	po	50- 100 rv*&r 4- 6em&pjcm; l	t rsm;q;waev;i (400)rv*&ray;ei on

owjyl&e/ ray;oi on vemrsm;/ aq; .

ab;Oy;rsm;u Pentazocine wi :uny/
oiaom t ou&cucr/ Or;cyjci;Ei aq;p
apjci;wion Taq;wi y len;y; y on?

VITAMIN A

uoraq; yrm%		y x rae	'w , ae	(8)&uajrm uae
uav; t o u(6)va t mu	po	50,000 IUstat	50,000IUstat	50,000 IUstat
uav;(6)vrwpEp(o) (8)u v*&ra t mu	po	100,000 IUstat	100,000 IUstat	100,000 IUstat
uav; t o uwpEp t x u (o)8 u v*&r t x u	po	200,000 IUstat	200,000 IUstat	200,000 IUstat
&m oao;ay:aeaom t o u t yi; t jcm;wi& t r;l; o r;rm;	po	10,000IU OD t m;2 yw o r [w 25,000IU wyw v;i w urEe;ji 8 yw		

Vitamin A c/wrrum u , &ewuau;onaq; yrm%

ar;u i;puav;rm;	po	50,000 IU ar;y;ce
uav; (6)vrwpEp t x (o)(8)u v*&ra t mu	po	100,000 IU (av;v(o) ajcm u vw ur)
uav; wpEp t x u(o) (8)u v*&r t x u	po	200,000 IU (av;v(o) ajcm u vwp ur)
rcirm;	po	200,000 IU (r;y;y;ce)

- umu , r t q i zi w u au ;&mw i u av ;
rm;Eircirm; t m;vecaomwpv t wi; T
aq;wuau;x m;/ r x m;uppp&r n//
- aq; yrm% 200,000 IU &aomaq;v;u
t o;jyl 200,000 IU x uav;men;aom
yrm%u ay;vyu/ Awmriat u \$ pmruEm
(117)wi:u ny/
u , Oeaqmircirm;wi v;0ro;&y/

VITAMIN B1 (THIAMINE)

Awmri B1 "wclwr t wu uo&mwio; rnaq; yrm%

wEpa t mu uav;rm;	Im 50mg TID x 1 &uay;y;aemu 10mg po x 6ywwq u l ay;&e
V}U; vitamin B1 ten;i , av;men;r rcirm;(Ewuau;aece)	po 100mg OD x t m; 7 &uwuau;y/ x aemu po 70mg OD x t m; 6ywwq u l ay;&e
V}U; -vitamin B1 "wvcpm c/wr	Im 100mg TID x w&uay;y;aemu po 700mg OD x 7&u q u l ay;y; po 10mg OD x t m; 6yway;y?

- Vit B1 "wclwr t ce;
(pmr:uEm 118)wi:u ny?
- aq;aomuaciewi
ur;o;0;ici;rjy&y/ Vit B1
"wu y up;apon?

u , Oeaqmircirm;Ei &iao;i , rm;wi Vit B1 c/wjci;r umu , r

u , Oeaqmircirm;	po	(100)rv*&r wae;v;iw ur(u , OeaqmipOEi e wuau;aeon umv(6) v t x)
------------------	----	--

VITAMIN B6 (PYRIDOXINE)

Isoniazid(wba&m*}u oraq;)aom u o n t cewi t m&a:umr;m; t m;en;ra&m*r umu , &e t wu
Taq;une;y}on//

uav;Ei v}u;	po	10mg OD
-------------	----	---------

- Awmri b6aq;yrm%rm;rm;ay;y}u Isoniazid
aq; . t meo i uav;men;apy}on//(pmr;uEm-50)

ur;u;um;ci;rm;

Taz:jyy;u;r;u;pm&i;rm;on trm;q;to;jy/caom pmtypmwr;rm;uom &n& ,az:jyy;on//
ten;i ,rjir;to;jy/caompmapmirsm;/sme ,rm;t m;v;u xnoi;raz:jyEicy//
ur;u;um;ci;rm;

References:

1. Aids to Examination of the Peripheral Nervous System. The Guarantors of Brain. 1986 Bailliere Tindall.
2. Bell VDR, Lecture Notes on Tropical Medicine 4th Edition 1995.
3. British National Formulary, September 2001.
4. Crawley J. et al. Effect of Phenobarbitone On Seizure Frequency and Mortality in Childhood Cerebral Malaria; A Randomised, Controlled Intervention Study. Lancet 2000, Feb26, 335; pages 701-706.
5. Crofton J., Horne N., Miller F., Clinical Tuberculosis, 2nd Edn. 1999.
6. English M., "Life-threatening severe malarial anaemia", TransRSocTropMed&Hyg, 2000, 94, pp.585-588.
7. Goodman and Gilman's The Pharmacological basis of therapeutics -9th edition, 2000.
8. Harris J.30 Techniques for Leprosy Control. 2nd edition,1993. The Leprosy Mission.
9. Harrison's Principle of Internal medicine 14th edition.
10. IUATLD, Enarson et al., Management of TB. A guide for low-income countries. 5th Edn. 2000.
11. Jopling W.H. Clinical Aspects of Leprosy. . Tubercle 63, (1982) pages 295-305.
12. Kumar & Clark, Clinical Medicine, 3rd edition, 1995.
13. Luxemburger C. et al. Treatment of Vivax Malaria On The Western Border Of Thailand, TransRSocTropMed&Hyg, 1999, 93, 433-438.
14. Mahdal BK et al, Lecture Notes On Infectious diseases 5th Edition 1996.
15. Mandell, Principles and Practice of Infectious Diseases, 5th ed., 2000, Churchill Livingston.
16. Manson's Tropical Diseases, edited by G.Cook, 20th ed.,
17. The Merck Manual, 17th Edn,. 1999.
18. Morley D., Lovell H. My Name Is Today. 1st Edition, 1986. McMillain (TALC).
19. MSF, Clinical guidelines Diagnostic and treatment manual ,1999.
20. O'Grady, Lambert, Finch, Greenwood—Antibiotic and Chemotherapy - 7th edition –1997.
21. Oxford Handbook of Clinical Medicine, 5th edition, 2001.
22. Oxford Handbook of Tropical Medicine, 4th Edition 1999.
23. Powderly W.G. Manual of HIV Therapeutics 2nd Edition 2001, Lippincott.
24. Sandford-Smith J. Eye Diseases in Hot Climates. 3rd Edition, 1997.
25. Savage-King F., Burgess A. Nutrition for Developing Countries 2nd Edition 1992 Oxford University Press.
26. Schofield C., Ashworth A. Why Have Mortality Rates For Severe Malnutrition Remained So High. The Bulletin of WHO 1996, 74 (2), pages 223-229.
27. Shann F., Drug Doses, Royal Children's Hospital, Parkville, Victoria, Australia, 10th Edition, 1998.

28. SMRU Malaria Handbook, November 2001.
29. SMRU, (McGready R. , VanVugt M., Lee T.) Obstetric Emergencies 1999.
30. The Magpie Trial Collaborative Group. Do Women With Pre-Eclampsia and their Babies Benefit From Magnesium Sulphate? The Magpie Trial; A Randomised Placebo-Controlled Trial. Lancet 2002, June 1, vol 359 pages 1877-1890.
31. Topley E. Anaemia in Rural Africa. 1998 (TALC).
32. UK Pharmacopeia, 1997.
33. UNHCR/WFP, Guidelines for Selective Feeding Programs, 1999.
34. University of California, Los Angeles, "Blood Transfusion Manual", 1996.
35. UpToDate, Clinical Reference Library, 2000.
36. Van Hensbroek et al. Iron But Not Folic Acid Combined With Effective Anti-malarial Therapy Promotes Haematological Recovery in African Children After Acute Falciparum Malaria. TransRSocTropMed&Hyg 1995, 89, 672-676.
37. Werner D. Where There Is No Doctor: A Village Health Care Handbook. 3rd Printing 1996. The Hesperian Foundation.
38. White N., Parry C. The Treatment of Typhoid Fever. Current Opinion In Infectious Diseases, 1996, 9, pages 298-302.
39. WHO, Management of Severe Malnutrition - A Manual for Physicians and Other Senior Health Workers. 1999.
40. WHO, A Guide to Leprosy Control. 2nd edition 1988.
41. WHO, "Severe falciparum malaria", TransRSocTropMed&Hyg, 94 Suppl 1, 2000.
42. WHO, Thiamine Deficiency And It's Prevention And Control In Major Emergencies.
43. WHO, WFP / UNHCR, et al Management of Nutrition in Major Emergencies.
44. WHO, Treatment of Tuberculosis. Guidelines for National Programmes. 2nd Edition, 1997.
45. Yawalkar S.J. .Leprosy for Medical Practitioners and Paramedical Workers. 6th edition, 1994. Ciba-Geigy Ltd.

Note:



A large rectangular area with a light gray background, containing numerous horizontal dotted lines for writing.
